






Free Cloud Computing Services -
Create stack | CloudFormation
AWS Settings
887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/cloudformation/home?region=ap-s...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > Create stack
Specify template Info
This GitHub repository contains sample CloudFormation templates that can help you get started on new infrastructure projects. Learn more
Template source
Selecting a template generates an Amazon S3 URL where it will be stored. A template is a JSON or YAML file that describes your stack's resources and properties.
Amazon S3 URL
Provide an Amazon S3 URL to your template.
Upload a template file
Upload your template directly to the console.
Sync from Git
Sync a template from your Git repository.
Upload a template file
Choose file
clodformation.yaml
JSON or YAML formatted file
S3 URL: https://s3.ap-southeast-2.amazonaws.com/cf-templates-vmd6e79x7xh2-ap-southeast-2/2026-10-19T070827.927Znxp-clodformation.yaml
Open in template studio
Cancel
Next
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Welcome
clodformation.yaml
Users > md-sha > clodformation.yaml > { } Resources > { } S3Bucket > { } Properties > { } BucketEncryption > [ ] ServerSideEncryptionConfigurat
AWSTemplateFormatVersion: '2010-09-09'
Description: S3 bucket with server-side encryption
Resources:
S3Bucket:
Type: AWS::S3::Bucket
Properties:
BucketEncryption:
ServerSideEncryptionConfiguration:
- ServerSideEncryptionByDefault:
SSEAlgorithm: AES256
Problems
Output
Debug Console
Terminal
Ports
zsh
md-sha@MDs-MacBook-Air ~ %
Chat
Local · Init command usage
aws sts get-user-profile --profile cloudformation-stack-user ?
aws iam get-user --profile cloudf
Why it failed
The exit code 252 suggests the CLI could not complete the request, usually because one of these is true:
the profile name is wrong
the profile has no valid credentials
the IAM user has no permission for that action
the command itself is invalid for your AWS CLI version
get-user-profile is not the standard STS command; get-caller-identity is the correct one.
Best check
clodformation.yaml
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Ln 11, Col 35
Spaces: 2
UTF-8
LF
YAML



Free Cloud Computing Services
Create stack | CloudFormation
Stack cfn-workshop-template
AWS Settings
887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/cloudformation/home?region=ap-s...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > cfn-workshop-template-and-stack
Stacks (1)
Filter status
Search by stack name
Active
View nested
Stacks
cfn-workshop-template-and-stack
2026-10-19 12:46:36 UTC+0530
CREATE_COMPLETE
Table view
Timeline view
Events (5)
View root cause
Search events
Timestamp
Logical ID
Status
2026-10-19 12:46:53 UTC+0530
cfn-workshop-template-and-stack
CREATE_COMPLETE
S3Bucket
2026-10-19 12:46:39 UTC+0530
CREATE_IN_PROGRESS
2026-10-19 12:46:38 UTC+0530
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Free Cloud Computing Service
Create stack | CloudFormation
Stack cfn-workshop-template
S3 buckets | S3 | New Fro
AWS Settings
887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/s3/buckets?region=ap-southeast-2
Update
Search
[Option+S]
New Frontiers
Safayath T
Amazon S3 > Buckets
Buckets
General purpose buckets
All AWS Regions
Directory buckets
General purpose buckets (1) Info
Copy ARN
Empty
Delete
Create bucket
Buckets are containers for data stored in S3.
Find buckets by name
Name
AWS Region
Creation date
cfn-workshop-template-and-stack-s3bucket-moqmwieg6d7j
Asia Pacific (Sydney) ap-southeast-2
October 19, 2026, 12:46:42 (UTC+05:30)
Account snapshot Info
Updated daily
View dashboard
Storage Lens provides visibility into storage usage and activity trends.
External access summary Info
Updated daily
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Welcome
clodformation.yaml
Users > md-sha > clodformation.yaml > ...
Metadata:
AWS::CloudFormation::Interface:
ParameterGroups:
- Label:
default: 'Amazon EC2 Configuration'
Parameters:
- InstanceType
ParameterLabels:
InstanceType:
default: 'Type of EC2 Instance'
Parameters:
InstanceType:
Type: String
Default: t2.micro
AllowedValues:
- t2.micro
- t2.small
Description: 'Enter t2.micro or t2.small. Default is t2.micro.'
Resources:
WebServerInstance:
Type: 'AWS::EC2::Instance'
Properties:
InstanceType: !Ref InstanceType
ImageId: ami-085ce13fd231ab4ae
Problems
Output
Debug Console
Terminal
Ports
zsh
md-sha@MDs-MacBook-Air ~ %
Chat
Local · Init command usage
aws sts get-user-profile --profile cloudformation-stack-user ?
aws iam get-user --profile cloudf
Why it failed
The exit code 252 suggests the CLI could not complete the request, usually because one of these is true:
the profile name is wrong
the profile has no valid credentials
the IAM user has no permission for that action
the command itself is invalid for your AWS CLI version
get-user-profile is not the standard STS command; get-caller-identity is the correct one.
Best check
clodformation.yaml
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Ln 36, Col 1
Spaces: 2
UTF-8
LF
YAML



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/cloudformation/home?region=ap-s...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > cfn-workshop-resources
Stacks
cfn-workshop-resources
2026-10-19 15:11:49 UTC+0530
CREATE_COMPLETE
Table view
Timeline view
Events (7)
View root cause
Search events
Logical ID
Status
Detailed status
15:12:05
cfn-workshop-resources
CREATE_COMPLETE
15:12:05
WebServerInstance
CREATE_COMPLETE
15:12:04
cfn-workshop-resources
CREATE_IN_PROGRESS
CONFIGURATION_COMPLETE
15:12:04
WebServerInstance
CREATE_IN_PROGRESS
CONFIGURATION_COMPLETE
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Free Cloud Cor
Create stack | C
Stack cfn-work
Instances |
Template studic
Stack cfn-work
Launch an inst
AWS Settings
887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/ec2/home?region=ap-southeast-2...
Update
Search
[Option+S]
New Frontiers
Safayath T
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Instances (1/1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
i-01b6dd5bf2cb6ef00
Running
t3.micro
Initializing
ap-southeast-2b
i-01b6dd5bf2cb6ef00
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-01b6dd5bf2cb6ef00
Public IPv4 address
52.65.178.235 | open address
Private IPv4 addresses
172.31.34.205
IPv6 address
–
Instance state
Running
Public DNS
ec2-52-65-178-235.ap-southeast-
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Welcome
clodformation.yaml 1
Users > md-sha > clodformation.yaml > { } Resources > { } WebServerInstance > { } Properties > [ ] Tags > [ ] Value
AWSTemplateFormatVersion: "2010-09-09"
Description: AWS CloudFormation workshop - Resources
Parameters:
InstanceType:
Type: String
Default: t3.micro
AllowedValues:
- t3.micro
Description: Enter t3.micro.
AmiID:
Type: AWS::EC2::Image::Id
Description: 'The ID of the AMI.'
Resources:
WebServerInstance:
Type: AWS::EC2::Instance
Properties:
InstanceType: !Ref InstanceType
ImageId: !Ref AmiID
Tags:
- Key: Name
Value: !Join ['-', [!Ref InstanceType, webserver]]
Problems 1
Output
Debug Console
Terminal
Ports
clodformation.yaml /Users/md-sha 1
[cfn-lint] Unable to start cfn-lint (Error: spawn cfn-lint ENOENT). Is cfn-lint installed correctly? [Ln 1, Col 1]
Chat
Local · Init command usage
aws sts get-user-profile --profile cloudformation-stack-user ?
Why it failed
The exit code 252 suggests the CLI could not complete the request, usually because one of these is true:
the profile name is wrong
the profile has no valid credentials
the IAM user has no permission for that action
the command itself is invalid for your AWS CLI version
get-user-profile is not the standard STS command; get-caller-identity is the correct one.
Best check
Run this:
clodformation.yaml
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Ln 23, Col 65
Spaces: 2
UTF-8
LF
YAML



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/cloudformation/home?region=ap-s...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > cfn-workshop-intrinsic-functions
Stacks (1)
Search by stack name
Filter status
Active
View nested
Stacks
cfn-workshop-intrinsic-functions
2026-10-19 15:38:14 UTC+0530
CREATE_COMPLETE
cfn-workshop-intrinsic-functions
Delete stack
Update stack
Stack actions
Create stack
Stack info
Events
Resources
Outputs
Parameters
Template
Table view
Timeline view
Events (7)
View root cause
Search events
Operation ID
Timestamp
Logical ID
Status
ff9117d0-cba4-11f1-a399-06ffccbf1db9
2026-10-19 15:38:31 UTC+0530
cfn-workshop-intrinsic-functions
CREATE_COMPL
WebServerInstance
2026-10-19 15:38:30 UTC+0530
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/ec2/home?region=ap-southeast-2...
Search
[Option+S]
New Frontiers
Safayath T
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Instances (1/2) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
t3.micro-webs...
i-00c4586af385c3fd0
Running
t3.micro
3/3 checks passec
ap-southeast-2b
i-00c4586af385c3fd0 (t3.micro-webserver)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-00c4586af385c3fd0
Public IPv4 address
3.104.30.216 | open address
Private IPv4 addresses
172.31.41.153
IPv6 address
–
Instance state
Running
Public DNS
ec2-3-104-30-216.ap-southeast-
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/ec2/home?region=ap-southeast-2...
Search
[Option+S]
New Frontiers
Safayath T
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Instances (1/2) Info
Last updated 3 minutes ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
i-00c4586af385c3fd0 (t3.micro-webserver)
Key
Value
aws:cloudfor...
WebServerInstance
aws:cloudfor...
cfn-workshop-intrinsic-functions
aws:cloudfor...
arn:aws:cloudformation:ap-southeast-2:887951337240:stack/cfn-workshop-intrinsic-functions/ff8d6e50-cba4-11f1-a399-06ffc...
Name
t3.micro-webserver
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Welcome
clodformation.yaml 1
Users > md-sha > clodformation.yaml > ...
Parameters:
InstanceType:
Type: String
Default: t3.micro
AllowedValues:
- t3.micro
Description: Enter t3.micro.
AmiID:
Type: AWS::EC2::Image::Id
Default: ami-085ce13fd231ab4ae
Description: 'The ID of the AMI.'
Resources:
WebServerInstance:
Type: AWS::EC2::Instance
Properties:
InstanceType: !Ref InstanceType
ImageId: !Ref AmiID
Tags:
- Value: !Join ['_', [!Ref InstanceType, webserver]]
Key: name
- Key: InstanceType
Value: !Sub ${InstanceType}
Problems 1
Output
Debug Console
Terminal
Ports
zsh
--query "Parameter.Value" \ …
md-sha@MDs-MacBook-Air ~ %
aws ssm get-parameter \
--name /aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64 \
--query "Parameter.Value" \
--output text \
--region ap-southeast-2
aws: [ERROR]: An error occurred (NoCredentials): Unable to locate credentials. You can configure credentials by running "aws log in".
md-sha@MDs-MacBook-Air ~ %
Chat
Local · Init command usage
aws sts get-user-profile --profile cloudformation-stack-user ?
Why it failed
The exit code 252 suggests the CLI could not complete the request, usually because one of these is true:
the profile name is wrong
the profile has no valid credentials
the IAM user has no permission for that action
the command itself is invalid for your AWS CLI version
get-user-profile is not the standard STS command; get-caller-identity is the correct one.
Best check
Run this:
clodformation.yaml
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Ln 32, Col 1
Spaces: 2
UTF-8
LF
YAML



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/ec2/home?region=ap-southeast-2...
Search
[Option+S]
New Frontiers
Safayath T
EC2 > Instances > i-0e730238cfbb55c19
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Learn more
Subnet ID
subnet-0c3976ee3cac1b862
Auto Scaling group name
–
IMDSv2
Required
Instance ARN
arn:aws:ec2:ap-southeast-2:887951337240:instance/i-0e730238cfbb55c19
Managed
false
Operator
–
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Tags
Manage tags
Key
Value
name
t3.micro_webserver
aws:cloudfor...
test
aws:cloudfor...
arn:aws:cloudformation:ap-southeast-2:887951337240:stack/test/a3fc1660-cba7-11f1-bedc-0affc5041fd9
aws:cloudfor...
WebServerInstance
InstanceType
t3.micro
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Welcome
clodformation.yaml 1
Users > md-sha > clodformation.yaml > { } Resources > { } DemoLambdaFunction > { } Properties > { } Code > ZipFile
AWSTemplateFormatVersion: "2010-09-09"
Description: AWS CloudFormation workshop – Resources
Parameters:
DatabaseUsername:
AllowedPattern: '^[a-z0-9]{5,12}$'
Type: String
Default: alice
Description: Value to be used with the dbUsername SSM parameter.
Resources:
BasicParameter:
Type: AWS::SSM::Parameter
Properties:
Name: dbUsername
Type: String
Value: !Ref DatabaseUsername
Description: SSM Parameter for database username.
DemoRole:
Type: AWS::IAM::Role
Properties:
AssumeRolePolicyDocument:
Version: "2012-10-17"
Problems 1
Output
Debug Console
Terminal
Ports
zsh
--query "Parameter.Value" \ …
md-sha@MDs-MacBook-Air ~ %
aws ssm get-parameter \
--name /aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64 \
--query "Parameter.Value" \
--output text \
--region ap-southeast-2
aws: [ERROR]: An error occurred (NoCredentials): Unable to locate credentials. You can configure credentials by running "aws login".
md-sha@MDs-MacBook-Air ~ %
Chat
Local · Init command usage
aws sts get-user-profile --profile cloudformation-stack-user ?
Why it failed
The exit code 252 suggests the CLI could not complete the request, usually because one of these is true:
the profile name is wrong
the profile has no valid credentials
the IAM user has no permission for that action
the command itself is invalid for your AWS CLI version
get-user-profile is not the standard STS command; get-caller-identity is the correct one.
Best check
Run this:
clodformation.yaml
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Ln 67, Col 1
Spaces: 2
UTF-8
LF
YAML



Search
Welcome
clodformation.yaml 1
Users > md-sha > clodformation.yaml > { } Resources > { } BasicParameter > { } Properties > Description
Resources:
DemoRole:
Properties:
AssumeRolePolicyDocument:
Version: "2012-10-17"
Statement:
- Effect: Allow
Principal:
Service:
- lambda.amazonaws.com
Action:
- sts:AssumeRole
Path: /
Policies:
- PolicyName: ssm-least-privilege
PolicyDocument:
Version: "2012-10-17"
Statement:
- Effect: Allow
Action:
- ssm:GetParameter
Resource: !GetAtt BasicParameter.Arn
ManagedPolicyArns:
- arn:aws:iam::aws:policy/service-role/AWSLambdaBasicExecutionRole
Problems 1
Output
Debug Console
Terminal
Ports
zsh
--query "Parameter.Value" \ …
md-sha@MDs-MacBook-Air ~ %
aws ssm get-parameter \
--name /aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64 \
--query "Parameter.Value" \
--output text \
--region ap-southeast-2
aws: [ERROR]: An error occurred (NoCredentials): Unable to locate credentials. You can configure credentials by running "aws log in".
md-sha@MDs-MacBook-Air ~ %
Chat
Local · Init command usage
aws sts get-user-profile --profile cloudformation-stack-user ?
Why it failed
The exit code 252 suggests the CLI could not complete the request, usually because one of these is true:
the profile name is wrong
the profile has no valid credentials
the IAM user has no permission for that action
the command itself is invalid for your AWS CLI version
get-user-profile is not the standard STS command; get-caller-identity is the correct one.
Best check
Run this:
clodformation.yaml
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Ln 19, Col 34
Spaces: 2
UTF-8
LF
YAML



Search
Welcome
clodformation.yaml 1
Users > md-sha > clodformation.yaml > { } Resources > { } BasicParameter > { } Properties > Description
Resources:
DemoRole:
Properties:
Policies:
PolicyDocument:
Resource: !GetAtt BasicParameter.Arn
ManagedPolicyArns:
- arn:aws:iam::aws:policy/service-role/AWSLambdaBasicExecutionRole
DemoLambdaFunction:
Type: AWS::Lambda::Function
Properties:
Handler: index.lambda_handler
Role: !GetAtt DemoRole.Arn
Runtime: python3.12
Timeout: 10
Code:
ZipFile: |
import boto3
client = boto3.client('ssm')
def lambda_handler(event, context):
response = client.get_parameter(Name='dbUsername')
Problems 1
Output
Debug Console
Terminal
Ports
zsh
--query "Parameter.Value" \ …
md-sha@MDs-MacBook-Air ~ %
aws ssm get-parameter \
--name /aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64 \
--query "Parameter.Value" \
--output text \
--region ap-southeast-2
aws: [ERROR]: An error occurred (NoCredentials): Unable to locate credentials. You can configure credentials by running "aws log in".
md-sha@MDs-MacBook-Air ~ %
Chat
Local · Init command usage
aws sts get-user-profile --profile cloudformation-stack-user ?
Why it failed
The exit code 252 suggests the CLI could not complete the request, usually because one of these is true:
the profile name is wrong
the profile has no valid credentials
the IAM user has no permission for that action
the command itself is invalid for your AWS CLI version
get-user-profile is not the standard STS command; get-caller-identity is the correct one.
Best check
Run this:
clodformation.yaml
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Ln 19, Col 34
Spaces: 2
UTF-8
LF
YAML



Welcome
clodformation.yaml 1
Users > md-sha > clodformation.yaml > { } Resources > { } BasicParameter > { } Properties > abc Description
Resources:
DemoLambdaFunction:
Properties:
Runtime: python3.12
Timeout: 10
Code:
ZipFile: |
import boto3
client = boto3.client('ssm')
def lambda_handler(event, context):
response = client.get_parameter(Name='dbUsername')
value = response['Parameter']['Value']
print(f'SSM dbUsername parameter value: {value}')
return {
'statusCode': 200,
'body': 'Successfully retrieved the SSM parameter.'
}
Problems 1
Output
Debug Console
Terminal
Ports
md-sha@MDs-MacBook-Air ~ %
aws ssm get-parameter \
--name /aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64 \
--query "Parameter.Value" \
--output text \
--region ap-southeast-2
aws: [ERROR]: An error occurred (NoCredentials): Unable to locate credentials. You can configure credentials by running "aws log in".
md-sha@MDs-MacBook-Air ~ %
Chat
Local · Init command usage
aws sts get-user-profile --profile cloudformation-stack-user ?
Why it failed
The exit code 252 suggests the CLI could not complete the request, usually because one of these is true:
the profile name is wrong
the profile has no valid credentials
the IAM user has no permission for that action
the command itself is invalid for your AWS CLI version
get-user-profile is not the standard STS command; get-caller-identity is the correct one.
Best check
Run this:
Agent
Local
Default permissions
Ln 19, Col 34
Spaces: 2
UTF-8
LF
YAML



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/cloudformation/home?region=ap-s...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation
Template studio
Template studio
Customise your CloudFormation template and see the resource diagram update as you type.
Validate
Save and continue
Template
Canvas
Both
YAML
Actions
AWS::Lambda::Function
DemoLambdaFunction
AWS::IAM::Role
DemoRole
AWS::SSM::Parameter
BasicParameter
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/cloudformation/home?region=ap-s...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > test
Stacks (1)
Filter status
Search by stack name
Active
View nested
Stacks
test
2026-10-19 17:48:25 UTC+0530
CREATE_IN_PROGRESS
Stack info
Events
Resources
Outputs
Parameters
Template
Table view
Timeline view
Events (6)
View root cause
Search events
Logical ID
Status
Detailed status
DemoRole
CREATE_IN_PROGRESS
BasicParameter
CREATE_COMPLETE
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/lambda/home?region=ap-southeas...
Search
[Option+S]
New Frontiers
Safayath T
Lambda > Event Functions
Lambda
Dashboard
Applications
Event Functions
Web Functions New
Event Function resources
Capacity providers
Code signing configurations
Event source mappings
Layers
Replicas
MicroVMs
MicroVM Images New
MicroVMs
Network connectors
Event Functions (1)
Last fetched 19/10/2026, 17:49:11 GMT+5:30
Actions
Create Event Function
Functions table allows you to query function details. Use Ctrl + K to start a in-console resource search.
Search by attributes or search by keyword
Function name
Description
Package type
Runtime
Type
test-DemoLambdaFunction-wziEhELQULZ7
Zip
Python 3.12
Standard
Info
Tutorials
Choose a tutorial
Learn how to implement common use cases in AWS Lambda.
Create a simple web app
In this tutorial you will learn how to:
Build a simple web app using a Lambda Web Function that returns an HTML webpage
Invoke your Web Function through its endpoint URL
Start tutorial
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/lambda/home?region=ap-southeas...
Search
[Option+S]
New Frontiers
Safayath T
Lambda > Event Functions > test-DemoLambdaFunction-wziEhELQULZ7
Code
Test
Monitor
Configuration
Aliases
Versions
Configuration
General configuration
Triggers
Permissions
Destinations
Function URL
Environment variables
Tags
VPC
RDS databases
Monitoring and operations tools
Concurrency and
Execution role
View role document
Edit
Role name
test-DemoRole-g8rSSpPUyaDH
Resource summary
To view the resources and actions that your function has permission to access, choose a service.
Amazon CloudWatch Logs
3 actions 1 resource
Amazon CloudWatch Logs
3 actions 1 resource
AWS Systems Manager
1 action 1 resource
All resources
Allow: logs:CreateLogGroup
Allow: logs:CreateLogStream
Allow: logs:PutLogEvents
Lambda obtained this information from the following policy statements:
Managed policy AWSLambdaBasicExecutionRole, statement 0
Info
Tutorials
Choose a tutorial
Learn how to implement common use cases in AWS Lambda.
Create a simple web app
In this tutorial you will learn how to:
Build a simple web app using a Lambda Web Function that returns an HTML webpage
Invoke your Web Function through its endpoint URL
Start tutorial
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/lambda/home?region=ap-southeas...
Search
[Option+S]
New Frontiers
Safayath T
Lambda > Event Functions > test-DemoLambdaFunction-wziEhELQULZ7
client = boto3.client('ssm')
def lambda_handler(event, con
response = client.get_par
value = response['Paramet
print(f'SSM dbUsername pa
return {
'statusCode': 200,
'body': 'Successfully
}
DEPLOY Current
Deploy (⇧⌘U)
Test (⇧⌘I)
TEST EVENTS [SELECTED: TEST]
Create new test event
Private saved events
Test
ENVIRONMENT VARIABLES
Invocation type
Synchronous
Executes the Lambda function and blocks until receiving the function's response, with a maximum timeout of 15 minutes.
Asynchronous
Enqueues the Lambda function for execution and returns immediately with a request ID.
Event name
Test
Maximum of 25 characters consisting
PROBLEMS
OUTPUT
Execution Results
Status: Succeeded
Test Event Name: Test
Response:
{
"statusCode": 200,
"body": "Successfully retrieved the SSM parameter."
}
Lambda Deployed
Amazon Q
Lambda
Layout: U.S.
Info
Tutorials
Choose a tutorial
Learn how to implement common use cases in AWS Lambda.
Create a simple web app
In this tutorial you will learn how to:
Build a simple web app using a Lambda Web Function that returns an HTML webpage
Invoke your Web Function through its endpoint URL
Start tutorial
Code properties
Info
Package size
SHA256 hash
Code storage mode
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/cloudwatch/home?region=ap-sout...
Search [Option+S] Ask Amazon Q
New Frontiers
Safayath T
CloudWatch > Log management > /aws/lambda/test-DemoLambdaFunction-wziEhELQULZ7 > 2026/10/19/[$LATEST]8bf494196...
CloudWatch New
Favorites and recents
AI Operations
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Logs
Log Management New
Log Analytics New
Log Anomalies
Metrics
Network Monitoring
Setup
Omni New
Observability Workshops
Log events
Actions
Start tailing
Create metric filter
You can use the filter bar below to search for and match terms, phrases, or values in your log events. Learn more about filter patterns
Filter events - press enter to search
1m 1h
UTC timezone
Display
Timestamp
Message
No older events at this moment. Retry
2026-10-19T12:22:27.452Z INIT_START Runtime Version: python:3.12.mainlinev2.v43 Runtime Version ARN: arn:aws:lam...
2026-10-19T12:22:27.834Z START RequestId: 3dc9286e-da9a-4164-913f-428c8ac18904 Version: $LATEST
2026-10-19T12:22:28.070Z SSM dbUsername parameter value: alice
2026-10-19T12:22:28.107Z END RequestId: 3dc9286e-da9a-4164-913f-428c8ac18904
2026-10-19T12:22:28.107Z REPORT RequestId: 3dc9286e-da9a-4164-913f-428c8ac18904 Duration: 271.43 ms Billed Durat...
No newer events at this moment. Auto retry paused. Resume
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/systems-manager/parameters/dbU...
Search [Option+S]
New Frontiers
Safayath T
AWS Systems Manager > Parameter Store > dbUsername > Overview
dbUsername
Edit
Delete
Overview
History
Tags
Parameter details
Name
dbUsername
Description
SSM Parameter for database username.
ARN
arn:aws:ssm:ap-southeast-2:887951337240:parameter/dbUsername
Data type
text
Tier
Standard
Last modified user
arn:aws:sts::887951337240:assumed-role/CloudFormationRoleManager-ap-southeast-2-stack/AWSCloudFormation
Type
String
Last modified date
Mon, 19 Oct 2026 12:18:29 GMT
Value
alice
Version
1
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Welcome
clodformation.yaml 1
Users > md-sha > clodformation.yaml > ...
AWSTemplateFormatVersion: "2010-09-09"
Description: AWS CloudFormation workshop - Resources
Parameters:
S3BucketNamePrefix:
Description: The prefix to use for your S3 bucket
Type: String
Default: cfn-workshop
AllowedPattern: ^(?!(^xn--|.$))^[a-z0-9][a-z0-9-]{1,61}[a-z0-9]$
ConstraintDescription: Bucket name prefix can include numbers, lowercase letters, uppercase letters,
Resources:
DemoBucket:
Type: AWS::S3::Bucket
Properties:
BucketName: !Sub '${S3BucketNamePrefix}-${AWS::Region}-${AWS::AccountId}'
Problems 1
Output
Debug Console
Terminal
Ports
--query "Parameter.Value" \ …
md-sha@MDs-MacBook-Air ~ %
aws ssm get-parameter \
--name /aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64 \
--query "Parameter.Value" \
--output text \
--region ap-southeast-2
aws: [ERROR]: An error occurred (NoCredentials): Unable to locate credentials. You can configure credentials by running "aws log in".
md-sha@MDs-MacBook-Air ~ %
Chat
Local · Init command usage
aws sts get-user-profile --profile cloudformation-stack-user ?
Why it failed
The exit code 252 suggests the CLI could not complete the request, usually because one of these is true:
the profile name is wrong
the profile has no valid credentials
the IAM user has no permission for that action
the command itself is invalid for your AWS CLI version
get-user-profile is not the standard STS command; get-caller-identity is the correct one.
Best check
Run this:
clodformation.yaml
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Ln 18, Col 3
Spaces: 2
UTF-8
LF
YAML



Stack outputs | CloudFormatio
Instances | EC2 | New Frontiers
Billing - AWS Settings
887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/cloudformation/home?region=ap-s...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > outputs
Delete initiated for arn:aws:cloudformation:ap-southeast-2:887951337240:stack/mapping-env/98b8a540-cc4a-11f1-a2fc-0affd2725dff
Stacks (1)
Filter status
Search by stack name
Active
View nested
Stacks
outputs
2026-10-20 12:21:00 UTC+0530
CREATE_COMPLETE
outputs
Delete stack
Update stack
Stack actions
Create stack
Stack info
Events
Resources
Outputs
Parameters
Template
Outputs (2)
Search outputs
Key
Value
Description
Export name
WebServerElasticIP
54.79.197.22
Elastic IP of the web server
-
WebServerPublicDNS
ec2-54-79-197-22.ap-southeast-2.compute.amazonaws.com
Public DNS of the web server
-
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
Welcome
clodformation.yaml 1
Users > md-sha > clodformation.yaml > { } Outputs > { } S3BucketDomainName > Value
Find
No results
AWSTemplateFormatVersion: "2010-09-09"
Description: AWS CloudFormation workshop - Resources
Resources:
S3Bucket:
Type: AWS::S3::Bucket
Properties:
Tags:
- Key: Purpose
Value: AWS cloudformation workshop
S3BucketPolicy:
Type: AWS::S3::BucketPolicy
Properties:
Bucket: !Ref S3Bucket
PolicyDocument:
Version: "2012-10-17"
Statement:
- Effect: Deny
Principal: "*"
Action: "s3:*"
Resource: !Sub "${S3Bucket.Arn}/*"
Problems 1
Output
Debug Console
Terminal
Ports
zsh
--query "Parameter.Value" \ …
md-sha@MDs-MacBook-Air ~ %
aws ssm get-parameter \
--name /aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64 \
--query "Parameter.Value" \
--output text \
--region ap-southeast-2
aws: [ERROR]: An error occurred (NoCredentials): Unable to locate credentials. You can configure credentials by running "aws log in".
md-sha@MDs-MacBook-Air ~ %
Chat
Local · Init command usage
how to find my current region using aws cli
This does not show region directly, but confirms the active credentials/profile.
Important note
AWS CLI does not automatically "discover" a region from your machine unless one is configured. Usually, region is set in:
~/.aws/config
or as an environment variable:
export AWS_REGION=ap-southeast-2
or
export AWS_DEFAULT_REGION=ap-sout
clodformation.yaml
Ask a question about your code or proj...
Ask
Auto
Balance
Local
Default permissions
1 0
Ln 31, Col 39
Spaces: 2
UTF-8
LF
{ } YAML



Search
Welcome
clodformation.yaml 1
Users > md-sha > clodformation.yaml > { } Outputs > { } S3BucketDomainName > Value
Find
No results
Resources:
S3BucketPolicy:
Properties:
PolicyDocument:
Statement:
Principal: "*"
Action: "s3:*"
Resource: !Sub "${S3Bucket.Arn}/*"
Condition:
Bool:
aws:SecureTransport: false
Outputs:
S3BucketDomainName:
Description: "S3 Bucket Domain Name"
Value: !GetAtt S3Bucket.DomainName
Problems 1
Output
Debug Console
Terminal
Ports
zsh
--query "Parameter.Value" \ …
md-sha@MDs-MacBook-Air ~ %
aws ssm get-parameter \
--name /aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64 \
--query "Parameter.Value" \
--output text \
--region ap-southeast-2
aws: [ERROR]: An error occurred (NoCredentials): Unable to locate credentials. You can configure credentials by running "aws log in".
md-sha@MDs-MacBook-Air ~ %
Chat
Local · Init command usage
how to find my current region using aws cli
This does not show region directly, but confirms the active credentials/profile.
Important note
AWS CLI does not automatically "discover" a region from your machine unless one is configured. Usually, region is set in:
~/.aws/config
or as an environment variable:
export AWS_REGION=ap-southeast-2
or
export AWS_DEFAULT_REGION=ap-sout
clodformation.yaml
Ask a question about your code or proj...
Ask
Auto
Balance
Local
Default permissions
1 0
Ln 31, Col 39
Spaces: 2
UTF-8
LF
{ } YAML



Stack outputs | CloudFormation
Stack S3-TEST | CloudFormation
S3 buckets | S3 | New Frontiers
Billing - AWS Settings
887951337240-3qlaqel2.ap-southeast-2.console.aws.amazon.com/cloudformation/home?region=ap-s...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > S3-TEST
Stacks (0)
Search by stack name
Filter status
Active
View nested
Stacks
No stacks
No stacks to display
Create stack
View getting started guide
S3-TEST
Delete stack
Update stack
Stack actions
Create stack
Stack info
Events
Resources
Outputs
Parameters
Template
Outputs (1)
Search outputs
Key
Value
Description
Export name
S3BucketDomainName
s3-test-s3bucket-l05xujjmsiub.s3.amazonaws.com
S3 Bucket Domain Name
-
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Welcome
clodformation.yaml 1
Users > md-sha > clodformation.yaml > ...
AWSTemplateFormatVersion: "2010-09-09"
Description: EC2 instance with security group
Resources:
WebServerSecurityGroup:
Type: AWS::EC2::SecurityGroup
Properties:
GroupDescription: Enable SSH access
SecurityGroupIngress:
- IpProtocol: tcp
FromPort: 22
ToPort: 22
CidrIp:0.0.0.0/0
MyEC2Instance:
Type: AWS::EC2::Instance
Properties:
InstanceType: t3.micro
SecurityGroups:
- Ref: WebServerSecurityGroup
ImageId: ami-085ce13fd231ab4ae
Outputs:
InstanceId:
Description: The Instance ID
Value: !Ref MyEC2Instance
PublicIP:
Description: The Public IP address of the EC2 instance
Value: !GetAtt MyEC2Instance.PublicIp
SecurityGroupId:
Description: The Security Group ID
Value: !Ref WebServerSecurityGroup
Problems 1
Output
Debug Console
Terminal
Ports
zsh
md-sha@MDs-MacBook-Air ~ %
Chat
Sessions
Init command usage
7 days ago
Tip: Try the Plan agent to research and plan before implementing changes.
clodformation.yaml
Describe what to build
Agent
Auto
Balance
Local
Default permissions
Ln 22, Col 7
Spaces: 2
UTF-8
LF
YAML



Create stack | CloudFormation | Ne
Template studio | CloudForma
887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/home?region...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation
Template studio
Template studio
Customise your CloudFormation template and see the resource diagram update as you type.
Validate
Save and continue
Template
Canvas
Both
YAML
Actions
1 AWSTemplateFormatVersion: "2010-09-09"
2 Description: EC2 instance with security group
3
4 Resources:
5 WebServerSecurityGroup:
6 Type: AWS::EC2::SecurityGroup
7 Properties:
8 GroupDescription: Enable SSH access
9 SecurityGroupIngress:
10 - IpProtocol: tcp
11 FromPort: 22
12 ToPort: 22
13 CidrIp: 0.0.0.0/0
14
15 MyEC2Instance:
16 Type: AWS::EC2::Instance
17 Properties:
18 InstanceType: t3.micro
0 0
13:28 YAML
AWS::EC2::Instance
MyEC2Instance
AWS::EC2::SecurityGroup
WebServerSecurityGroup
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
conditions
cross-stacks
drift-detection
dynamic-referen...
flipping-formats-...
hooks
language-extens...
linting-and-t...
.gitignore
.taskcat.yml
sqs-queue.yaml
vpc-and-sec... 1
looping-over-coll...
nested-stacks
package-and-de...
policy-as-code-...
pseudo-paramet...
resource-depen...
resource-importi...
resource-return-...
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-scripts.ya...
Outline
Timeline
vpc-and-security-group.yaml 1
workspace > linting-and-testing > vpc-and-security-group.yaml > { } Resources > { } SecurityGroup > { } Properties
5 Parameters:
6 VpcIpv4Cidr:
7 Description: The IPv4 CIDR block you wish to assign to your VPC.
8 Type: String
9 Default: 10.0.0.0/16
10
11 Resources:
12 Vpc:
13 Type: AWS::EC2::VPC
14 Properties:
15 CidrBlock: !Ref VpcIpv4Cidr
16
17 SecurityGroup:
18 # This example SecurityGroup resource contains a circular
19 # dependency error: SourceSecurityGroupId references the same
20 # SecurityGroup resource you are describing
21 Type: AWS::EC2::SecurityGroup
22 Properties:
23 GroupDescription: Example Security Group
24 SecurityGroupIngress:
25 - Description: Example rule to allow tcp/443 traffic from SecurityGroup
26 FromPort: 443
27 ToPort: 443
28 IpProtocol: tcp
29 SourceSecurityGroupId: !Ref SecurityGroup
30 SecurityGroupEgress:
31 - Description: Example rule limiting egress traffic to 127.0.0.1/32
32 CidrIp: 127.0.0.1/32
33 IpProtocol: "-1"
34 VpcId: !Ref Vpc
35
Problems 1
Output
Debug Console
Terminal
Ports
zsh
md-sha@MDs-MacBook-Air cfn101-workshop % cfn-lint vpc-and-security-group.yaml
E0003 vpc-and-security-group.yaml could not be processed by glob.glob
None:1:1
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
vpc-and-security-group.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main
1 0
Matteo Rinaudo (4 years ago)
Ln 33, Col 27
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
vpc-and-security-group.yaml M
sqs-queue.yaml 3
.taskcat.yml M
code > workspace > linting-and-testing > sqs-queue.yaml > { } Outputs
AWSTemplateFormatVersion: "2010-09-09"
Description: AWS CloudFormation workshop - Linting and testing - SQS queue templa
Resources:
SqsQueue:
Type: AWS::SQS::Queue
Properties:
Use `cfn-lint` to find issues on this example template, and
then fix issues you found
DelaySeconds: 1000
Tag:
- Key: Name
Value: workshop-sqs-queue
- Key: ProjectName
Value: Example
Outputs:
SqsQueueURL:
Description: The URL of your Amazon SQS Queue
Value: !Ref SqsQueue
SqsQueueName:
Description: The name of your Amazon SQS Queue
Value: !GetAtt SqsQueue.Name
Problems 6
Output
Debug Console
Terminal
Ports
zsh - linting-and-testing
md-sha@MDs-MacBook-Air linting-and-testing % cfn-lint sqs-queue.yaml
sqs-queue.yaml:12:7
E6101 'Name' is not one of ['Arn', 'ContentBasedDeduplication', 'DeduplicationScope', 'DelaySeconds', '
FifoQueue', 'FifoThroughputLimit', 'KmsDataKeyReusePeriodSeconds', 'KmsMasterKeyId', 'MaximumMessageSiz
e', 'MessageRetentionPeriod', 'QueueName', 'QueueUrl', 'ReceiveMessageWaitTimeSeconds', 'RedrivePolicy.
deadLetterTargetArn', 'RedrivePolicy.maxReceiveCount', 'SqsManagedSseEnabled', 'Tags', 'VisibilityTimeo
ut'] in ['ap-southeast-2']
sqs-queue.yaml:25:5
md-sha@MDs-MacBook-Air linting-and-testing %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
sqs-queue.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
Outline
Timeline
main*
Matteo Rinaudo (4 years ago)
Ln 18, Col 9
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
vpc-and-security-group.yaml M
sqs-queue.yaml M
.taskcat.yml M
code > workspace > linting-and-testing > sqs-queue.yaml > { } Outputs > { } SqsQueueName
Resources:
SqsQueue:
Type: AWS::SQS::Queue
Properties:
Use `cfn-lint` to find issues on this example template, and
then fix issues you found
DelaySeconds: 900
Tags:
- Key: Name
Value: workshop-sqs-queue
- Key: ProjectName
Value: Example
Outputs:
SqsQueueURL:
Description: The URL of your Amazon SQS Queue
Value: !Ref SqsQueue
SqsQueueName:
Description: The name of your Amazon SQS Queue
Value: !GetAtt SqsQueue.QueueName
Problems 3
Output
Debug Console
Terminal
Ports
zsh - linting-and-testing
md-sha@MDs-MacBook-Air linting-and-testing % cfn-lint sqs-queue.yaml
E6101 'Name' is not one of ['Arn', 'ContentBasedDeduplication', 'DeduplicationScope', 'DelaySeconds', '
FifoQueue', 'FifoThroughputLimit', 'KmsDataKeyReusePeriodSeconds', 'KmsMasterKeyId', 'MaximumMessageSiz
e', 'MessageRetentionPeriod', 'QueueName', 'QueueUrl', 'ReceiveMessageWaitTimeSeconds', 'RedrivePolicy.
deadLetterTargetArn', 'RedrivePolicy.maxReceiveCount', 'SqsManagedSseEnabled', 'Tags', 'VisibilityTimeo
ut'] in ['ap-southeast-2']
sqs-queue.yaml:25:5
md-sha@MDs-MacBook-Air linting-and-testing % cfn-lint sqs-queue.yaml
md-sha@MDs-MacBook-Air linting-and-testing %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
sqs-queue.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
Outline
Timeline
main*
Ln 26, Col 1
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
example_parameter.yaml
code > workspace > flipping-formats-and-cleanup > example_parameter.yaml > { } Resources > { } MyParameter
AWSTemplateFormatVersion: '2010-09-09'
Description: AWS CloudFormation workshop - flipping formats and cleaning up - exa
Parameters:
ParameterName:
Description: Name you wish to specify for your SSM Parameter.
Type: String
MinLength: 1
MaxLength: 2048
ParameterValue:
Description: Value you wish to specify for your SSM Parameter.
Type: String
MinLength: 1
MaxLength: 4096
Resources:
MyParameter:
Type: AWS::SSM::Parameter
Properties:
Name: !Ref 'ParameterName'
Type: String
Value: !Ref 'ParameterValue'
Description: !Join
- ' '
- - My
- !Ref 'ParameterName'
- example parameter
Problems 3
Output
Debug Console
Terminal
zsh - flipping-formats-and-cleanup
md-sha@MDs-MacBook-Air linting-and-testing % brew install cfn-flip
zsh completions have been installed to:
/opt/homebrew/share/zsh/site-functions
md-sha@MDs-MacBook-Air linting-and-testing % cd ../flipping-formats-and-cleanup
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup % cfn-flip --version
AWS Cloudformation Template Flip, Version 1.3.0
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup % cfn-flip example_parameter.json example_parameter.yaml
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup % cfn-flip -n -c example_parameter.yaml example_parameter_updated.yaml
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
example_parameter.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
Outline
Timeline
main*
Ln 19, Col 19
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
example_parameter.json
code > workspace > flipping-formats-and-cleanup > example_parameter.json > { } Resources > { } MyParameter
{
"AWSTemplateFormatVersion": "2010-09-09",
"Description": "AWS CloudFormation workshop - flipping formats and cleaning up
"Parameters": {
"ParameterName": {
"Description": "Name you wish to specify for your SSM Parameter.",
"Type": "String",
"MinLength": 1,
"MaxLength": 2048
},
"ParameterValue": {
"Description": "Value you wish to specify for your SSM Parameter.",
"Type": "String",
"MinLength": 1,
"MaxLength": 4096
}
},
"Resources": {
"MyParameter": {
"Type": "AWS::SSM::Parameter",
"Properties": {
"Name": {
"Ref": "ParameterName"
},
"Type": "String",
Problems 3
Output
Debug Console
Terminal
zsh - flipping-formats-and-cleanup
md-sha@MDs-MacBook-Air linting-and-testing % brew install cfn-flip
zsh completions have been installed to:
/opt/homebrew/share/zsh/site-functions
md-sha@MDs-MacBook-Air linting-and-testing % cd ../flipping-formats-and-cleanup
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup % cfn-flip --version
AWS Cloudformation Template Flip, Version 1.3.0
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup % cfn-flip example_parameter.json example_parameter.yaml
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup % cfn-flip -n -c example_parameter.yaml example_parameter_updated.yaml
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
example_parameter.json
Chat with Copilot
Agent
Auto
Balance
Copilot
Outline
Timeline
main*
Matteo Rinaudo (4 years ago)
Ln 30, Col 34
Spaces: 4
UTF-8
LF
JSON



cfn101-workshop
Explorer
example_parameter_updated.yaml
code > workspace > flipping-formats-and-cleanup > example_parameter_updated.yaml > AWSTemplateFormatVers
AWSTemplateFormatVersion: '2010-09-09'
Description: AWS CloudFormation workshop - flipping formats and cleaning up - exa
Parameters:
ParameterName:
Description: Name you wish to specify for your SSM Parameter.
Type: String
MinLength: 1
MaxLength: 2048
ParameterValue:
Description: Value you wish to specify for your SSM Parameter.
Type: String
MinLength: 1
MaxLength: 4096
Resources:
MyParameter:
Type: AWS::SSM::Parameter
Properties:
Name: !Ref 'ParameterName'
Type: String
Value: !Ref 'ParameterValue'
Description: !Sub 'My ${ParameterName} example parameter'
Problems 3
Output
Debug Console
Terminal
zsh - flipping-formats-and-cleanup
md-sha@MDs-MacBook-Air linting-and-testing % brew install cfn-flip
zsh completions have been installed to:
/opt/homebrew/share/zsh/site-functions
md-sha@MDs-MacBook-Air linting-and-testing % cd ../flipping-formats-and-cleanup
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup % cfn-flip --version
AWS Cloudformation Template Flip, Version 1.3.0
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup % cfn-flip example_parameter.json example_parameter.yaml
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup % cfn-flip -n -c example_parameter.yaml example_parameter_updated.yaml
md-sha@MDs-MacBook-Air flipping-formats-and-cleanup %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
Chat with Copilot
Agent
Copilot
main*
Ln 1, Col 1
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
multi-region-latest-ami.yaml 1
session-manager.yaml
code > workspace > multi-region-latest-ami.yaml > { } Resources > { } WebServerEIP > { } Properties
Parameters:
EnvironmentType:
AllowedValues:
- Test
- Prod
ConstraintDescription: 'Specify either Dev, Test or Prod.'
AmiID:
Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
Description: The ID of the AMI.
Default: '/aws/service/ami-amazon-linux-latest/amzn2-ami-hvm-x86_64-gp2'
Mappings:
EnvironmentToInstanceType:
Dev:
InstanceType: t3.micro
Test:
InstanceType: t3.micro
Prod:
InstanceType: t3.micro
Resources:
WebServerInstance:
Type: AWS::EC2::Instance
Properties:
Problems 4
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % aws sts get-caller-identity --profile cloudformation-stack-user
}
md-sha@MDs-MacBook-Air workspace % aws cloudformation create-stack --stack-name cfn-workshop-multi-region-latest-ami \
--template-body file://multi-region-latest-ami.yaml
{
"StackId": "arn:aws:cloudformation:ap-southeast-2:887951337240:stack/cfn-workshop-multi-region-latest-ami/e51c45b0-d120-11f1-b387-06fcc65ba2c5",
"OperationId": "e51d5720-d120-11f1-b387-06fcc65ba2c5"
}
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Franco Rezabek (6 years ago)
Ln 56, Col 1
Spaces: 2
UTF-8
LF
YAML



multi-region-latest-ami.yaml — cfn101-workshop — 1 problem in this file
Explorer
cfn101-workshop
code
workspace
sqs-queue.yaml M
multi-region-latest-ami.yaml M
session-manager.yaml
code > workspace > multi-region-latest-ami.yaml > { } Outputs > { } WebServerElasticIP
Parameters:
EnvironmentType:
Type: String
Default: Test
AllowedValues:
- Dev
- Test
- Prod
ConstraintDescription: 'Specify either Dev, Test or Prod.'
AmiID:
Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
Description: The ID of the AMI.
Default: '/aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_
Mappings:
EnvironmentToInstanceType:
Dev:
InstanceType: t3.micro
Test:
InstanceType: t3.micro
Prod:
Problems 3
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % cfn-lint multi-region-latest-ami.yaml
W1030 {'Ref': 'AmiID'} is not a 'AWS::EC2::Image.Id' with pattern '^ami-([0-9a-z]{8}|[0-9a-z]{17})$' when 'Ref' is resolved
multi-region-latest-ami.yaml:45:7
md-sha@MDs-MacBook-Air workspace % cfn-lint multi-region-latest-ami.yaml
md-sha@MDs-MacBook-Air workspace % aws cloudformation create-stack --stack-name cfn-workshop-multi-region-latest-ami \
--template-body file://multi-region-latest-ami.yaml
{
"StackId": "arn:aws:cloudformation:ap-southeast-2:887951337240:stack/cfn-workshop-multi-region-latest-ami/c2e11460-d122-11f1-be6d-02fff0f2f3e5",
"OperationId": "c2e1fec0-d122-11f1-be6d-02fff0f2f3e5"
}
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
multi-region-latest-ami.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
Outline
Timeline
main*
Screen Reader Optimized
Ln 65, Col 1
Spaces: 2
UTF-8
LF
YAML



multi-region-latest-ami.yaml — cfn101-workshop — Modified
Explorer
cfn101-workshop
code
workspace
sqs-queue.yaml M
multi-region-latest-ami.yaml M
session-manager.yaml
code > workspace > multi-region-latest-ami.yaml > { } Outputs > { } WebServerElasticIP
AWSTemplateFormatVersion: "2010-09-09"
Description: AWS CloudFormation workshop - Multi region latest AMI (uksb-1q9p31id
Metadata:
AWS::CloudFormation::Interface:
ParameterGroups:
- Label:
default: 'Amazon EC2 Configuration'
Parameters:
- AmiID
ParameterLabels:
AmiID:
default: 'Amazon Machine Image ID'
Parameters:
EnvironmentType:
Description: 'Specify the Environment type of the stack.'
Type: String
Default: Test
AllowedValues:
- Dev
- Test
- Prod
ConstraintDescription: 'Specify either Dev, Test or Prod.'
AmiID:
Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
Description: The ID of the AMI.
Default: '/aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_
Mappings:
EnvironmentToInstanceType:
Problems 3
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
multi-region-latest-ami.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
Outline
Timeline
main*
Screen Reader Optimized
Ln 65, Col 1
Spaces: 2
UTF-8
LF
YAML



multi-region-latest-ami.yaml — cfn101-workshop — Modified
Explorer
cfn101-workshop
code
workspace
sqs-queue.yaml M
multi-region-latest-ami.yaml M
session-manager.yaml
code > workspace > multi-region-latest-ami.yaml > { } Outputs > { } WebServerElasticIP
Mappings:
EnvironmentToInstanceType:
Dev:
InstanceType: t3.micro
Test:
InstanceType: t3.micro
Prod:
InstanceType: t3.micro
Resources:
WebServerInstance:
Type: AWS::EC2::Instance
Properties:
ImageId: !Ref AmiID
InstanceType: !FindInMap [EnvironmentToInstanceType, !Ref EnvironmentType,
Tags:
- Key: Name
Value: !Join ['-', [!Ref EnvironmentType, webserver]]
WebServerEIP:
Type: AWS::EC2::EIP
Properties:
Domain: vpc
InstanceId: !Ref WebServerInstance
Outputs:
WebServerPublicDNS:
Description: 'Public DNS of EC2 instance'
Value: !GetAtt WebServerInstance.PublicDnsName
WebServerElasticIP:
Description: 'Elastic IP assigned to EC2'
Value: !Ref WebServerEIP
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
Chat with Copilot
Problems 3
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace %
Screen Reader Optimized
Ln 65, Col 1
Spaces: 2
UTF-8
LF
YAML



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > cfn-workshop-multi-region-latest-ami
Stacks (2)
Filter status
Search by stack name
Active
View nested
Stacks
cfn-workshop-multi-region-latest-ami
2026-10-26 15:21:05 UTC+0530
CREATE_COMPLETE
ssm-parameter
2026-10-26 14:26:00 UTC+0530
CREATE_COMPLETE
cfn-workshop-multi-region-latest-ami
Delete stack
Update stack
Stack actions
Create stack
Events
Resources
Outputs
Parameters
Template
Changesets
Parameters (2)
Search parameters
Key
Value
Resolved value
AmiID
/aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64
ami-07887b6789db08b82
EnvironmentType
Test
-
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > cfn-workshop-multi-region-latest-ami
Stacks (2)
Filter status
Search by stack name
Active
View nested
Stacks
cfn-workshop-multi-region-latest-ami
2026-10-26 15:21:05 UTC+0530
CREATE_COMPLETE
ssm-parameter
2026-10-26 14:26:00 UTC+0530
CREATE_COMPLETE
cfn-workshop-multi-region-latest-ami
Delete stack
Update stack
Stack actions
Create stack
Events
Resources
Outputs
Parameters
Template
Changesets
Outputs (2)
Search outputs
Key
Value
Description
Export name
WebServerElasticIP
52.65.0.29
Elastic IP assigned to EC2
-
WebServerPublicDNS
ec2-52-65-0-29.ap-southeast-2.compute.amazonaws.com
Public DNS of EC2 instance
-
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Template studio
Template studio
Customise your CloudFormation template and see the resource diagram update as you type.
Validate
Save and continue
Template
Canvas
Both
YAML
Actions
AWSTemplateFormatVersion: "2010-09-09"
Description: AWS CloudFormation workshop - Session manager (u
Metadata:
AWS::CloudFormation::Interface:
ParameterGroups:
- Label:
default: 'Amazon EC2 Configuration'
Parameters:
- AmiID
ParameterLabels:
AmiID:
default: 'Amazon Machine Image ID'
Parameters:
EnvironmentType:
Description: 'Specify the Environment type of the stack.'
0 0
1:1 YAML
SSMIAMRole
WebServerInstanceProfile
WebServerEIP
WebServerInstance
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


session-manager.yaml — cfn101-workshop
Explorer
cfn101-workshop
code
workspace
multi-region-latest-ami.yaml M
session-manager.yaml
mappings.yaml
Chat
Sessions
code > workspace > session-manager.yaml > { } Metadata > { } AWS::CloudFormation::Interface > { } ParameterLabels
AWSTemplateFormatVersion: "2010-09-09"
Description: AWS CloudFormation workshop - Session manager (uksb-1q9p31idr) (tag:
Metadata:
AWS::CloudFormation::Interface:
ParameterGroups:
- Label:
default: 'Amazon EC2 Configuration'
Parameters:
- AmiID
ParameterLabels:
AmiID:
default: 'Amazon Machine Image ID'
Parameters:
EnvironmentType:
Description: 'Specify the Environment type of the stack.'
Type: String
Default: Test
AllowedValues:
- Dev
- Test
- Prod
ConstraintDescription: 'Specify either Dev, Test or Prod.'
AmiID:
Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
Description: 'The ID of the AMI.'
Default: '/aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_
Mappings:
EnvironmentToInstanceType:
Dev:
InstanceType: t2.nano
Test:
InstanceType: t2.micro
Tip: Select a code block in the editor and right-click to access more AI actions.
session-manager.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
Outline
Timeline
main*
Franco Rezabek (6 years ago)
Screen Reader Optimized
Ln 12, Col 21
Spaces: 2
UTF-8
LF
YAML


session-manager.yaml — cfn101-workshop
Explorer
cfn101-workshop
code
workspace
multi-region-latest-ami.yaml M
session-manager.yaml
mappings.yaml
Chat
Sessions
code > workspace > session-manager.yaml > { } Metadata > { } AWS::CloudFormation::Interface > { } ParameterLabels
Mappings:
EnvironmentToInstanceType:
Test:
InstanceType: t2.micro
Prod:
InstanceType: t2.small
Resources:
Add the code from '2. Create an IAM role for the EC2 instance' step here.
Add the code from '3. Create an IAM Instance Profile' step here.
WebServerInstance:
Type: AWS::EC2::Instance
Properties:
IamInstanceProfile: !Ref WebServerInstanceProfile
ImageId: !Ref AmiID
InstanceType: !FindInMap [EnvironmentToInstanceType, !Ref EnvironmentType,
Tags:
- Key: Name
Value: !Join ['-', [!Ref EnvironmentType, webserver]]
SSMIAMRole:
Type: AWS::IAM::Role
Properties:
AssumeRolePolicyDocument:
Version: "2012-10-17"
Statement:
- Effect: Allow
Principal:
Service:
- ec2.amazonaws.com
Action:
- sts:AssumeRole
ManagedPolicyArns:
- arn:aws:iam::aws:policy/AmazonSSMManagedInstanceCore
Tip: Select a code block in the editor and right-click to access more AI actions.
session-manager.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
Outline
Timeline
main*
Franco Rezabek (6 years ago)
Screen Reader Optimized
Ln 12, Col 21
Spaces: 2
UTF-8
LF
YAML


session-manager.yaml — cfn101-workshop
Explorer
cfn101-workshop
code
workspace
resource-importi...
resource-return-...
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-scripts.ya...
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
Outline
Timeline
.yaml M
multi-region-latest-ami.yaml M
session-manager.yaml
mappings.yaml
code > workspace > session-manager.yaml > { } Metadata > { } AWS::CloudFormation::Interface > { } ParameterLabel
41 Resources:
71 WebServerInstanceProfile:
72 Type: AWS::IAM::InstanceProfile
73 Properties:
74 Roles:
75 - !Ref SSMIAMRole
76
77
78 WebServerEIP:
79 Type: AWS::EC2::EIP
80 Properties:
81 Domain: vpc
82 InstanceId: !Ref WebServerInstance
83
84 Outputs:
85 WebServerPublicDNS:
86 Description: 'Public DNS of EC2 instance'
87 Value: !GetAtt WebServerInstance.PublicDnsName
88
89 WebServerElasticIP:
90 Description: 'Elastic IP assigned to EC2'
91 Value: !Ref WebServerEIP
92
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
session-manager.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
0 0 3
Franco Rezabek (6 years ago)
Screen Reader Optimized
Ln 12, Col 21
Spaces: 2
UTF-8
LF
YAML