





887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > ssm-parameter > Update stack
Step 1
Update stack
Step 2
Specify stack details
Step 3
Configure stack options
Step 4
Review ssm-parameter
Specify stack details
Parameters
Parameters are defined in your template and allow you to input custom values when you create or update a stack.
Amazon EC2 Configuration
Amazon Machine Image ID
The ID of the AMI.
/aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64
EnvironmentType
Specify the Environment type of the stack.
Test
Dev
Test
Prod
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > ssm-parameter
Stacks (2)
Search by stack name
Filter status
Active
View nested
Stacks
cfn-workshop-multi-region-latest-ami
2026-10-26 15:21:05 UTC+0530
CREATE_COMPLETE
ssm-parameter
2026-10-26 14:26:00 UTC+0530
UPDATE_COMPLETE
ssm-parameter
Delete stack
Update stack
Stack actions
Create stack
Stack info
Events
Resources
Outputs
Parameters
Template
Resources (4)
Search resources
Logical ID
Physical ID
Type
Status
SSMIAMRole
ssm-parameter-SSMIAMRole-I6WROC5Ltc4G
AWS::IAM::Role
CREATE_COMPLETE
WebServerEIP
3.105.86.213
AWS::EC2::EIP
CREATE_COMPLETE
WebServerInstance
i-085fa8aae5a27537d
AWS::EC2::Instance
CREATE_COMPLETE
WebServerInstanceProfile
ssm-parameter-WebServerInstanceProfile-4S1AN7Rhrzbo
AWS::IAM::InstanceProfile
CREATE_COMPLETE
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


cfn101-workshop
Explorer
cfn101-workshop
code
workspace
multi-region-latest-ami.yaml M
session-manager.yaml
user-data.yaml M
code > workspace > user-data.yaml > { } Outputs > { } WebsiteURL
AWSTemplateFormatVersion: "2010-09-09"
Description: CloudFormation workshop - EC2 User Data
Parameters:
EnvironmentType:
Description: Specify the environment type.
Type: String
Default: Test
AllowedValues:
- Dev
- Test
- Prod
AmiID:
Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
Description: Amazon Linux 2023 AMI
Default: /aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_6
Mappings:
EnvironmentToInstanceType:
Dev:
InstanceType: t3.micro
Test:
Problems 3
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % cfn-lint user-data.yaml
ARNs', 'AWS::Partition', 'AWS::Region', 'AWS::StackId', 'AWS::StackName', 'AWS::URLSuffix']
user-data.yaml:135:5
E6101 'WebServerEIP' is not one of ['EnvironmentType', 'AmiID', 'SSMIAMRole', 'WebServerInstanceProfile
', 'WebServervSecurityGroup', 'WebServerInstance', 'AWS::AccountId', 'AWS::NoValue', 'AWS::Notification
ARNs', 'AWS::Partition', 'AWS::Region', 'AWS::StackId', 'AWS::StackName', 'AWS::URLSuffix']
user-data.yaml:139:5
md-sha@MDs-MacBook-Air workspace % cfn-lint user-data.yaml
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
user-data.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Not Committed Yet
Ln 144, Col 1
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
multi-region-latest-ami.yaml M
session-manager.yaml
user-data.yaml M
code > workspace > user-data.yaml > { } Outputs > { } WebsiteURL
Mappings:
EnvironmentToInstanceType:
Dev:
Test:
InstanceType: t3.micro
Prod:
InstanceType: t3.small
Resources:
SSMIAMRole:
Type: AWS::IAM::Role
Properties:
AssumeRolePolicyDocument:
Version: "2012-10-17"
Statement:
- Effect: Allow
Principal:
Service:
- ec2.amazonaws.com
Action:
- sts:AssumeRole
ManagedPolicyArns:
- arn:aws:iam::aws:policy/AmazonSSMManagedInstanceCore
WebServerInstanceProfile:
Type: AWS::IAM::InstanceProfile
Properties:
Path: /
Roles:
- !Ref SSMIAMRole
WebServerSecurityGroup:
Type: AWS::EC2::SecurityGroup
Properties:
GroupDescription: Allow HTTP traffic to the web server
SecurityGroupIngress:
- IpProtocol: tcp
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
user-data.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Not Committed Yet
Ln 144, Col 1
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
multi-region-latest-ami.yaml M
session-manager.yaml
user-data.yaml M
code > workspace > user-data.yaml > { } Outputs > { } WebsiteURL
Resources:
WebServerSecurityGroup:
Properties:
SecurityGroupIngress:
- IpProtocol: tcp
FromPort: 80
ToPort: 80
CidrIp: 0.0.0.0/0
WebServerInstance:
Type: AWS::EC2::Instance
Properties:
IamInstanceProfile: !Ref WebServerInstanceProfile
ImageId: !Ref AmiID
InstanceType: !FindInMap
- EnvironmentToInstanceType
- !Ref EnvironmentType
- InstanceType
SecurityGroupIds:
- !Ref WebServerSecurityGroup
UserData:
Fn::Base64: |
#!/bin/bash
set -eux
dnf install -y httpd php curl
systemctl enable --now httpd
mkdir -p /var/www/html
cat > /var/www/html/index.php <<'EOF'
<!DOCTYPE html>
<html>
<body>


<?php
$token = file_get_contents(
"http://169.254.169.254/latest/api/token",
false,
stream_context_create([
"http" => [
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
user-data.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Not Committed Yet
Ln 144, Col 1
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
multi-region-latest-ami.yaml M
session-manager.yaml
user-data.yaml M
code > workspace > user-data.yaml > { } Outputs > { } WebsiteURL
Resources:
WebServerInstance:
Properties:
UserData:
Fn::Base64: |
false,
stream_context_create([
"http" => [
"method" => "PUT",
"header" => "X-aws-ec2-metadata-token-ttl-seconds: 21600"
]
])
);
$context = stream_context_create([
"http" => [
"header" => "X-aws-ec2-metadata-token: " . $token
]
]);
$instance_id = file_get_contents(
"http://169.254.169.254/latest/meta-data/instance-id",
false,
$context
);
$zone = file_get_contents(
"http://169.254.169.254/latest/meta-data/placement/availability-zon
false,
$context
);
?>
<h2>EC2 Instance ID: <?php echo htmlspecialchars($instance_id); ?></h2>
<h2>Availability Zone: <?php echo htmlspecialchars($zone); ?></h2>


</body>
</html>
EOF
chown apache:apache /var/www/html/index.php
Tags:
- Key: Name
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
user-data.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Not Committed Yet
Ln 144, Col 1
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
multi-region-latest-ami.yaml M
session-manager.yaml
user-data.yaml M
code > workspace > user-data.yaml > { } Outputs > { } WebsiteURL
Resources:
WebServerInstance:
Properties:
UserData:
Fn::Base64: |
Tags:
- Key: Name
Value: !Join
- "-"
- - !Ref EnvironmentType
- webserver
WebServerEIP:
Type: AWS::EC2::EIP
Properties:
Domain: vpc
InstanceId: !Ref WebServerInstance
Outputs:
WebServerPublicDNS:
Description: Public DNS of EC2 instance
Value: !GetAtt WebServerInstance.PublicDnsName
WebServerElasticIP:
Description: Elastic IP assigned to EC2
Value: !Ref WebServerEIP
WebsiteURL:
Description: Website URL of EC2 instance
Value: !Sub "http://${WebServerEIP}"
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
Chat with Copilot
Agent
Copilot
Outline
Timeline
main*
Not Committed Yet
Ln 144, Col 1
Spaces: 2
UTF-8
LF
YAML



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/hom...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation
Template studio
Template studio
Customise your CloudFormation template and see the resource diagram update as you type.
Valid
Save and continue
Template
Canvas
Both
YAML
Actions
AWSTemplateFormatVersion: "2010-09-09"
Description: CloudFormation workshop - EC2 User Data
Parameters:
EnvironmentType:
Description: Specify the environment type.
Type: String
Default: Test
AllowedValues:
- Dev
- Test
- Prod
AmiID:
Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
Description: Amazon Linux 2023 AMI
Default: /aws/service/ami-amazon-linux-latest/al2023-ami-
0 0
144:1 YAML
SSMIAMRole
WebServerInstanceProfile
WebServerEIP
WebServerInstance
WebServerSecurityGroup
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
helper-scripts.yaml M
Chat
Sessions
Resources:
S3Bucket:
Type: AWS::S3::Bucket
Properties:
BucketName: demobucket-1-safayath-t
BucketEncryption:
ServerSideEncryptionConfiguration:
- ServerSideEncryptionByDefault:
SSEAlgorithm: AES256
VersioningConfiguration:
Status: Enabled
PublicAccessBlockConfiguration:
BlockPublicAcls: true
BlockPublicPolicy: true
IgnorePublicAcls: true
RestrictPublicBuckets: true
Outputs:
S3BucketName:
Description: 'The name of the S3 bucket'
Value: !Ref S3Bucket
S3BucketArn:
Description: 'The ARN of the S3 bucket'
Value: !GetAtt S3Bucket.Arn
S3BucketDomainName:
Description: 'The domain name of the S3 bucket'
Value: !GetAtt S3Bucket.DomainName
Problems
Output
Debug Console
Terminal
Ports
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace %
Tip: Select a code block in the editor and right-click to access more AI actions.
Chat with Copilot
Ln 15, Col 32
Spaces: 2
UTF-8
LF
YAML



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation
Stacks
demo-bucket-stack
Stacks (0)
Filter status
Search by stack name
Active
View nested
Stacks
No stacks
No stacks to display
Create stack
View getting started guide
demo-bucket-stack
Delete stack
Update stack
Stack actions
Create stack
Stack info
Events
Resources
Outputs
Parameters
Template
Outputs (3)
Search outputs
Key
Value
Description
Export name
S3BucketArn
arn:aws:s3:::demobucket-1-safayath-t
The ARN of the S3 bucket
-
S3BucketDomainName
demobucket-1-safayath-t.s3.amazonaws.com
The domain name of the S3 bucket
-
S3BucketName
demobucket-1-safayath-t
The name of the S3 bucket
-
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/s3/buckets/dem...
Search
[Option+S]
New Frontiers
Safayath T
Amazon S3 > Buckets > demobucket-1-safayath-t
demobucket-1-safayath-t Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Bucket overview
AWS Region
Asia Pacific (Sydney) ap-southeast-2
Amazon Resource Name (ARN)
arn:aws:s3:::demobucket-1-safayath-t
Creation date
October 27, 2026, 14:09:18 (UTC+05:30)
Bucket Versioning
Edit
Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. Learn more
Bucket Versioning
Enabled
Multi-factor authentication (MFA) delete
An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. Learn more
Disabled
Bucket ABAC
Edit
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/s3/buckets?regi...
Search
[Option+S]
New Frontiers
Safayath T
Amazon S3 > Buckets
General purpose buckets (1) Info
Copy ARN
Empty
Delete
Create bucket
Buckets are containers for data stored in S3.
Find buckets by name
1
Account snapshot Info
Updated daily
View dashboard
Storage Lens provides visibility into storage usage and activity trends.
CloudShell
Actions
ap-southeast-2
~ $ aws s3 rb s3://demobucket-1-safayath-t --force
remove_bucket: demobucket-1-safayath-t
~ $
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Route table details | VPC | Ne
Create stack | CloudFormation
Create stack | CloudForma
S3 buckets | S3 | New Frontie
Upgraded - Wappalyzer
887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > Create stack
Step 1
Create stack
Step 2
Specify stack details
Step 3
Configure stack options
Step 4
Review and create
Specify stack details
Provide a stack name
Stack name
demo-stack-1
Stack name must contain only letters (a–z, A–Z), numbers (0–9) and hyphens (-) and start with a letter. Max 128 characters. Character count: 12/128.
Parameters
Parameters are defined in your template and allow you to input custom values when you create or update a stack.
Amazon EC2 Configuration
Amazon EC2 Instance Type
Specify the Amazon EC2 instance type.
t3.micro
AMIID
The ID of the AMI.
/aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64
Cancel
Previous
Next
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
pyproject.toml
README.md
Outline
Timeline
session-manager.yaml
user-data.yaml M
helper-scripts.yaml M
code > workspace > helper-scripts.yaml > { } Metadata > { } AWS::CloudFormation::Interface > [ ] ParameterGroups
AWSTemplateFormatVersion: '2010-09-09'
Description: AWS CloudFormation workshop – Resources (uksb-1q9p31idr) (tag:resour
Metadata:
AWS::CloudFormation::Interface:
ParameterGroups:
- Label:
default: 'Amazon EC2 Configuration'
Parameters:
- InstanceType
ParameterLabels:
InstanceType:
default: 'Amazon EC2 Instance Type'
Parameters:
InstanceType:
Description: 'Specify the Amazon EC2 instance type.'
Type: String
Default: t2.micro
AllowedValues:
- t2.nano
- t2.micro
- t2.small
- t3.nano
- t3.micro
- t3.small
ConstraintDescription: 'Must be a valid EC2 instance type.'
AMIID:
Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
Description: 'The ID of the AMI.'
Default: '/aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_
Problems 3
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
helper-scripts.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Not Committed Yet
Ln 10, Col 25
Spaces: 2
UTF-8
LF
YAML


cfn101-workshop
Explorer
cfn101-workshop
code
workspace
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
pyproject.toml
README.md
Outline
Timeline
session-manager.yaml
user-data.yaml M
helper-scripts.yaml M
code > workspace > helper-scripts.yaml > { } Metadata > { } AWS::CloudFormation::Interface > { } ParameterGroups
15 Parameters:
32
33 Resources:
34 WebServerInstance:
35 Type: AWS::EC2::Instance
36 Properties:
37 ImageId: !Ref AMIID
38 InstanceType: !Ref InstanceType
39 Tags:
40 - Key: Name
41 Value: !Join ['-', [!Ref InstanceType, webserver]]
42
43
44
Problems 3
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
helper-scripts.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Not Committed Yet
Ln 10, Col 25
Spaces: 2
UTF-8
LF
YAML



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/ec2/home?regio...
Update
Search
[Option+S]
New Frontiers
Safayath T
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Instances (1/1) Info
Last updated 28 minutes ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Instance ID = i-0d86e2deb21e3fd72
Clear filters
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
t3.micro-webs...
i-0d86e2deb21e3fd72
Running
t3.micro
3/3 checks passec
ap-southeast-2b
i-0d86e2deb21e3fd72 (t3.micro-webserver)
Key
Value
aws:cloudfor...
WebServerInstance
Name
t3.micro-webserver
aws:cloudfor...
arn:aws:cloudformation:ap-southeast-2:887951337240:stack/ec2-demo/852900e0-d1ec-11f1-acd9-0affc80023eb
aws:cloudfor...
ec2-demo
ProjectName
t3.micro
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/lambda/home?r...
Search
[Option+S]
New Frontiers
Safayath T
Lambda > Event Functions > demo-lambda-ssm-Demolambda-O9BsbbIIklac
Code source Info
Open in Visual Studio Code
Update
EXPLORER
DEMO-LAMBDA-SSM-DEMOLAMBD...
index.py
DEPLOY ✓ Current
Deploy (⇧⌘U)
Test (⇧⌘I)
TEST EVENTS [SELECTED: TEST]
Create new test event
Private saved events
test
def handler(event, context):
ssm_client = boto3.client('ssm')
parameter_name = os.environ['PARAMETER_NAME']
response = ssm_client.get_parameter(Name=parameter_name)
return {
'statusCode': 200,
'body': response['Parameter']['Value']
}
PROBLEMS
OUTPUT
Execution Results
Status: Succeeded
Test Event Name: test
Response:
{
"statusCode": 200,
"body": "adminuser"
}
The area below shows the last 4 KB of the execution log.
Function Logs:
Info
Tutorials
Choose a tutorial
Learn how to implement common use cases in AWS Lambda.
Create a simple web app
In this tutorial you will learn how to:
Build a simple web app using a Lambda Web Function that returns an HTML webpage
Invoke your Web Function through its endpoint URL
Start tutorial
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/lambda/home?r...
Search
[Option+S]
New Frontiers
Safayath T
Lambda > Event Functions > demo-lambda-ssm-Demolambda-O9BsbbIIklac
demo-lambda-ssm-Demolambda-O9BsbbIIklac
Layers (0)
+ Add trigger
+ Add destination
51337240:function:demo-lambda-ssm-Demolambda-O9BsbbIIklac
Description
-
Last modified
9 minutes ago
Application
demo-lambda-ssm
Code
Test
Monitor
Configuration
Aliases
Versions
Configuration
General configuration
Triggers
Permissions
Destinations
Function URL
Environment variables (1)
Last fetched 27/10/2026, 17:26:12 GMT+5:30
Edit
The environment variables below are encrypted at rest with the default Lambda service key.
Search by attributes or search by keyword
Key
Value
PARAMETER_NAME
dbUsername
Info
Tutorials
Choose a tutorial
Learn how to implement common use cases in AWS Lambda.
Create a simple web app
In this tutorial you will learn how to:
Build a simple web app using a Lambda Web Function that returns an HTML webpage
Invoke your Web Function through its endpoint URL
Start tutorial
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/systems-manag...
Search
[Option+S]
New Frontiers
Safayath T
AWS Systems Manager
Parameter Store
Parameter Store
My parameters
Public parameters
Settings
Ready to scale? Enable higher throughput to handle more API calls - Manage Settings to increase TPS.
Manage settings
My parameters
View details
Edit
Delete
Create parameter
Filter parameters
Name
Tier
Type
Last modified
dbUsername
Standard
String
Tue, 27 Oct 2026 11:51:21 GMT



CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
helper-scripts.yaml
session-manager.yaml
user-data.yaml
Chat
Sessions
AWSTemplateFormatVersion: '2010-09-09'
Description: AWS CloudFormation workshop – Resources (uksb-1q9p31idr) (tag:resour
Parameters:
DatabaseUsername:
AllowedPattern: ^[a-z0-9]{5,12}$
ConstraintDescription: Must be 5-12 lowercase letters or numbers.
Description: Value to be used with the dbUsername SSM parameter. The default
Type: String
Default: adminuser
Resources:
BasicParameter:
Type: AWS::SSM::Parameter
Properties:
Name: dbUsername
Type: String
Value: !Ref DatabaseUsername
Description: SSM Parameter for database username.
Demorole:
Type: AWS::IAM::Role
Properties:
AssumeRolePolicyDocument:
Problems
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % nmap -p 22 3.24.121.143
Nmap done: 1 IP address (1 host up) scanned in 1.06 seconds
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
W2531 Runtime 'python3.9' was deprecated on '2025-12-15'. Creation was disabled on '2027-02-01' and upd
ate on '2027-03-03'. Please consider updating to 'python3.14'
helper-scripts.yaml:50:7
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace %
Tip: Select a code block in the editor and right-click to access more AI actions.
Chat with Copilot
Franco Rezabek (6 years ago)
Ln 70, Col 16
Spaces: 2
UTF-8
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
pyproject.toml
README.md
Outline
Timeline
i.yaml M
session-manager.yaml
user-data.yaml M
helper-scripts.yaml M
code > workspace > helper-scripts.yaml > { } Resources > { } S3Bucket > { } Properties
14 Resources:
24 Demorole:
25 Type: AWS::IAM::Role
26 Properties:
27 AssumeRolePolicyDocument:
28 Version: '2012-10-17'
29 Statement:
30 - Effect: Allow
31 Principal:
32 Service: lambda.amazonaws.com
33 Action: sts:AssumeRole
34 Path: /
35 Policies:
36 - PolicyName: ssm-least-privilege
37 PolicyDocument:
38 Version: '2012-10-17'
39 Statement:
40 - Effect: Allow
41 Action:
42 - ssm:GetParameter
43 Resource: !Sub arn:aws:ssm:${AWS::Region}:${AWS::AccountId}:param
45 Demolambda:
46 Type: AWS::Lambda::Function
47 Properties:
48 Handler: index.handler
Problems 4
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % nmap -p 22 3.24.121.143
Nmap done: 1 IP address (1 host up) scanned in 1.06 seconds
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
W2531 Runtime 'python3.9' was deprecated on '2025-12-15'. Creation was disabled on '2027-02-01' and upd
ate on '2027-03-03'. Please consider updating to 'python3.14'
helper-scripts.yaml:50:7
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
helper-scripts.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Franco Rezabek (6 years ago)
Ln 70, Col 16
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
pyproject.toml
README.md
Outline
Timeline
i.yaml M
session-manager.yaml
user-data.yaml M
helper-scripts.yaml M
code > workspace > helper-scripts.yaml > { } Resources > { } S3Bucket > { } Properties
14 Resources:
45 Demolambda:
46 Type: AWS::Lambda::Function
47 Properties:
48 Handler: index.handler
49 Role: !GetAtt Demorole.Arn
50 Runtime: python3.12
51 Code:
52 ZipFile: |
53 import boto3
54 import os
56 def handler(event, context):
57 ssm_client = boto3.client('ssm')
58 parameter_name = os.environ['PARAMETER_NAME']
59 response = ssm_client.get_parameter(Name=parameter_name)
60 return {
61 'statusCode': 200,
62 'body': response['Parameter']['Value']
63 }
64 Environment:
65 Variables:
66 PARAMETER_NAME: !Ref BasicParameter
68 S3Bucket:
69 Type: AWS::S3::Bucket
70 Properties:
71 BucketName: !Sub 'demo-bucket-${AWS::AccountId}-${AWS::Region}'
72 AccessControl: Private
Problems 4
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
helper-scripts.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Franco Rezabek (6 years ago)
Ln 70, Col 16
Spaces: 2
UTF-8
LF
YAML



887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/s3/buckets/dem...
Search
[Option+S]
New Frontiers
Safayath T
Amazon S3 > Buckets > demo-bucket-887951337240-ap-southeast-2
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Storage Lens
Batch Operations
demo-bucket-887951337240-ap-southeast-2 Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Objects (0)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
No objects
You don't have any objects in this bucket.
Upload
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
helper-scripts.yaml
session-manager.yaml
user-data.yaml
AWSTemplateFormatVersion: '2010-09-09'
Description: AWS CloudFormation workshop - Resources (uksb-1q9p31idr) (tag:resour
Parameters:
EnvironmentType:
Description: 'Specify the Environment type of the stack.'
Type: String
Default: Test
AllowedValues:
- Dev
- Test
- Prod
ConstraintDescription: 'Specify either Dev, Test or Prod.'
AMIID:
Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
Description: 'The ID of the AMI.'
Default: '/aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64'
Mappings:
EnvironmentToInstanceType:
Dev:
InstanceType: t3.micro
Test:
InstanceType: t3.micro
Prod:
InstanceType: t3.micro
Resources:
Problems
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
Chat with Copilot
Agent
Auto
Balance
Copilot
Outline
Timeline
main*
Not Committed Yet
Ln 67, Col 5
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
pyproject.toml
README.md
Outline
Timeline
i.yaml M
session-manager.yaml
user-data.yaml M
helper-scripts.yaml M
code > workspace > helper-scripts.yaml > ...
Mappings:
Resources:
WebServerSecurityGroup:
Type: AWS::EC2::SecurityGroup
Properties:
GroupDescription: Allow HTTP traffic to the web server
SecurityGroupIngress:
- IpProtocol: tcp
FromPort: 80
ToPort: 80
CidrIp: 0.0.0.0/0
WebServerInstance:
Type: AWS::EC2::Instance
Properties:
ImageId: !Ref AMIID
InstanceType: !FindInMap [EnvironmentToInstanceType, !Ref EnvironmentType,
SecurityGroupIds:
- !Ref WebServerSecurityGroup
Tags:
- Key: Name
Value: !Join ['-', [!Ref EnvironmentType, webserver]]
WebServerEIP:
Type: AWS::EC2::EIP
Properties:
Domain: vpc
InstanceId: !Ref WebServerInstance
Problems 3
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
helper-scripts.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Not Committed Yet
Ln 67, Col 5
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
pyproject.toml
README.md
Outline
Timeline
i.yaml M
session-manager.yaml
user-data.yaml M
helper-scripts.yaml M
code > workspace > helper-scripts.yaml > ...
Resources:
WebServerInstance:
Properties:
Tags:
Value: !Join ['-', [!Ref EnvironmentType, webserver]]
WebServerEIP:
Type: AWS::EC2::EIP
Properties:
Domain: vpc
InstanceId: !Ref WebServerInstance
Outputs:
WebServerPublicDNS:
Description: 'Public DNS of EC2 instance'
Value: !GetAtt WebServerInstance.PublicDnsName
WebServerElasticIP:
Description: 'Elastic IP assigned to EC2'
Value: !Ref WebServerEIP
Problems 3
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
Chat with Copilot
Agent
Copilot
main*
Not Committed Yet
Ln 67, Col 5
Spaces: 2
UTF-8
LF
YAML



Create stack | CloudFormation | Ne
Template studio | CloudForma
887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/hom...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation
Template studio
Template studio
Customise your CloudFormation template and see the resource diagram update as you type.
Valid
Save and continue
Template
Canvas
Both
YAML
Actions
- Key: Name
Value: !Join ['-', [!Ref EnvironmentType, !Ref
WebServerEIP:
Type: AWS::EC2::EIP
Properties:
Domain: vpc
InstanceId: !Ref WebServerInstance
Outputs:
WebServerPublicDNS:
Description: 'Public DNS of EC2 instance'
Value: !GetAtt WebServerInstance.PublicDnsName
WebServerElasticIP:
Description: 'Elastic IP assigned to EC2'
Value: !Ref WebServerEIP
0 0
66:31
YAML
AWS::EC2::EIP
WebServerEIP
AWS::EC2::Instance
WebServerInstance
AWS::EC2::SecurityGroup
WebServerSecurityGroup
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Create stack | CloudFormation | Ne
Stack demo-ec2 | CloudForma
887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/hom...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation
Stacks
demo-ec2
Stacks (1)
Search by stack name
Filter status
Active
View nested
1
Stacks
demo-ec2
2026-10-28 10:50:17 UTC+0530
CREATE_COMPLETE
demo-ec2
Delete stack
Update stack
Stack actions
Create stack
Stack info
Events
Resources
Outputs
Parameters
Template
Resources (3)
Search resources
1
Logical ID
Physical ID
Type
Status
WebServerEIP
52.65.79.174
AWS::EC2::EIP
CREATE_COMPL
WebServerInstance
i-078e876de07a3ab9c
AWS::EC2::Instance
CREATE_COMPL
WebServerSecurityGroup
demo-ec2-WebServerSecurityGroup-DTEHhS0QG1er
AWS::EC2::SecurityGroup
CREATE_COMPL
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Create stack | CloudFormation | Ne
Stack demo-ec2 | CloudForma
887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/hom...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > demo-ec2
Stacks (1)
Filter status
Search by stack name
Active
View nested
Stacks
demo-ec2
2026-10-28 10:50:17 UTC+0530
CREATE_COMPLETE
demo-ec2
Delete stack
Update stack
Stack actions
Create stack
Stack info
Events
Resources
Outputs
Parameters
Template
Outputs (2)
Search outputs
Key
Value
Description
Export name
WebServerElasticIP
52.65.79.174
Elastic IP assigned to EC2
-
WebServerPublicDNS
ec2-52-65-79-174.ap-southeast-2.compute.amazonaws.com
Public DNS of EC2 instance
-
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Create stack | CloudFormation | Ne
Stack demo-ec2 | CloudFormation
Instances | EC2 | New Frontier
887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/ec2/home?region=a...
Update
Search
[Option+S]
New Frontiers
Safayath T
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Instances (1/1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Instance ID = i-078e876de07a3ab9c
Clear filters
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Prod-webserver
i-078e876de07a3ab9c
Running
t3.micro
Initializing
ap-southeast-2b
i-078e876de07a3ab9c (Prod-webserver)
Filter rules
Name
Security group rule ID
Port range
Protocol
Source
–
sgr-01a378bbd1de93808
80
TCP
0.0.0.0/0
Outbound rules
Filter rules
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
pyproject.toml
README.md
Outline
Timeline
i.yaml M
session-manager.yaml
user-data.yaml M
helper-scripts.yaml M
code > workspace > helper-scripts.yaml > ...
1 AWSTemplateFormatVersion: '2010-09-09'
2 Description: AWS CloudFormation workshop - Resources (uksb-1q9p31idr) (tag:resour
3
4
5 Parameters:
6 EnvironmentType:
7 Description: 'Specify the Environment type of the stack.'
8 Type: String
9 Default: Test
10 AllowedValues:
11 - Dev
12 - Test
13 - Prod
14 ConstraintDescription: 'Specify either Dev, Test or Prod.'
15
16 AmiID:
17 Type: AWS::SSM::Parameter::Value<AWS::EC2::Image::Id>
18 Description: 'The ID of the AMI.'
19 Default: '/aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64'
20
21 Mappings:
22 EnvironmentToInstanceType:
23 Dev:
24 InstanceType: t3.micro
25 Test:
Problems 3
Output
Debug Console
Terminal
Ports
zsh - workspace
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
.Name' with pattern '^(?![.\\-])(?!.*\\.\\.)(?!.*\\-\\.)(?!.*\\.\\-)[a-z0-9.\\-]{3,63}(?<![.\\-])$' whe
n 'Fn::Join' is resolved
helper-scripts.yaml:60:7
W1032 {'Fn::Join': ['-', [{'Ref': 'EnvironmentType'}, 'workshop-s3-bucket']]} does not match '^([a-z0-9
][a-z0-9.-]*[a-z0-9])?$' when 'Fn::Join' is resolved
helper-scripts.yaml:60:7
md-sha@MDs-MacBook-Air workspace % cfn-lint helper-scripts.yaml
md-sha@MDs-MacBook-Air workspace %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
helper-scripts.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
0 0 3
Not Committed Yet
Ln 108, Col 3
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
pyproject.toml
README.md
Outline
Timeline
i.yaml M
session-manager.yaml
user-data.yaml M
helper-scripts.yaml M
code > workspace > helper-scripts.yaml > ...
21 Mappings:
22 EnvironmentToInstanceType:
25 Test:
26 InstanceType: t3.micro
27 Prod:
28 InstanceType: t3.micro
29
30 Resources:
31 WebServerSecurityGroup:
32 Type: AWS::EC2::SecurityGroup
33 Properties:
34 GroupDescription: Allow HTTP traffic to the web server
35 SecurityGroupIngress:
36 - IpProtocol: tcp
37 FromPort: 80
38 ToPort: 80
39 CidrIp: 0.0.0.0/0
40
41 - IpProtocol: tcp
42 FromPort: 22
43 ToPort: 22
44 CidrIp: 127.0.0.1/32
45
46 WebServerInstance:
47 Type: AWS::EC2::Instance
48 Properties:
49 ImageId: !Ref AmiID
50 InstanceType: !FindInMap [EnvironmentToInstanceType, !Ref EnvironmentType, InstanceType]
51 SecurityGroupIds:
52 - !Ref WebServerSecurityGroup
53 Tags:
54 - Key: Name
55 Value: !Join ['-', [!Ref EnvironmentType, webserver]]
56
57 S3Bucket:
58 Type: AWS::S3::Bucket
59 Properties:
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
helper-scripts.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
0 0 3
Not Committed Yet
Ln 108, Col 3
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
pyproject.toml
README.md
Outline
Timeline
i.yaml M
session-manager.yaml
user-data.yaml M
helper-scripts.yaml M
code > workspace > helper-scripts.yaml > ...
30 Resources:
57 S3Bucket:
59 Properties:
60 BucketName: demo-workshop-bucket-uksb-1q9p31idr-10001
62 BucketEncryption:
63 ServerSideEncryptionConfiguration:
64 - ServerSideEncryptionByDefault:
65 SSEAlgorithm: AES256
67 VersioningConfiguration:
68 Status: Enabled
69 S3BucketPolicy:
70 Type: AWS::S3::BucketPolicy
71 Properties:
72 Bucket: !Ref S3Bucket
73 PolicyDocument:
74 Version: '2012-10-17'
75 Statement:
76 - Effect: Deny
77 Principal: '*'
78 Action: 's3:*'
79 Resource:
80 - !Sub '${S3Bucket.Arn}'
81 - !Sub '${S3Bucket.Arn}/*'
82 Condition:
83 Bool:
84 'aws:SecureTransport': false
86 Outputs:
87 WebServerPublicDNS:
88 Description: 'Public DNS of EC2 instance'
89 Value: !GetAtt WebServerInstance.PublicDnsName
91 S3BucketName:
92 Description: 'Name of the S3 bucket'
93 Value: !Ref S3Bucket
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
helper-scripts.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
0 0 3
Not Committed Yet
Ln 108, Col 3
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
stack-policy-and...
stacksets
troubleshooting-...
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
pyproject.toml
README.md
Outline
Timeline
i.yaml M
session-manager.yaml
user-data.yaml M
helper-scripts.yaml M
code > workspace > helper-scripts.yaml > ...
86 Outputs:
95 S3BucketDomainName:
96 Description: 'Domain name of the S3 bucket'
97 Value: !GetAtt S3Bucket.DomainName
99 WebServerSecurityGroupId:
100 Description: 'ID of the Security Group for the EC2 instance'
101 Value: !Ref WebServerSecurityGroup
103 WebServerInstanceId:
104 Description: 'ID of the EC2 instance'
105 Value: !Ref WebServerInstance
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
Chat with Copilot
Agent
Copilot
main*
0 0 3
Not Committed Yet
Ln 108, Col 3
Spaces: 2
UTF-8
LF
YAML



Create stack | CloudFormation | Ne
Create stack | CloudFormation | Ne
Template studio | CloudFormat
Instances | EC2 | New Frontiers
887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/hom...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation
Template studio
CloudFormation
Stacks
Stack refactors New
StackSets
Exports
IaC generator
Template studio
Hooks overview
Invocation summary
Hooks
Registry
Public extensions
Activated extensions
Publisher
Template studio
Customise your CloudFormation template and see the resource diagram update as you type.
Valid
Save and continue
Template
Canvas
Both
YAML
Actions
91 S3BucketName:
92 Description: 'Name of the S3 bucket'
93 Value: !Ref S3Bucket
94
95 S3BucketDomainName:
96 Description: 'Domain name of the S3 bucke
97 Value: !GetAtt S3Bucket.DomainName
98
99 WebServerSecurityGroupId:
100 Description: 'ID of the Security Group fo
101 Value: !Ref WebServerSecurityGroup
102
103 WebServerInstanceId:
104 Description: 'ID of the EC2 instance'
105 Value: !Ref WebServerInstance
106
107
108
0 0
108:3 YAML
AWS::EC2::Instance
WebServerInstance
AWS::EC2::SecurityGroup
WebServerSecurityGroup
AWS::S3::Bucket
S3Bucket
AWS::S3::BucketPolicy
S3BucketPolicy
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
resource-return-...
stack-policy-and...
stacksets
troubleshooti...
sqs-queues.... 1
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
Outline
Timeline
ion-manager.yaml
user-data.yaml M
helper-scripts.yaml M
sqs-queues.yaml 1
code > workspace > troubleshooting-provisioning-errors > sqs-queues.yaml > { } Resources > { } SourceQueue > { }
1 AWSTemplateFormatVersion: "2010-09-09"
2
3 Description: AWS CloudFormation workshop - Troubleshooting provisioning errors -
4
5 Parameters:
6 QueueNamePrefix:
7 Type: String
8 Default: workshop-sqs-queue
9
10 Resources:
11 DeadLetterQueue:
12 Type: AWS::SQS::Queue
13 Properties:
14 FifoQueue: true
15 QueueName: !Sub '${QueueNamePrefix}-dead-letter.fifo'
16
17 SourceQueue:
18 Type: AWS::SQS::Queue
19 Properties:
20 # This example source queue is configured as a standard queue,
21 # whilst the dead-letter queue resource uses `true` for the
22 # `FifoQueue` property instead; this will result in an error.
23 FifoQueue: false
24 RedrivePolicy:
25 deadLetterTargetArn: !GetAtt DeadLetterQueue.Arn
26 maxReceiveCount: 5
27 QueueName: !Sub '${QueueNamePrefix}-source.fifo'
28
Problems 10
Output
Terminal
zsh - troubleshooting-provisioning-errors
md-sha@MDs-MacBook-Air workspace % cd troubleshooting-provisioning-errors
md-sha@MDs-MacBook-Air troubleshooting-provisioning-errors % cfn-lint sqs-queues.yaml
E3502 Source queue type 'standard' does not match destination queue type 'FIFO'
sqs-queues.yaml:23:7
md-sha@MDs-MacBook-Air troubleshooting-provisioning-errors %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
sqs-queues.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Ln 28, Col 1
Spaces: 2
UTF-8
LF
YAML



cfn101-workshop
Explorer
cfn101-workshop
code
workspace
resource-return-...
stack-policy-and...
stacksets
troubleshooti...
sqs-queues... M
understanding-c...
update-behavior...
helper-script... M
intrinsic-function...
mappings.yaml
multi-region-... M
outputs.yaml
resources.yaml
session-manager...
template-and-st...
user-data.yaml M
.bumpversion.cfg
.cfnlintrc
.gitignore
.pre-commit-config...
.python-version
CODE_OF_CONDU...
CONTRIBUTING.md
LICENSE
Makefile
Outline
Timeline
manager.yaml
user-data.yaml M
helper-scripts.yaml M
sqs-queues.yaml M
workspace > troubleshooting-provisioning-errors > sqs-queues.yaml > { } Resources > { } SourceQueue > { } Properties
1 AWSTemplateFormatVersion: "2010-09-09"
2
3 Description: AWS CloudFormation workshop - Troubleshooting provisioning errors -
4
5 Parameters:
6 QueueNamePrefix:
7 Type: String
8 Default: workshop-sqs-queue
9
10 Resources:
11 DeadLetterQueue:
12 Type: AWS::SQS::Queue
13 Properties:
14 FifoQueue: true
15 QueueName: !Sub '${QueueNamePrefix}-dead-letter.fifo'
16
17 SourceQueue:
18 Type: AWS::SQS::Queue
19 Properties:
20 # This example source queue is configured as a standard queue,
21 # whilst the dead-letter queue resource uses `true` for the
22 # `FifoQueue` property instead; this will result in an error.
23 FifoQueue: true
24 RedrivePolicy:
25 deadLetterTargetArn: !GetAtt DeadLetterQueue.Arn
26 maxReceiveCount: 5
27 QueueName: !Sub '${QueueNamePrefix}-source.fifo'
28
Problems 9
Output
Terminal
zsh - troubleshooting-provisioning-errors
md-sha@MDs-MacBook-Air troubleshooting-provisioning-errors % cfn-lint sqs-queues.yaml
E3502 Source queue type 'standard' does not match destination queue type 'FIFO'
sqs-queues.yaml:23:7
md-sha@MDs-MacBook-Air troubleshooting-provisioning-errors % cfn-lint sqs-queues.yaml
md-sha@MDs-MacBook-Air troubleshooting-provisioning-errors %
Chat
Sessions
Tip: Select a code block in the editor and right-click to access more AI actions.
sqs-queues.yaml
Chat with Copilot
Agent
Auto
Balance
Copilot
main*
Ln 28, Col 1
Spaces: 2
UTF-8
LF
YAML


887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Update
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > Create stack
Permissions
Your stack will automatically be given permission to access other services. Customize
Stack deployment options
Express mode - new
Deploy infrastructure quickly with no rollback delays. Ideal for development iterations where you need quick feedback and debugging.
Enable
Behaviour on provisioning failure
Specify the roll-back behaviour for a stack failure. Learn more
Roll back all resources
Roll back the stack to the last known stable state.
Disable rollback
Preserves the state of successfully provisioned resources, while rolling back failed resources to the last known stable state. Resources without a last known stable state will be deleted upon the next stack operation.
Delete newly created resources during a rollback
Specify whether resources that were created during a failed operation should be deleted regardless of their deletion policy. Learn more
Use deletion policy
Retains or deletes created resources according to their attached deletion policy.
Delete all newly created resources
Deletes created resources during a rollback regardless of their attached deletion policy.
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > demo
Stacks (1)
Search by stack name
Filter status
Active
View nested
Stacks
demo
2026-10-28 14:34:10 UTC+0530
CREATE_FAILED
demo
Delete stack
Update stack
Stack actions
Create stack
Stack rollback paused
All successfully provisioned resources are live. View the Events tab and fix any resource errors to continue.
Select Retry if the resource failed to provision due to an issue that doesn't require template modifications.
Select Update if the resource failed to provision due to template errors. Select Roll back to roll back to the last known stable state. Learn more
Retry
Update
Roll back
Stack info
Events
Resources
Outputs
Parameters
Template
Table view
Timeline view
The resource SourceQueue is in a CREATE_FAILED state
Events (7)
View root cause
Search events
Timestamp
Logical ID
Status
Detailed status
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Search
[Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > demo > Update stack
Notification options
SNS topic ARN
No notification options
There are no notification options defined
Changeset preview
Changes (1)
Search changes
Action
Logical ID
Physical ID
Resource type
Replacement
Modify
SourceQueue
-
AWS::SQS::Queue
True
View changeset
Cancel
Previous
Submit
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Search [Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > demo
Stacks (1)
Filter status
Search by stack name
Active
View nested
Stacks
demo
2026-10-28 14:34:10 UTC+0530
UPDATE_COMPLETE
demo
Delete stack
Update stack
Stack actions
Create stack
Stack info
Events
Resources
Outputs
Parameters
Template
Table view
Timeline view
Events (14)
View root cause
Search events
Operation ID
Timestamp
Logical ID
Status
02c85830-d2af-11f1-bae7-06023ac2e917
2026-10-28 14:41:00 UTC+0530
demo
UPDATE_COMPL
UPDATE_COMPL CLEANUP_IN_PROG
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


887951337240-g5i5zenu.ap-southeast-2.console.aws.amazon.com/cloudformation/...
Search [Option+S]
New Frontiers
Safayath T
CloudFormation > Stacks > demo
Stacks (1)
Filter status
Search by stack name
Active
View nested
Stacks
demo
2026-10-28 14:34:10 UTC+0530
UPDATE_COMPLETE
demo
Delete stack
Update stack
Stack actions
Create stack
Stack info
Events
Resources
Outputs
Parameters
Template
Resources (2)
Search resources
Logical ID
Physical ID
Type
Status
DeadLetterQueue
https://sqs.ap-southeast-2.amazonaws.com/887951337240/workshop-sqs-queue-dead-letter.fifo
AWS::SQS::Queue
CREATE_COMPL
SourceQueue
https://sqs.ap-southeast-2.amazonaws.com/887951337240/workshop-sqs-queue-source.fifo
AWS::SQS::Queue
CREATE_COMPL
CloudShell
Agent Toolkit for AWS
Feedback
Language
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences