



Getir-Backend-Assignment Solution by keskinsaf ^{1.0.0}

[Base URL: `keskinsaf-getir-assignment.herokuapp.com/`]

This project is created for the case shared by Getir for backend developer job. Project code is shared at <https://github.com/keskinsaf/getir-backend-assignment>.

[Contact the developer](#)

[MIT License](#)

[Find out more about Swagger](#)

Schemes

HTTPS

Getir-Backend-Assignment

An API with several endpoints

Find out more: <https://github.com/keskinsaf/getir-backend-assignment>

record

POST `/record/findBetween` fetch filtered records

Parameters

Try it out

Name

Description

body * required

object
(body)

Filters, each field is self descriptive

Example Value Model

```
{
  "startDate": "2017-01-26",
  "endDate": "2017-01-28",
  "minCount": 2700,
  "maxCount": 3000
}
```

Parameter content type

application/json

| Responses | | Response content type |
|--|--|-----------------------|
| | | application/json |
| Code | Description | |
| 200 | Successful request, see message and code for details | |
| Example Value Model | | |
| <pre>{ "code": 0, "msg": "success", "records": [{ "key": "abcDEfGhi", "createdAt": "2017-01-27T01:38:19.181Z", "totalCount": 2777 }] }</pre> | | |

| GET / Redirect to source code repository | | |
|--|---------------------------------------|-----------------------|
| That endpoint is purposely implemented to redirect users to project's git repository | | |
| Parameters | | Try it out |
| No parameters | | |
| Responses | | Response content type |
| | | application/json |
| Code | Description | |
| 301 | redirect to git repository of project | |

| Models | ▼ |
|--------|---|
| | |

```
RequestBody {
  startDate* string
    example: 2017-01-26
  endDate* string
    example: 2017-01-28
  minCount* number
    example: 2700
  maxCount* number
    example: 3000
}
```



```
Record {
  key string
    example: abcDEfGhi
  createdAt string
    example: 2017-01-27T01:38:19.181Z
  totalCount number
    example: 2777
}
```



```
ApiResponse {
  code integer($int32)
    example: 0
  msg string
    example: success
  records [Record {
    key string
      example: abcDEfGhi
    createdAt string
      example: 2017-01-27T01:38:19.181Z
    totalCount number
      example: 2777
  }]
}
```

