

BARRICADING AND EXCLUSION ZONES TOOLBOX TALK

Barricades must keep people outside the true reach of the hazard.

PURPOSE AND SCOPE

Prevent personnel from entering hazardous areas during lifting, excavation, pressure testing, hot work, falling-object exposure and mobile-equipment operations.

KEY HAZARDS

1  Uncontrolled entry into equipment or	2  Falling or projected objects travelling	3  Unauthorised approach to excavations, openings	4  Whipping hoses or failed fittings during pressure
5  Interaction between pedestrian and vehicle	6  Poor barricade visibility during night or low-light	7  Damaged or missing barricades allowing	8  Missing or unclear warning information at

CRITICAL POINTS TO VERIFY IN THE FIELD

01 Uncontrolled entry into equipment or suspended-load	02 Falling or projected objects travelling beyond an inadequate	03 Unauthorised approach to excavations, openings or level
---	--	---



REMEMBER — SERNEM

S

Stop and think

E

Evaluate the risk

R

Remove or reduce

N

Never assume

E

Ensure protection

M

Monitor and communicate

BARRICADING AND EXCLUSION ZONES TOOLBOX TALK

Barricades must keep people outside the true reach of the hazard.

FIELD REQUIREMENTS AND VERIFICATION

Prevent personnel from entering hazardous areas during lifting, excavation, pressure testing, hot work, falling-object exposure and mobile-equipment operations.

SERNEM FIELD 01
FIELD VERIFICATION 1
Hazard area identified

SERNEM FIELD 02
FIELD VERIFICATION 2
Barricade distance suitable

SERNEM FIELD 03
FIELD VERIFICATION 3
Entry points controlled

SERNEM FIELD 04
FIELD VERIFICATION 4
Warnings displayed

VERIFICATION BEFORE START

- | | |
|--|--|
| ☐ Hazard area identified | ☐ Barricade distance suitable |
| ☐ Entry points controlled | ☐ Warnings displayed |
| ☐ Barricade intact | ☐ Pedestrian route safe |

SUPERVISOR DISCUSSION POINTS

- What hazard requires an exclusion zone today?
- How was the barricade distance determined?
- How will unauthorised entry be prevented?

FIELD APPLICATION



Barricades must keep people outside the true reach of the hazard.

BARRICADING AND EXCLUSION ZONES TOOLBOX TALK

Barricades must keep people outside the true reach of the hazard.

CRITICAL CONTROL MEASURES

1. ELIMINATE / REDUCE THE RISK

Identify the maximum hazard reach and place barricades beyond that boundary. • Confirm pedestrian routes do not pass through the restricted area. • Remove barricades only after the area has been confirmed safe.

2. ENGINEERING & PHYSICAL CONTROLS

Use the correct barricade type and colour coding required by site rules. • Use reflective barricades or additional lighting for night work. • Reassess the exclusion zone whenever the task or site conditions change.

3. WORK METHOD & FIELD CONTROLS

Clearly display the hazard and access restriction. • Define pressure-test and lifting exclusion distances through risk assessment.

4. PPE, VERIFICATION & SUPERVISION

Establish controlled entry points and attendants where required. • Inspect barricade integrity throughout the shift.

CRITICAL WARNING



Team, simply standing outside a tape line does not guarantee safety. Today we will position barricades according to the real hazard radius, control access and maintain the exclusion zone throughout the job.

SITE CHECKLIST — BEFORE STARTING WORK

- | | |
|--|---|
| ☐ Hazard area identified | ☐ Barricade distance suitable |
| ☐ Entry points controlled | ☐ Warnings displayed |
| ☐ Barricade intact | ☐ Pedestrian route safe |
| ☐ Lighting adequate | ☐ Attendant requirement assessed |
| ☐ Crew briefed | ☐ Removal criteria defined |



BARRICADING AND EXCLUSION ZONES TOOLBOX TALK

Barricades must keep people outside the true reach of the hazard.

ATTENDANCE AND APPROVAL

Project / Site: _____ Date: _____

Presented by: _____ Work area: _____

No	Full Name	Company / Role	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			