

HAZARDOUS WASTE HANDLING TOOLBOX TALK

A material does not stop being hazardous simply because it has become waste.

PURPOSE AND SCOPE

Prevent incompatible mixing, poor storage and worker exposure during hazardous waste handling.

KEY HAZARDS

1  Incompatible waste mixing.	2  Chemical contact.	3  Flammable waste.	4  Contaminated sharps.
5  Unlabelled containers.	6  Open waste containers.	7  Spills.	8  Incorrect disposal.

CRITICAL POINTS TO VERIFY IN THE FIELD

01 Incompatible waste mixing.	02 Chemical contact.	03 Flammable waste.
--	---	--



REMEMBER — SERNEM

S

Stop and think

E

Evaluate the risk

R

Remove or reduce

N

Never assume

E

Ensure protection

M

Monitor and communicate

HAZARDOUS WASTE HANDLING TOOLBOX TALK

A material does not stop being hazardous simply because it has become waste.

FIELD REQUIREMENTS AND VERIFICATION

Prevent incompatible mixing, poor storage and worker exposure during hazardous waste handling.

SERNEM FIELD 01

FIELD VERIFICATION 1

Waste class identified

SERNEM FIELD 02

FIELD VERIFICATION 2

Container suitable

SERNEM FIELD 03

FIELD VERIFICATION 3

Label present

SERNEM FIELD 04

FIELD VERIFICATION 4

Compatibility checked

VERIFICATION BEFORE START

- | | |
|---|--|
| ☐ Waste class identified | ☐ Container suitable |
| ☐ Label present | ☐ Compatibility checked |
| ☐ Container closed | ☐ Secondary containment present |

SUPERVISOR DISCUSSION POINTS

- What waste class is this?
- What container is required?
- Is it labelled?

FIELD APPLICATION



A material does not stop being hazardous simply because it has become waste.



HAZARDOUS WASTE HANDLING TOOLBOX TALK

A material does not stop being hazardous simply because it has become waste.

CRITICAL CONTROL MEASURES

1. ELIMINATE / REDUCE THE RISK

Segregate waste by type. • Keep containers closed. • Inspect temporary storage areas.

2. ENGINEERING & PHYSICAL CONTROLS

Use approved containers. • Provide secondary containment. • Maintain waste transfer records.

3. WORK METHOD & FIELD CONTROLS

Label all containers. • Wear suitable PPE.

4. PPE, VERIFICATION & SUPERVISION

Separate incompatible wastes. • Use puncture-resistant containers for sharps.

CRITICAL WARNING



Team, hazardous waste still carries the original hazard. We will segregate each waste stream correctly, keep containers closed and labelled, and never mix incompatible wastes.

SITE CHECKLIST — BEFORE STARTING WORK

- | | |
|---|--|
| ☐ Waste class identified | ☐ Container suitable |
| ☐ Label present | ☐ Compatibility checked |
| ☐ Container closed | ☐ Secondary containment present |
| ☐ PPE suitable | ☐ Storage area orderly |
| ☐ Transfer method clear | ☐ Crew briefed |

HAZARDOUS WASTE HANDLING TOOLBOX TALK

A material does not stop being hazardous simply because it has become waste.

ATTENDANCE AND APPROVAL

Project / Site: _____ Date: _____

Presented by: _____ Work area: _____

No	Full Name	Company / Role	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			