

HSE TOOLBOX TALK

LIGHTNING AND SEVERE WEATHER TOOLBOX TALK

PURPOSE AND SCOPE

Prevent hazards during lightning, high winds, heavy rain and poor visibility affecting outdoor work, lifting and work at height.

KEY HAZARDS

1  Lightning strike during outdoor work.	2  Loss of suspended-load control in strong wind.	3  Workers losing balance at height.	4  Wet and slippery platforms or ladders.
5  Reduced visibility during heavy rain.	6  Increased electrical exposure around	7  Temporary structures or loose materials	8  Sudden weather deterioration not

CRITICAL POINTS TO VERIFY IN THE FIELD

01

Lightning strike during outdoor work.

02

Loss of suspended-load control in strong wind.

03

Workers losing balance at height.



REMEMBER — SERNEM

S

Stop and think

E

Evaluate the risk

R

Remove or reduce

N

Never assume

E

Ensure protection

M

Monitor and communicate

HSE TOOLBOX TALK

LIGHTNING AND SEVERE WEATHER TOOLBOX TALK**FIELD REQUIREMENTS AND VERIFICATION**

Prevent hazards during lightning, high winds, heavy rain and poor visibility affecting outdoor work, lifting and work at height.

SERNEM FIELD 01**FIELD VERIFICATION 1**

Forecast checked

SERNEM FIELD 02**FIELD VERIFICATION 2**

Wind monitoring available

SERNEM FIELD 03**FIELD VERIFICATION 3**

Limits understood

SERNEM FIELD 04**FIELD VERIFICATION 4**

Shelter identified

VERIFICATION BEFORE START

- | | |
|---|--|
| ☐ Forecast checked | ☐ Wind monitoring available |
| ☐ Limits understood | ☐ Shelter identified |
| ☐ Stop-work criteria clear | ☐ Materials secured |

SUPERVISOR DISCUSSION POINTS

- What is today's weather forecast?
- What is our wind limit?
- Where is the lightning shelter?

FIELD APPLICATION

When weather changes, the original work plan may no longer be safe.

HSE TOOLBOX TALK

LIGHTNING AND SEVERE WEATHER TOOLBOX TALK

CRITICAL CONTROL MEASURES

1. ELIMINATE / REDUCE THE RISK

Check weather forecasts and site conditions before work. • Safely stop cranes, MEWPs and elevated work when storms approach. • Provide additional lighting during reduced visibility.

2. ENGINEERING & PHYSICAL CONTROLS

Confirm manufacturer wind limits for lifting equipment. • Secure loose materials, sheeting and temporary equipment. • Do not restart until conditions return to acceptable limits.

3. WORK METHOD & FIELD CONTROLS

Apply site wind stop-work criteria for work at height. • Reinspect platforms, scaffolds and access routes after rain.

4. PPE, VERIFICATION & SUPERVISION

Brief crews on lightning alarms and shelter locations. • Assess electrical equipment around standing water.

CRITICAL WARNING



Team, production is never more important than severe weather. We will stop when wind, lightning or rain exceeds our limits and restart only after conditions are confirmed safe.

SITE CHECKLIST — BEFORE STARTING WORK

- | | |
|---|--|
| ☐ Forecast checked | ☐ Wind monitoring available |
| ☐ Limits understood | ☐ Shelter identified |
| ☐ Stop-work criteria clear | ☐ Materials secured |
| ☐ Access routes safe | ☐ Electrical risk checked |
| ☐ Restart criteria clear | ☐ Crew briefed |

HSE TOOLBOX TALK

LIGHTNING AND SEVERE WEATHER TOOLBOX TALK

ATTENDANCE AND APPROVAL

Project / Site: _____ **Date:** _____

Presented by: _____ **Work area:** _____

No	Full Name	Company / Role	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			