

HSE TOOLBOX TALK

LINE OF FIRE TOOLBOX TALK

PURPOSE AND SCOPE

Keep personnel clear of the travel path of moving, falling, rotating, swinging or suddenly released equipment and materials.

KEY HAZARDS

1  Standing in the path of suspended or moving	2  Vehicle blind spots and reversing areas.	3  Being caught between a load and a fixed	4  Snap-back from tensioned ropes, slings
5  Failure and whipping of pressurised hoses.	6  Exposure to rotating or moving machinery.	7  Unexpected release of stored mechanical,	8  Communication failure or unauthorised entry into

CRITICAL POINTS TO VERIFY IN THE FIELD

01 Standing in the path of suspended or moving loads.	02 Vehicle blind spots and reversing areas.	03 Being caught between a load and a fixed structure.
---	---	---



REMEMBER — SERNEM

S

Stop and think

E

Evaluate the risk

R

Remove or reduce

N

Never assume

E

Ensure protection

M

Monitor and communicate

HSE TOOLBOX TALK

LINE OF FIRE TOOLBOX TALK

FIELD REQUIREMENTS AND VERIFICATION

Keep personnel clear of the travel path of moving, falling, rotating, swinging or suddenly released equipment and materials.

SERNEM FIELD 01
FIELD VERIFICATION 1
Line of fire identified

SERNEM FIELD 02
FIELD VERIFICATION 2
Exclusion zone established

SERNEM FIELD 03
FIELD VERIFICATION 3
Suspended-load area clear

SERNEM FIELD 04
FIELD VERIFICATION 4
Pressurised equipment checked

VERIFICATION BEFORE START

- | | |
|--|--|
| ☐ Line of fire identified | ☐ Exclusion zone established |
| ☐ Suspended-load area clear | ☐ Pressurised equipment checked |
| ☐ Blind spots identified | ☐ Energy isolation adequate |

SUPERVISOR DISCUSSION POINTS

- Where are today's main line-of-fire areas?
- Where could the load or equipment travel unexpectedly?
- What are the main pinch points?

FIELD APPLICATION



Stay clear of movement, pressure and stored-energy paths.

HSE TOOLBOX TALK

LINE OF FIRE TOOLBOX TALK

CRITICAL CONTROL MEASURES

1. ELIMINATE / REDUCE THE RISK

Identify the line of fire before work starts. • Barricade the swing radius of rotating equipment. • Maintain barriers and exclusion zones.

2. ENGINEERING & PHYSICAL CONTROLS

Separate personnel from equipment and load travel paths. • Use suitable handling tools instead of hands where possible. • Stop work whenever movement cannot be controlled.

3. WORK METHOD & FIELD CONTROLS

Never stand beneath or beside suspended loads. • Remain outside vehicle and equipment blind spots.

4. PPE, VERIFICATION & SUPERVISION

Stay clear of pressurised connections and release paths. • Isolate energy that could cause unexpected movement.

CRITICAL WARNING



Team, today we will consider not only the task but where anything could travel if it moves unexpectedly. No one will stand below suspended loads, in vehicle blind spots or between moving loads and fixed structures. Stop the task if your position is uncertain.

SITE CHECKLIST — BEFORE STARTING WORK

- | | |
|--|--|
| ☐ Line of fire identified | ☐ Exclusion zone established |
| ☐ Suspended-load area clear | ☐ Pressurised equipment checked |
| ☐ Blind spots identified | ☐ Energy isolation adequate |
| ☐ Barriers in place | ☐ Communication method agreed |
| ☐ Escape route clear | ☐ Crew briefed |

HSE TOOLBOX TALK

LINE OF FIRE TOOLBOX TALK

ATTENDANCE AND APPROVAL

Project / Site:

Date:

Presented by:

Work area:

No	Full Name	Company / Role	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			