

HSE TOOLBOX TALK

SCAFFOLD SAFETY TOOLBOX TALK

PURPOSE AND SCOPE

Review fall, falling-object, unsafe-access, incomplete-platform, overloading and unauthorised-alteration hazards, and verify the scaffold tag, inspection date and physical condition before use.

KEY HAZARDS

1  Untagged, red-tagged or overdue scaffold	2  Missing top rails, mid-rails or toe boards.	3  Incomplete, loose or damaged working	4  Open trapdoors and access openings.
5  Unsafe ladders or climbing outside the	6  Unauthorised removal or alteration of	7  Overloading and unsafe material storage.	8  Tools and materials falling to lower levels.

CRITICAL POINTS TO VERIFY IN THE FIELD

01 Untagged, red-tagged or overdue scaffold inspection.	02 Missing top rails, mid-rails or toe boards.	03 Incomplete, loose or damaged working platforms.
---	--	--



REMEMBER — SERNEM

S

Stop and think

E

Evaluate the risk

R

Remove or reduce

N

Never assume

E

Ensure protection

M

Monitor and communicate

HSE TOOLBOX TALK

SCAFFOLD SAFETY TOOLBOX TALK

FIELD REQUIREMENTS AND VERIFICATION

Review fall, falling-object, unsafe-access, incomplete-platform, overloading and unauthorised-alteration hazards, and verify the scaffold tag, inspection date and physical condition before use.

SERNEM FIELD 01
FIELD VERIFICATION 1
Tag acceptable

SERNEM FIELD 02
FIELD VERIFICATION 2
Inspection date valid

SERNEM FIELD 03
FIELD VERIFICATION 3
Platforms complete

SERNEM FIELD 04
FIELD VERIFICATION 4
Guardrails complete

VERIFICATION BEFORE START

- | | |
|---|--|
| ☐ Tag acceptable | ☐ Inspection date valid |
| ☐ Platforms complete | ☐ Guardrails complete |
| ☐ Toe boards fitted | ☐ Trapdoors functional |

SUPERVISOR DISCUSSION POINTS

- What colour is the scaffold tag and is the inspection date valid?
- Are the platforms complete, secured and undamaged?
- Are guardrails and toe boards complete?

FIELD APPLICATION



Verify the tag, access, platforms and guardrails before use.

HSE TOOLBOX TALK

SCAFFOLD SAFETY TOOLBOX TALK

CRITICAL CONTROL MEASURES

1. ELIMINATE / REDUCE THE RISK

Verify the scaffold tag and inspection date. • Keep trapdoors closed when not in use. • Secure tools and barricade the area below.

2. ENGINEERING & PHYSICAL CONTROLS

Complete a visual inspection before every use. • Use only the designated safe access route. • Stop use and report defects immediately.

3. WORK METHOD & FIELD CONTROLS

Check top rails, mid-rails and toe boards. • Never alter scaffold components without authorisation.

4. PPE, VERIFICATION & SUPERVISION

Confirm platforms are complete, secured and undamaged. • Do not exceed the permitted load capacity.

CRITICAL WARNING



Team, before accessing the scaffold today, we will check the tag, inspection date, access, platforms, guardrails and trapdoors. We will not use the scaffold if the tag is missing, red or if any component is incomplete. No one may remove rails, decks or structural parts. Any defect must be reported and the scaffold kept out of use until checked by the authorised scaffold team.

SITE CHECKLIST — BEFORE STARTING WORK

- ☐ Tag acceptable

☐ Platforms complete

☐ Toe boards fitted

☐ Access safe

☐ Lower area protected
- ☐ Inspection date valid

☐ Guardrails complete

☐ Trapdoors functional

☐ No unauthorised changes

☐ Load capacity suitable

HSE TOOLBOX TALK

SCAFFOLD SAFETY TOOLBOX TALK

ATTENDANCE AND APPROVAL

Project / Site:

Date:

Presented by:

Work area:

No	Full Name	Company / Role	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			