

CHEMICAL SAFETY

Control exposure, splash, fire and incompatible-storage hazards.

PURPOSE AND SCOPE

Review inhalation, skin and eye contact, fire, reaction, spill and environmental hazards during the use, handling, storage and disposal of chemicals, and verify SDS information, labelling, PPE, ventilation and emergency arrangements before work begins. A chemical's hazards cannot be identified by smell or appearance alone. Before use, review the product label and Safety Data Sheet to understand hazards, exposure routes, required PPE, first aid and spill-response requirements.

KEY HAZARDS

1  EXPOSURE	2  SPLASH	3  INHALATION	4  INCOMPATIBILITY
5  SPIII	6  FIRE	7  UNLABELLED CONTAINER	8  WASTE

CRITICAL VALUES TO VERIFY IN THE FIELD

100% All containers correctly labelled	SDS Accessible throughout the shift	0 Unplanned mixing or transfer
---	--	---



REMEMBER - SERNEM

- | | | |
|-------------------------|----------------------------|----------------------------------|
| S Stop and think | E Evaluate the risk | R Remove or reduce |
| N Never assume | E Ensure protection | M Monitor and communicate |

CHEMICAL SAFETY

Control exposure, splash, fire and incompatible-storage hazards.

STANDARDS AND FIELD REQUIREMENTS

OSHA 1910.1200 combines chemical inventory, labels, safety data sheets and training in a written Hazard Communication Program.

OSHA 1910.1200(e)

WRITTEN PROGRAM

Maintain the chemical inventory, responsibilities and communication method, including non-routine tasks.

OSHA 1910.1200(f)

LABELS

Keep product identity, hazard information and applicable pictograms on primary and secondary containers.

OSHA 1910.1200(g)

SAFETY DATA SHEET

Keep current SDSs readily accessible in the work area during every shift.

OSHA 1910.1200(h)

TRAINING

Train workers at initial assignment and when a new hazard is introduced on detection, protection and emergency response.

MINIMUM EVIDENCE BEFORE START

- | | |
|---|---|
| ☐ Chemical inventory and current SDS | ☐ Compatibility / storage plan |
| ☐ Task-specific PPE matrix | ☐ Transfer-equipment inspection |
| ☐ Spill-response plan | ☐ Eyewash / safety-shower inspection |

SUPERVISOR DISCUSSION POINTS

- Where is the SDS for the chemical being used?
- Are the label and GHS pictograms readable?
- Which gloves are suitable for this chemical?

CLOSED TRANSFER AND SECONDARY CONTAINMENT



SDS - Label - Compatibility - Ventilation - Spill control - PPE

CHEMICAL SAFETY

Control exposure, splash, fire and incompatible-storage hazards.

CRITICAL CONTROL MEASURES (HIERARCHY OF CONTROLS)

1. SUBSTITUTE THE HAZARD

Review the current SDS before starting work. Verify the product label and GHS pictograms.

2. USE CLOSED TRANSFER AND VENTILATION

Use chemical-resistant gloves, eye protection and clothing. Provide suitable ventilation and respiratory protection. Keep chemicals in suitable, correctly labelled containers.

3. SEGREGATE, LABEL AND STORE

Segregate incompatible chemicals during storage. Keep eyewash and emergency showers accessible. Provide a spill kit and suitable absorbent materials.

4. PPE AND SPILL READINESS

Place waste in closed and correctly labelled containers. Stop work, control the area and report exposure or spills.

CRITICAL WARNING



Do not use a chemical if the label is unreadable, the contents are unknown or suitability has not been confirmed. Stop the task and report it.

SITE CHECKLIST (BEFORE STARTING WORK)

- | | |
|--|---|
| ☐ SDS available | ☐ Label readable |
| ☐ Container suitable | ☐ PPE suitable |
| ☐ Ventilation adequate | ☐ Eyewash accessible |
| ☐ Emergency shower accessible | ☐ Spill kit ready |
| ☐ Waste container ready | |



CHEMICAL SAFETY

Control exposure, splash, fire and incompatible-storage hazards.

ATTENDANCE AND APPROVAL

Project / Site: _____ Date: _____

Presented by: _____ Work area: _____

No	Full Name	Company / Role	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			