

FIRE SAFETY

Prevent fire hazards and respond safely in emergencies.

PURPOSE AND SCOPE

Prevent fires, support early response and ensure safe evacuation of personnel. Fire requires fuel, oxygen and heat. Removing one of these elements helps prevent or control fire.

KEY HAZARDS

1  IGNITION	2  COMBUSTIBLES	3  FLAMMABLE LIQUID	4  SMOKE
5  BLOCKED EXIT	6  WRONG EXTINGUISHER	7  ALARM FAILURE	8  PANIC

CRITICAL VALUES TO VERIFY IN THE FIELD

Monthly Visual extinguisher inspection	Annual Extinguisher maintenance check	0 Blocked exits or fire equipment
---	--	--



REMEMBER - SERNEM

S

Stop and think

E

Evaluate the risk

R

Remove or reduce

N

Never assume

E

Ensure protection

M

Monitor and communicate

FIRE SAFETY

Prevent fire hazards and respond safely in emergencies.

STANDARDS AND FIELD REQUIREMENTS

OSHA 1910.38 and 1910.157 cover emergency action planning, evacuation, extinguisher selection, access, inspection and employee education.

OSHA 1910.38

EMERGENCY ACTION PLAN

Define alarms, reporting, evacuation routes, accounting, critical duties and responsibilities in the written plan.

OSHA 1910.157(c)

SELECTION AND DISTRIBUTION

Provide visible, accessible extinguishers suitable for the expected fire class and area hazard.

OSHA 1910.157(e)

INSPECTION AND MAINTENANCE

Visually inspect portable extinguishers monthly and record annual maintenance.

OSHA 1910.157(g)

EDUCATION

Educate employees expected to use extinguishers on fire hazards and safe operation.

MINIMUM EVIDENCE BEFORE START

- | | |
|---|--|
| ☐ Emergency action and evacuation plan | ☐ Monthly extinguisher inspection |
| ☐ Annual maintenance tag / record | ☐ Alarm and emergency-lighting test |
| ☐ Flammable-material storage check | ☐ Drill and training record |

SUPERVISOR DISCUSSION POINTS

- Where is the nearest extinguisher?
- Where is the assembly point?
- Is a Hot Work Permit required?

FIRE EQUIPMENT, ACCESS AND FLAMMABLE-STORAGE INSPECTION



Extinguisher - Alarm - Clear route - Correct storage - Training



FIRE SAFETY

Prevent fire hazards and respond safely in emergencies.

CRITICAL CONTROL MEASURES (HIERARCHY OF CONTROLS)

1. PREVENT IGNITION

Apply Hot Work Permit. Remove combustible materials.

2. CONTROL FUEL

Inspect fire extinguishers. Keep escape routes clear. Assign a fire watch.

3. DETECTION AND INITIAL RESPONSE

Report electrical defects. Maintain good housekeeping. Store gas cylinders correctly.

4. ALARM, EVACUATION AND ACCOUNTING

Know the PASS method. Evacuate when alarms sound.

CRITICAL WARNING



Preventing a fire is always safer than fighting one.

SITE CHECKLIST (BEFORE STARTING WORK)

- | | |
|---|---|
| ☐ Extinguisher available | ☐ Escape routes clear |
| ☐ Alarm point known | ☐ Combustibles removed |
| ☐ Permit ready | ☐ Fire watch assigned |
| ☐ Housekeeping good | ☐ Gas cylinders secure |
| ☐ Team briefed | |



FIRE SAFETY

Prevent fire hazards and respond safely in emergencies.

ATTENDANCE AND APPROVAL

Project / Site: _____ Date: _____

Presented by: _____ Work area: _____

No	Full Name	Company / Role	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			