

SPILL RESPONSE AND ENVIRONMENTAL PROTECTION

Protect people during chemical or oil spills, stop the source only when safe, protect drains, contain spread and report the event with compatible waste management.

PURPOSE AND SCOPE

Protect people during chemical or oil spills, stop the source only when safe, protect drains, contain spread and report the event with compatible waste management.

KEY HAZARDS

1  CHEMICAL CONTACT	2  TOXIC VAPOUR	3  FIRE	4  SLIPPERY SURFACE
5  DRAIN CONTAMINATION	6  INCOMPATIBLE ABSORBENT	7  UNCONTROLLED SPREAD	8  IMPROPER WASTE

CRITICAL VALUES TO VERIFY IN THE FIELD

1-2-3 Raise alarm - stop source - protect drains	0 Untrained entry into hot zone	100% Collected waste in labeled compatible container
---	--	---



REMEMBER - SERNEM

S

Stop and think

E

Evaluate the risk

R

Remove or reduce

N

Never assume

E

Ensure protection

M

Monitor and communicate

SPILL RESPONSE AND ENVIRONMENTAL PROTECTION

Protect people during chemical or oil spills, stop the source only when safe, protect drains, contain spread and report the event

STANDARDS AND FIELD REQUIREMENTS

OSHA 1910.120(q), 1910.1200, the SDS and 40 CFR 112/site environmental plan integrate response level, hazard communication, environmental protection and reporting.

OSHA 1910.120(q)

EMERGENCY RESPONSE LEVEL

For hazardous releases, apply incident command, trained response, zones, PPE and decontamination under the plan.

OSHA 1910.1200

SDS AND HAZARD COMMUNICATION

Confirm identity, physical/health hazards, incompatibilities, first aid and spill method from the SDS.

40 CFR 112 / SPCC

DRAIN AND SECONDARY CONTAINMENT

Use appropriate secondary containment, drain closure and notification to prevent oil reaching water.

SAHA ATIK PROSEDÜRÜ

COLLECTION AND DISPOSAL

Place absorbents, soil and PPE in compatible closed labeled containers and route to approved waste streams.

MINIMUM EVIDENCE BEFORE START

- | | |
|---|---|
| ☐ SDS and spill plan | ☐ Spill-kit inventory |
| ☐ Drain/secondary-containment layout | ☐ Responder training record |
| ☐ Waste acceptance/label record | ☐ Incident/environmental notification record |

SUPERVISOR DISCUSSION POINTS

- What is the substance and compatible absorbent?
- How is the nearest drain protected?
- Is this incidental cleanup or emergency response?

SOURCE CONTROL, DRAIN PROTECTION AND CONTAINMENT



Alarm - SDS - Source - Drain cover - Boom - Compatible waste

SPILL RESPONSE AND ENVIRONMENTAL PROTECTION

Protect people during chemical or oil spills, stop the source only when safe, protect drains, contain spread and report the event v

CRITICAL CONTROL MEASURES (HIERARCHY OF CONTROLS)

1. PREVENT RELEASE BY DESIGN

Use closed transfer, drip trays, secondary containment and correct hoses/fittings.

2. STOP SOURCE IF SAFE

Raise alarm and isolate the area; do not approach without training and suitable PPE.

3. PROTECT DRAINS AND CONTAIN

Protect drains first, then contain from outside inward with compatible booms and absorbents.

4. RECOVER, DECONTAMINATE AND REPORT

Recover waste to compatible containers, decontaminate and promptly report quantity, area and impact.

CRITICAL WARNING



Do not approach an unknown or fuming spill. Lack of odor does not mean safe; raise the alarm, move upwind and call the emergency team.

SITE CHECKLIST (BEFORE STARTING WORK)

- | | |
|--|--|
| ☐ Substance/SDS known | ☐ Alarm/notification made |
| ☐ Area isolated | ☐ Source stopped if safe |
| ☐ Drain protected | ☐ Compatible absorbent selected |
| ☐ PPE suitable | ☐ Waste containers ready |
| ☐ Decon/reporting ready | |

SPILL RESPONSE AND ENVIRONMENTAL PROTECTION

Protect people during chemical or oil spills, stop the source only when safe, protect drains, contain spread and report the event v

ATTENDANCE AND APPROVAL

Project / Site: _____ Date: _____

Presented by: _____ Work area: _____

No	Full Name	Company / Role	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			