

SCAFFOLD INSPECTION CHECKLIST

FIELD INSPECTION DOCUMENT

Project / Site	Date / Time	Inspector
Location / Area	Scaffold Tag	Company / Contractor

1

GENERAL REQUIREMENTS

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
1	The scaffold has been erected, altered or dismantled only by trained and competent personnel.	☐	☐	☐	CRITICAL	
2	A valid scaffold inspection tag is securely attached at the access point.	☐	☐	☐	CRITICAL	
3	The scaffold inspection remains valid for the current date, shift and site requirements.	☐	☐	☐	CRITICAL	
4	The scaffold is suitable for the intended work activity and required working height.	☐	☐	☐	CRITICAL	
5	The scaffold load class or permitted loading is identified and understood.	☐	☐	☐	STANDARD	
6	The safe working load is displayed where required and has not been exceeded.	☐	☐	☐	CRITICAL	
7	No unauthorized modification, removal or relocation of scaffold components is observed.	☐	☐	☐	CRITICAL	

2

FOUNDATION AND BASE

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
8	The supporting ground or structure is firm, stable and capable of carrying the scaffold load.	☐	☐	☐	CRITICAL	
9	Base plates are installed beneath all scaffold standards.	☐	☐	☐	CRITICAL	
10	Suitable sole boards are installed where required to distribute the load.	☐	☐	☐	CRITICAL	
11	Adjustable base jacks are correctly installed and remain within their permitted extension.	☐	☐	☐	CRITICAL	
12	No settlement, sinking, tilting or movement is visible at the scaffold base.	☐	☐	☐	CRITICAL	
13	There is no standing water, erosion or loss of support around the scaffold foundation.	☐	☐	☐	STANDARD	

2

FOUNDATION AND BASE

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
14	Excavation, vehicle movement or nearby work has not undermined the scaffold foundation.	☐	☐	☐	CRITICAL	

3

STRUCTURAL COMPONENTS

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
15	Standards are vertical, correctly spaced and free from significant damage.	☐	☐	☐	CRITICAL	
16	Ledgers are complete, level and securely connected.	☐	☐	☐	CRITICAL	
17	Transoms and platform supports are correctly positioned and secured.	☐	☐	☐	CRITICAL	
18	Couplers, clamps and connection devices are correctly installed and tightened.	☐	☐	☐	CRITICAL	
19	Scaffold tubes and frames are free from cracks, severe corrosion, bending or deformation.	☐	☐	☐	CRITICAL	
20	No standards, ledgers, transoms or other essential structural components are missing.	☐	☐	☐	CRITICAL	
21	Scaffold components are compatible and have not been improvised with unsuitable materials.	☐	☐	☐	CRITICAL	

4

BRACING, TIES AND STABILITY

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
22	Facade or longitudinal bracing is installed in the required locations.	☐	☐	☐	CRITICAL	
23	Cross bracing is complete, correctly connected and undamaged.	☐	☐	☐	CRITICAL	
24	Plan or horizontal bracing is installed where required by the scaffold design.	☐	☐	☐	CRITICAL	
25	Scaffold ties are installed at the required spacing and locations.	☐	☐	☐	CRITICAL	
26	Anchors and tie points are secure, suitable and free from visible damage.	☐	☐	☐	CRITICAL	
27	No scaffold tie, anchor or brace has been removed without authorization and replacement control.	☐	☐	☐	CRITICAL	

4 BRACING, TIES AND STABILITY

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
28	Free-standing or mobile scaffold height and base dimensions remain within the approved limits.	☐	☐	☐	CRITICAL	

5 WORKING PLATFORMS

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
29	Working platforms are fully decked for the intended activity.	☐	☐	☐	CRITICAL	
30	No dangerous gaps exist between platform units, the scaffold structure or the work face.	☐	☐	☐	CRITICAL	
31	Platform boards and metal decks are free from cracks, severe damage, deformation or contamination.	☐	☐	☐	CRITICAL	
32	Platform units are secured against movement, uplift or displacement.	☐	☐	☐	CRITICAL	
33	The platform provides sufficient working width for workers, tools and materials.	☐	☐	☐	STANDARD	
34	Platform board overhang is controlled and does not create instability or a trip hazard.	☐	☐	☐	STANDARD	
35	Materials are distributed safely and the platform is not overloaded.	☐	☐	☐	CRITICAL	
36	Platform openings, hatches and penetrations are closed or adequately protected.	☐	☐	☐	CRITICAL	

6 EDGE PROTECTION

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
37	Top guardrails are installed on all exposed platform sides and ends.	☐	☐	☐	CRITICAL	
38	Midrails or equivalent intermediate protection are installed.	☐	☐	☐	CRITICAL	
39	Toe boards are installed and complete on exposed platform edges.	☐	☐	☐	CRITICAL	
40	Platform ends, returns and access openings are adequately protected.	☐	☐	☐	CRITICAL	
41	Guardrails and toe boards are secure and free from significant damage.	☐	☐	☐	CRITICAL	
42	The gap between the working platform and structure is minimized or otherwise protected.	☐	☐	☐	CRITICAL	

7

ACCESS AND EGRESS

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
43	A safe and designated means of access and egress is provided.	☐	☐	☐	CRITICAL	
44	Access ladders or stair towers are installed inside the scaffold where practicable.	☐	☐	☐	STANDARD	
45	Access ladders are free from damage, contamination and missing rungs.	☐	☐	☐	CRITICAL	
46	Access ladders are securely fixed against slipping or displacement.	☐	☐	☐	CRITICAL	
47	Ladder landings and rest platforms are provided where required.	☐	☐	☐	STANDARD	
48	Self-closing gates or equivalent protection are installed at access openings.	☐	☐	☐	CRITICAL	
49	Access routes, ladders, stairways and landings are unobstructed.	☐	☐	☐	CRITICAL	
50	Workers are not required to climb scaffold frames, braces or guardrails.	☐	☐	☐	CRITICAL	

8

FALLING OBJECT PROTECTION

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
51	Tools and loose equipment are secured where they could fall from the scaffold.	☐	☐	☐	CRITICAL	
52	Materials are stored away from platform edges and cannot roll or slide.	☐	☐	☐	CRITICAL	
53	Debris netting, brick guards or equivalent protection are installed where required.	☐	☐	☐	STANDARD	
54	An exclusion zone is established below and around the scaffold where falling-object risk exists.	☐	☐	☐	CRITICAL	
55	Barricades and warning signs are visible and suitable for the level of risk.	☐	☐	☐	STANDARD	
56	Simultaneous work above and below has been eliminated or properly controlled.	☐	☐	☐	CRITICAL	

9

ELECTRICAL AND SURROUNDING HAZARDS

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
---	-----------------	-----	----	-----	----------	-------------------

9 ELECTRICAL AND SURROUNDING HAZARDS

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
57	Safe clearance is maintained from overhead lines and other energized equipment.	☐	☐	☐	CRITICAL	
58	Temporary electrical cables are protected against damage and do not create trip hazards.	☐	☐	☐	CRITICAL	
59	Lighting is sufficient for safe access, work and emergency evacuation.	☐	☐	☐	STANDARD	
60	The scaffold is protected from vehicle, crane and mobile-equipment impact.	☐	☐	☐	CRITICAL	
61	Nearby process, pressure, heat, chemical and operational hazards have been controlled.	☐	☐	☐	CRITICAL	

10 HOUSEKEEPING

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
62	Working platforms are free from unnecessary waste, loose materials and obstructions.	☐	☐	☐	STANDARD	
63	Access ways, ladders, stairs and landing areas are clean and clear.	☐	☐	☐	CRITICAL	
64	Oil, mud, ice, water and other slip hazards have been removed or controlled.	☐	☐	☐	CRITICAL	
65	No sharp edges, protruding tubes or exposed components create injury hazards.	☐	☐	☐	STANDARD	
66	Scaffold materials and work equipment are stored in an orderly and stable manner.	☐	☐	☐	STANDARD	

11 WEATHER AND ENVIRONMENTAL CONDITIONS

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
67	Wind conditions are within the permitted limits for scaffold use.	☐	☐	☐	CRITICAL	
68	Rain, snow and ice conditions have been evaluated and controlled.	☐	☐	☐	CRITICAL	
69	Scaffold use has been stopped where lightning or severe weather creates unacceptable risk.	☐	☐	☐	CRITICAL	
70	Visibility is sufficient for safe work and access.	☐	☐	☐	STANDARD	

11 WEATHER AND ENVIRONMENTAL CONDITIONS

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
71	Sheeting, netting and temporary coverings have not created excessive wind loading.	☐	☐	☐	CRITICAL	

12 MOBILE SCAFFOLDS

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
72	Castors and wheels are suitable, undamaged and securely attached.	☐	☐	☐	CRITICAL	
73	All wheel brakes are engaged before workers access or use the scaffold.	☐	☐	☐	CRITICAL	
74	Outriggers or stabilizers are correctly installed where required.	☐	☐	☐	CRITICAL	
75	The mobile scaffold is positioned on a level, firm and obstruction-free surface.	☐	☐	☐	CRITICAL	
76	No person remains on the scaffold while it is being moved.	☐	☐	☐	CRITICAL	

13 FINAL INSPECTION AND RELEASE

#	Inspection Item	YES	NO	N/A	Priority	Comments / Action
77	No unresolved critical defect remains before the scaffold is released for use.	☐	☐	☐	CRITICAL	
78	Identified defects have been recorded, assigned and controlled.	☐	☐	☐	CRITICAL	
79	The scaffold inspection tag has been updated to reflect the current status.	☐	☐	☐	CRITICAL	
80	Unsafe or incomplete scaffolds are tagged, barricaded and prevented from use.	☐	☐	☐	CRITICAL	
81	The scaffold is formally accepted and released for its intended use.	☐	☐	☐	CRITICAL	

FINDINGS & CORRECTIVE ACTIONS

Total Items	YES	NO	N/A	Open Findings

Finding	Action	Responsible	Due	Status

FINAL AUTHORIZATION

Inspector

Name / Signature / Date

Supervisor

Name / Signature / Date

Permit Issuer

Name / Signature / Date