

[illegible]

1. CONTACT 1-800-424-5555 FOR UTILITY LOCATES PRIOR TO CONSTRUCTION.
2. CONTACT TONY CHANG (206-867-4840) FOR FIELD LAYOUT, AND PRE-CONSTRUCTION MEETING.
3. ALL SIDEWALK CROSS SLOPES SHALL BE 2% OR LESS UNLESS OTHERWISE SHOWN ON PLAN.

	SIDEWALK CEM CONC (PER STD PLAN 420)
	DETECTABLE WARNING (PER STD PLAN 422k)
	2\"-3\" CL $\frac{1}{2}$ \" HMA
	EX SLOPE MEF, SEE THIS SHEET
	SAW CUT
	GRADE BREAK

- ① MATCH EX 5"–6" CURB
- ② FIELD ADJUST SAWCUT AND REMOVAL LIMITS TO A JOINT OR SCORELINE.
- ③ PROTECT AND RELOCATE SUPPORT WITH SIGNS. PROVIDE KNOCK-OUT SIGN INSTALLATION UNDER W0#000000.
- ④ INSTALL THERMOPLASTIC CROSSWALK MARKING STRIPES UNDER W0#000000.

CR1
CURB RAMPS
21ST AVE S & S COLLEGE ST

WO# TBD TRC0252-U0548	### REVIEWED BY SPU/WATER ENGINEERING 20.....	APPROVED FOR ADVERTISING LIZ ALZEER DEPARTMENT OF FINANCE & ADMINISTRATIVE SERVICES SEATTLE, WASHINGTON 20 .. BY: CITY PURCHASING & CONTRACTING SERVICES DIRECTOR	INITIALS AND DATE DESIGNED WFTC CHECKED TSN	INITIALS AND DATE REVIEWED: DES. CONST. SDOT PROJ. MGR.			Seattle Department of Transportation	ORDINANCE NO. PW NO.	2023 SSRP CURB RAMPS	JOB NO. PC R/W CO TRC0252-U0548 VAULT PLAN NO.	SHEET 2 OF 4
	REVIEWED BY SPU/DRAINAGE 20.....		DRAWN WFTC CHECKED TSN	RECEIVED REVISED AS BUILT							
	APPROVED BY SDOT STREET IMPROVEMENT PERMITTING 20.....		ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED OUT IN SECTION 2.0 OF THE PROJECT MANUAL.								

MEF CODES

- *1 RIGHT-OF WAY AVAILABILITY
- *2 ROADWAY STRUCTURAL CONSTRAINT; WALL, AREAWAY, OR BRIDGE
- *3 ADJACENT DEVELOPED FACILITY
- *4 DRAINAGE
- *5 HISTORIC FEATURE
- *6 EXISTING ROAD/SIDEWALK SLOPES
- *7 EXISTING UTILITY VAULT OR UTILITY STRUCTURE
- *8 (OTHER), DESCRIBE, ADD ANNOTATION

X.X	SDW CODE	STD PLAN	MEF CODE
1.1		422D	
1.2		422D	
X.X		-	
X.X		-	
X.X		-	
X.X		-	
X.X		-	
X.X		-	

GENERAL NOTES

- CONTACT 1-800-424-5555 FOR UTILITY LOCATES PRIOR TO CONSTRUCTION.
- CONTACT TONY CHANG (206-867-4840) FOR FIELD LAYOUT, AND PRE-CONSTRUCTION MEETING.
- ALL SIDEWALK CROSS SLOPES SHALL BE 2% OR LESS UNLESS OTHERWISE SHOWN ON PLAN.

LEGEND

- SIDEWALK CEM CONC (PER STD PLAN 420)
- DETECTABLE WARNING (PER STD PLAN 422k)
-

CONSTRUCTION NOTES

- MATCH EX 5"-6" CURB
- FIELD ADJUST SAWCUT AND REMOVAL LIMITS TO A JOINT OR SCORELINE.
- PROTECT AND RELOCATE SUPPORT WITH SIGNS. PROVIDE KNOCK-OUT SIGN INSTALLATION UNDER WO#000000.
- INSTALL THERMOPLASTIC CROSSWALK MARKING STRIPES UNDER WO#000000.



CR2
CURB RAMPS
21ST AVE S & S COLLEGE ST



WO# TBD
TRC0252-U0548

REVIEWED BY SPU/WATER ENGINEERING	20.....
REVIEWED BY SPU/DRAINAGE	20.....
APPROVED BY SDOT STREET IMPROVEMENT PERMITTING	20.....

APPROVED FOR ADVERTISING
LIZ ALZEER
DEPARTMENT OF FINANCE & ADMINISTRATIVE SERVICES
SEATTLE, WASHINGTON 20

BY:
CITY PURCHASING & CONTRACTING SERVICES DIRECTOR

INITIALS AND DATE	INITIALS AND DATE
DESIGNED CHECKED WFTC TSN	REVIEWED: DES. SDOT CONST. PROJ. MGR.
DRAWN CHECKED WFTC TSN	RECEIVED REVISED AS BUILT
ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY OF SEATTLE STANDARD PLANS AND SPECIFICATIONS AND OTHER DOCUMENTS CALLED FOR IN SECTION 9-02.3 OF THE PROJECT MANUAL.	



Seattle
Department of
Transportation

ORDINANCE NO. PW NO.
FUND:
SCALE: 1"=4'

2023 SSRP CURB RAMPS

JOB NO.	PC R/W CO TRC0252-U0548
VAULT PLAN NO.	
SHEET	3 OF 4