

FME Training

for Esri Utility Network Migration





Safe Software training team:
Ryan Cragg
Trent Kading
Mark Stoakes

GOALS

- Give attendees a **good understanding of the Esri UN migration workspaces** so that you can modify them for your datasets that need to be migrated into the UN Asset Packages
- Introduce the key aspects of FME Workbench for newer FME users
- Review the primary transformation tools used in the migration workspaces
- Deep dive into Water migration workspace (Simple migration)
- Deeper dive into Electric migration workspace (Basic migration)

By the end of the training you should be able to edit the water, gas & electric migration workspaces to suit your source data. Understand the resources available to you if you need assistance.

NOT THE GOAL

We will NOT be covering:

- ArcPro and editing UN data
- Nuances of UN data model schemas
- Esri Data Reviewer - Validating ArcGIS

AGENDA

Schedule is 8:00 – 11:00 PST with breaks

Day 1 (Monday) Ryan

- Introduction to FME Desktop Workbench

Day 2 (Tuesday) Ryan

- Dive into transformation tools and other workbench functionality used in the Esri UN migration workspaces

Day 3 (Wednesday) Trent n' Mark

- Getting started with Utility Network migrations and deep dive into water migration and the **schema mapping**

Day 4 (Thursday) Mark n' Trent

- Deeper dive into electric migration and the schema mapping

RESOURCES

Day 1:

- Introduction to FME Desktop Workbench [tutorial](#)

Day 2:

- Continued from Day 1

Day 3:

- Migration Tools PDF located under the following directory:
C:\FMEData2019\Resources\EsriUN

Day 4:

- Electric Documentation located in:
C:\FMEData2019\Resources\EsriUN

GOTOWEBINAR HOUSEKEEPING

The image shows a screenshot of a GoToWebinar session. On the left, a presentation slide titled "Webinar Housekeeping" is displayed, along with organizer and presenter information and audio instructions. On the right, a control panel shows audio settings (Computer audio selected), a muted status, and a questions section.

Waiting to view Liz Davis's screen
Talking: Liz Davis

Webinar Housekeeping

Organizer: Liz Davis | Presenter: Liz Davis

Audio: Use your microphone and speakers (VoIP) or call in using your telephone.

United States: +1 (951) 384-3421
Access Code: 400-696-084
Audio PIN: 19
[List Additional Conference Call Numbers](#)

File View Help Sound Check

Computer audio Phone call

MUTED

Transmit (Plantronics Savi 7xx-M) ▼

Receive (Plantronics Savi 7xx-M) ▼

Talking: Liz Davis

Questions


[Enter a question for staff]

Send

Webinar Housekeeping
Webinar ID: 608-865-371

GoToWebinar

AUDIENCE PARTICIPATION




Open and hide your control panel.

Join audio:

- Choose “Mic & Speakers” to use VoIP
- Choose “Telephone” and dial using the information provided.

Submit questions and comments via the Questions panel.

TIME FOR QUESTIONS



Please continue to submit your text questions and comments using the Questions Panel.

Raising your hand is reserved for impromptu polls.


We'll use the Chat panel to pass links to resources and any other tips we might have.

JARGON

- **Feature** - The smallest piece of data.
- **Feature Type** - A collection of features. Usually called a layer, level, table, feature class, etc.
- **Dataset** - Where your data is stored. A file, folder, server, etc.
- **Inspector** - A tool for viewing your data.
- **Workbench** - A tool for transforming your data, using a data flow diagram.
- **Canvas** - Where you create your data flow diagram.
- **Transformers** - Tools in a data flow diagram that filter features, change attributes, or change geometry.
- **Feature Connector** - Lines used to connect feature types and transformers.

Virtual Machines

- Please ensure you are logged into your **FME virtual machine**
- If you have, please join us at **8:20**
- If you have not, please go to **fme.ly/fmevm** and request one
- If you have requested one, but cannot access it, please ask for help in the **GoToWebinar Questions** panel now





That's all folks!

Let's begin :)

ArcGIS Licensing using ArcPro

ESU590151892 ArcGIS Pro Advanced Single Use


And run C:\temp\FMEDownloadInstall.bat from
the command line

Thanks to Esri for supplying the training licenses

Open ArcGIS Pro


Wait...wait...wait...

Click Add...




Click Add again

Then click Close



Configure your licensing options

It's the tiny link, way at the bottom



Single Use License

Advanced

Click Authorize

Licensing

Configure Authorization

Select your authorization type from the drop-down list below:

License Type: Single Use License [Learn More](#)

License Level:

- Single Use License
- Named User License
- Concurrent Use License

Select the Pro core product license level below:

Advanced Standard Basic


This lists the software installed, along with its authorization status and expiration date. Double-click a feature for more information.

Name	Licensed	Expires
ArcGIS Pro Advanced	No	N/A
3D Analyst	No	N/A
Aviation Airports	No	N/A
Business Analyst	No	N/A
Data Interoperability	No	N/A
Data Reviewer	No	N/A
Defense Mapping	No	N/A
Geostatistical Analyst	No	N/A
Image Analyst	No	N/A
LocateXT	No	N/A
Location Referencing	No	N/A
Maritime Bathymetry	No	N/A


Authorize Deauthorize Refresh Machine ID

OK Cancel

Click Next



Click Next



Fill this out

Sorry

Don't skip the fields with *

Software Authorization Wizard X

Authorization Information
We will use the following information to verify our records and authorize your use of the software. (* required field)

*First Name:	<input type="text" value="I"/>
*Last Name:	<input type="text"/>
*Organization:	<input type="text"/>
Department:	<input type="text"/>
*Address 1:	<input type="text"/>
Address 2:	<input type="text"/>
*City:	<input type="text"/>
*State/Province:	<input type="text"/>
*Zip/Postal Code:	<input type="text"/>
*Location:	<input type="text"/>
*Phone Number:	<input type="text"/>
*Email:	<input type="text"/>
Comment:	<input type="text"/>

Optional user-defined authorization description.

< Back Next > Cancel

This one too

Sorry

Software Authorization Wizard X

Authorization information (continued)
We will use the following information to verify our records and authorize your use of the software. (* required field)

*Your Organization: ▼

*Your Industry: ▼

*Yourself: ▼


The personal information you supplied is protected under Esri's privacy policy. If you want to view Esri's privacy policy, click the View button below.

[View...](#)

[< Back](#) Next > [Cancel](#)

Almost done

ESU590151892




Click Next

We don't need any extensions


Let's not all hit Next at the same time.

The Esri license server is easily overwhelmed.



Finished in 3...

Click Finish



2...

Click OK

Licensing

Configure Authorization

Select your authorization type from the drop-down list below:

License Type [Learn More](#)

License Level

Select the Pro core product license level below:


This lists the software installed, along with its authorization status and expiration date.
Double-click a feature for more information.

Name	Licensed	Expires
ArcGIS Pro Advanced	Yes	8/17/2019
3D Analyst	No	N/A
Aviation Airports	No	N/A
Business Analyst	No	N/A
Data Interoperability	No	N/A
Data Reviewer	No	N/A
Defense Mapping	No	N/A
Geostatistical Analyst	No	N/A
Image Analyst	No	N/A
LocateXT	No	N/A
Location Referencing	No	N/A
Maritime Bathymetry	No	N/A

1...

Click OK

The open ArcGIS Pro again



© 2019 Esri. All Rights Reserved.

FME Training

for Esri Utility Network Migration

Water Migration Workspace



ArcGIS Licensing using ArcPro (or ArcGIS Administrator for ArcGIS)

ESU590151892 ArcGIS Pro Advanced

Thanks to Esri for supplying the training licenses for this course

AGENDA

Schedule is 8:00 – 11:00 PST with a break

Day 1 (Monday) Ryan

- Introduction to FME Desktop Workbench

Day 2 (Tuesday) Ryan

- Dive into transformation tools and other workbench functionality used in the Esri UN migration workspaces


Day 3 (Wednesday) Trent n' Mark

- Getting started with Utility Network migrations and deep dive into simple migration and the **schema mapping**

Day 4 (Thursday) Mark n' Trent

- Deeper dive into electric migration and the schema mapping

TODAY'S GOALS



- Introduce the key aspects of FME Workbench
- Review the primary transformation tools used in the migration workspaces
- Deep dive into Water migration workspace (Simple migration)
 - Getting Started with Asset Packages
 - Schema Mapping using spreadsheet
 - Validating Asset Package
 - Applying/Staging Asset Package
- Deeper dive into Electric migration workspace (Basic migration)

By the end of today you should have a good understanding of how to get started with the migration workflows including using the water migration workspace and the resulting Asset Package. You should be able to edit the key components of the workspace.

RESOURCES

Day 1:

- Introduction to FME Desktop tutorial

Day 2:

- Continued from Day 1

Day 3:

- Migration Tools PDF located under the following directory:
C:\FMEData2019\Resources\EsriUN\Simple\Documentation

Day 4:

- Electric Documentation located in:
C:\FMEData2019\Resources\EsriUN\TrainingDocs
- Examples:
C:\FMEData2019\Resources\EsriUN\Basic

Asset Packages 101

- Asset Packages deployed through ArcGIS Pro Projects via:
<https://community.esri.com/message/769190-esri-utility-network-configuration-and-migration-tool-status>
 - Water Asset Package found here:
<http://solutions.arcgis.com/water/help/water-distribution-utility-network-foundation/>
- Asset Package version tied to ArcGIS Pro release(important to remember)
- Pre-processing Asset Package - changing the Spatial Reference of the provided Asset Package

Getting started with a Utility Network

- Create Utility Network Tool - creates a Utility Network class inside a Feature Dataset in your Enterprise Geodatabase with a Service Territory
 - Stage Utility Network *automates the Creation tool highlighted above*

View the data in FME Data Inspector


- Open FME Inspector Data
- Format: Esri Geodatabase (File Geodb)
- Find the folder:
C:\FMEData2019\Resources\EsriUN\Simple\\SourceData\SimpleUN_Training.gdb
- Select Feature Classes to display:
`WaterUtilityDistrict wControlValve wFitting wHydrant wLateralLine wMain
wServiceConnection`

View Source Data



Run the Water Migration workspace

- Find the folder:
C:\FMEData2019\Resources\EsriUN\Simple
- Open the workspace:
WaterMigration.fmw
- Set Enable Feature Caching: **Off**



View Source Data



Water Migration Pattern



Simple Migration

Schema Mapping

- Prepare spreadsheet
- Plug and play Schema Mapping


Network topology

- Geometric Network (lines & junctions)
 - Handled by default (especially if source is a valid Geometric Network)
- Explicit network (associations between Assemblies, junctions & devices)
 - Few scenarios of this in Simple models
 - Pump Stations and Pumps

Schema Mapping: Setting Asset Group & Asset Type

Spreadsheet

1	UNFeatureClass	assetgroupValue	assetgroupDesc	assettypeValue
66	WaterDevice		9 Flushing and Blow Off	0
67	WaterDevice		9 Flushing and Blow Off	361
68	WaterDevice		9 Flushing and Blow Off	362
69	WaterDevice		9 Flushing and Blow Off	363
70	WaterDevice		9 Flushing and Blow Off	364
71	WaterDevice		9 Flushing and Blow Off	365
72	WaterDevice		19 Injection Facility	0
73	WaterDevice		19 Injection Facility	401
74	WaterDevice		19 Injection Facility	402
75	WaterDevice		50 Anode	0
76	WaterDevice		50 Anode	0
77	WaterDevice		51 Rectifier	0
78	WaterDevice		51 Rectifier	941
79	WaterDevice		52 Test Point	0
80	WaterDevice		52 Test Point	981





Tip: Accurate mapping to asset group & asset type for both device (assembly) and unit tables (devices) really helps

Schema Mapping: Mapping Domains

Spreadsheet

ArcGISFeatureClass	ArcGISAttrName	UNAttrName	ArcGISDesc	ArcGISCode	UNDesc	UNCode
DIAMETER	DIAMETER	Unknown		0	Unknown	0
DIAMETER	DIAMETER	3/4"		0.75	3/4"	0.75
DIAMETER	DIAMETER	1"		1	1"	1
DIAMETER	DIAMETER	1 1/4"		1.25	1 1/4"	1.25
DIAMETER	DIAMETER	1 1/2"		1.5	1 1/2"	1.5
DIAMETER	DIAMETER	2"		2	2"	2
DIAMETER	DIAMETER	2 1/2"		2.5	2 1/2"	2.5
DIAMETER	DIAMETER	3"		3	3"	3
DIAMETER	DIAMETER	4"		4	4"	4
DIAMETER	DIAMETER	6"		6	6"	6
DIAMETER	DIAMETER	8"		8	8"	8
DIAMETER	DIAMETER	10"		10	10"	10
DIAMETER	DIAMETER	12"		12	12"	12



Tip: Domain mappings can be applied to single source feature classes or across all feature classes at once.

Schema Mapping Results



What we want.



What we don't want

Validate Asset Package

Import untools

```
ap= '*Path to gdb*'
```

```
untools.gptools.tools.AssetPackageToScript.run(ap)
```

Can also be found via: <https://community.esri.com/docs/DOC-13155-validate-asset-package>

Validate Asset Package

Valid Asset Package?

- Apply Asset Package Tool
 - Choose which Domains to apply
 - Choose Utility Network name and whether you want to load the data in while applying the schema/rules

Can

run(ap)

[13155-validate-asset-package](#)

Wrap-up

Thanks for attending...

Editing the migration workspaces

- If you make ***changes***, please share them with us
- ***Need help*** - feel free to contact us

Tomorrow:

- Deep dive into Electric migration



Set-up for Electric

Start Arc Pro and show the data

FME Training

for Esri Utility Network Migration

Electric Migration Workspace





Safe Software training team:

Ryan Cragg
Trent Kading
Mark Stoakes

Thanks also to John Long and
John Alsup from Esri

Asset Packages 101

- Asset Packages deployed through ArcGIS Pro Projects via:
<https://community.esri.com/message/769190-esri-utility-network-configuration-and-migration-tool-status>
- Electric Asset Package found here:
<https://solutions.arcgis.com/electric/help/electric-utility-network-foundation/>

FME Geodatabase reader/writer licensing using ArcPro

ESU590151892 ArcGIS Pro Advanced Single Use

Thanks to Esri for supplying the training licenses

AGENDA

Schedule is 8:00 – 11:00 PST with a break

Day 1 (Monday) Ryan

- Introduction to FME Desktop Workbench

Day 2 (Tuesday) Ryan

- Dive into transformation tools and other workbench functionality used in the Esri UN migration workspaces


Day 3 (Wednesday) Trent n' Mark

- Getting started with Utility Network migrations and deep dive into water migration and the **schema mapping**

Day 4 (Thursday) Mark n' Trent

- Deeper dive into electric migration and the schema mapping

TODAY'S GOALS



- Introduce the key aspects of FME Workbench
- Review the primary transformation tools used in the migration workspaces
- Deep dive into Water migration workspace (Simple migration)
- Deeper dive into Electric migration workspace (Basic migration)
 - Schema mapping specific to Electric Migration
 - Topology issues
 - Creating Assemblies
 - Assembly definition XML
 - Exercises

By the end of today you should have a good understanding of the electric migration workspace. You should be able to edit the key parts of the electric migration workspace.

RESOURCES

Day 1:

- Introduction to FME Workbench [tutorial](#)

Day 2:

- Continued from Day 1

Day 3:


- Migration Tools PDF located under the following directory:
C:\UNTraining\WaterMigration\Documentation\

Day 4:

- Working Folder:
C:\FMEData2019\Resources\EsriUN\BasicV3
- Documentation located in:
C:\FMEData2019\Resources\EsriUN\BasicV3\Documentation
-


Resources

- **FME Training for Utility Networks**
<https://knowledge.safe.com/articles/72048/utility-network-migration-tools.html>
- **Esri ArcGIS Pro Utility Network Migration Tools**
<https://knowledge.safe.com/articles/72048/utility-network-migration-tools.html>
- **Esri GeoNet - Utility Network Migration Status Page**
<https://community.esri.com/thread/214206-esri-utility-network-configuration-and-migration-tool-status>
- **What is Esri Utility Network**
<http://pro.arcgis.com/en/pro-app/help/data/utility-network/what-is-a-utility-network.htm>
- **Introduction to Esri Asset Package**
<http://solutions.arcgis.com/utilities/help/utility-network-automation/asset-package-reference/an-overview-of-the-asset-package.htm>
- **Documentation**
Electric Distribution Utility Network Migration Tools Documentation.pdf
Esri Utility Network_Assembly XML Doc.pdf




Even More Resources

- Find the folder:
C:\FMEData2019\Resources\EsriUN\BasicV3
- Workspaces
 - B Rules Additions.fmw
 - Electric Migration V3.fmw
 - ElectricAssetPackageValidation v3.2.fmw
- Sub-Folders
 - AssemblyBuilder
 - AssetPackageTemplate
 - Documentation
 - Results
 - SampleData
 - SchemaMapper
 - + exercise folders 1-4



Which Version?



Electric Migration


It's very important to ensure you have the correct versions aligned, otherwise you might blow a fuse...:

- ArcPro
 - 2.4
 - Data Interop extension (with ArcPro 2.4)
- OR**
- FME
 - 2019.0.2.0 - Build 19260 or higher
 - WIN64 recommended
 - Asset Package
 - Electric Asset Package 3.2

View the data in FME Data Inspector

- Open FME Inspector Data
- Format: Esri Geodatabase (File Geodb)
- Find the folder:
C:\FMEData2019\Resources\EsriUN\BasicV3\SampleData
(geodb is a ZIP file!)
- Select Feature Classes to display:
[BusBar Fuse](#) [PriOHElectricLineSegment](#) [PriUGElectricLineSegment](#)
[SecOHElectricLineSegment](#) [SecUGElectricLineSegment](#)
[SecUGElectricLineSegment_Duct](#) [SupportStructure](#) [SurfaceStructure](#) [Switch](#)
[SwitchingFacility](#) [Transformer](#) [UndergroundStructure](#) [DynamicProtectiveDevice](#)
[FuseUnit](#)
- Save table List using: Save as My Defaults
- Find an object in Data Inspector
 - Fuse:** {EDCADCC6-A8D5-4348-91CE-268766799D85}
 - Switch Facility:** {0FE54F47-E32D-441A-ADBB-01167E789028}
 - Transformer:** {5B14398A-49FB-4E0A-A861-D25BD63566B6}
- Change Display Settings

View Source Data



Exercise: Update Asset Package B_Rules

- Find the folder:
C:\....\EsriUN\BasicV3\AssetPackageTemplate
- New rules: Rules 2019-11-13.csv
- Open the workspace:
B_Rules Additions.fmw
- Set Enable Feature Caching: **Off**
Add toolbar icons...




- Run the workspace & check the parameters



Run the Electric Migration

- Find the folder:
C:\FMEData2019\Resources\EsriUN\BasicV3
- Open the workspace:
Electric MigrationV3.fmw
- Set Enable Feature Caching: **Off**
Add toolbar icons...




- Run the workspace & check the parameters
- Check the results in Data Inspector
Find Fuse: {EDCADCC6-A8D5-4348-91CE-268766799D85}
- Isolate the data with Test Data & Feature Caching : **On**
Fuse: {EDCADCC6-A8D5-4348-91CE-268766799D85}
Switch Facility: {0FE54F47-E32D-441A-ADBB-01167E789028}
Transformer: {5B14398A-49FB-4E0A-A861-D25BD63566B6}

Step 1: Run a Migration



Electric Migration Pattern



Basic Migration


Schema Mapping

Network topology

- Geometric Network (lines & junctions)
- Explicit network (associations between junctions & devices)



Devices

- More complex objects (devices). An ArcGIS device (point geometry) becomes multiple assets:
 - Assembly
 - Device
 - Junction
 - Associations
 - Terminals
 - Structures




Electric Migration


ArcGIS Device




UN Assembly / Support Structure



More complex devices



Creating Devices for Switch Gears



Code	Description
1	Overhead Disconnect
2	Overhead Load Break
3	Underground Disconnect
4	Underground Load Break
5	SCADA Controlled Switch

Defines Device Asset Group / Type

ElectricDevice/Switch/Overhead Medium Voltage Three Phase Load Breaking

Defines number of devices and individual attributes of devices

One Unit Record for all 3 phases

Identify from: <Top-most layer>

Switch

RAMTeCH

RAMTeCH

Switch Unit

Vault

Manhole

Junction Box

Handhole

H-Frame

Riser

Poles

Three Unit Records for each phases

Identify

Identify from: <Top-most layer>

Switch

SwitchUnit

- 182

- <null>

- 347

Subtypes

- Switching Facility

- Vault

- Manhole

- Junction Box

- Handhole

- H-Frame

- Riser

- Poles

Location:

Field Value

OBJECTID 347

Creation User <null>

Date Created <null>

Last User <null>

Date Modified <null>

Subtype Switch Unit

Facility ID 401

Model <null>

Serial Number <null>

Work Order ID <null>

Installation Date <null>

Hyperlink <null>

Comments <null>

Phase Designation C

Unit ID <null>

BIL Rating 0

Contact Type <null>

Location:

Field Value

OBJECTID 775

Creation User RAMTeCH

Date Created 8/12/2014

Last User <null>

Date Modified <null>

Subtype Switch Unit

Facility ID 231

Model <null>

Serial Number <null>

Work Order ID <null>

Installation Date 12/11/1998

Hyperlink <null>



Comments <null>

Phase Designation ABC

Unit ID <null>

BIL Rating <null>


Contact Type <null>



Electric Migration Results and Testing

- Check the results in Data Inspector
Find Fuse: {EDCADCC6-A8D5-4348-91CE-268766799D85}
- Check the Data Errors Excel Spreadsheet or Redline Geodb (disabled)

Step 2: Results & Testing



Electric Migration Results and Testing

Use Fewer Feature Classes

- Test one Feature Class at a time
 - Feature Types to Read, for example:

BusBar **Fuse** **FuseUnit** PriOHElectricLineSegment
PriUGElectricLineSegment SecOHElectricLineSegment
SecUGElectricLineSegment


Test Runs & Debugging

- Isolate the data with Test Data & Feature Caching : **On**


Fuse: {EDCADCC6-A8D5-4348-91CE-268766799D85}

Switch Facility: {0FE54F47-E32D-441A-ADBB-01167E789028}


Transformer: {5B14398A-49FB-4E0A-A861-D25BD63566B6}




Step 3: Results & Testing




Electric Migration Workspace



Electric Migration Workspace



Electric Migration Workspace



Schema Mapping Tips:

- Clean your source data
- Know your source ArcGIS data
- Understand your target UN data model - asset groups & asset type
- Create a well defined schema mapping or cross-walk spreadsheet before you open workbench!

Schema Mapping

Did we mention that schema mapping is:

- Time consuming
- Very detailed
- **It's time consuming**
- **It's very detailed**
- You need to understand your existing ArcGIS data model
 - Did you use a non-standard data model?
- You need to understand the target Utility Network data model
 - Understand the Asset Group (Subtypes) & Asset Type (Domains)
 - Did you modify the standard UN Data model? Import new B-Rules

You need to do the schema mapping whether you use FME or some other migration tool


Consider talking to your Esri support experts.

B	G	H	I	J	L	M	N	O	P	Q	R	
1	UNFeatureClass	assetGroupCode	assetGroupDesc	assetTypeCode	assetTypeDesc	ArcGISFeatureClass	PrimaryAttrName	PrimaryAttrValue	SecondaryAttrName	SecondaryAttrValue	TertiaryAttrName	TertiaryAttrValue
407	ElectricDevice	37	Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	1		
408	ElectricDevice	37	Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	2		
409	ElectricDevice	37	Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	4		
410	ElectricDevice	37	Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	7		
411	ElectricDevice	37	Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	1		
412	ElectricDevice	37	Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	2		
413	ElectricDevice	37	Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	4		
414	ElectricDevice	37	Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	7		
415	ElectricDevice	37	Medium Voltage Switch	759	Underground Three Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	7 PHASEDESIGNATION	7	
416	ElectricDevice	37	Medium Voltage Switch	760	Underground Three Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	7 PHASEDESIGNATION	7	
417	ElectricDevice	37	Medium Voltage Switch	760	Underground Three Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	5	_AGDevice_PHASEDESIG	7 _AGDevice_CONSTRUCTIC Underground		

Schema Mapping: Setting Asset Group & Asset

B	G	H	I	J	L	M	N	O	P	Q	R	
1	UNFeatureClass	assetGroupCode	assetGroupDesc	assetTypeCode	assetTypeDesc	ArcGISFeatureClass	PrimaryAttrName	PrimaryAttrValue	SecondaryAttrName	SecondaryAttrValue	TertiaryAttrName	TertiaryAttrValue
407	ElectricDevice	37	Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	1		
408	ElectricDevice	37	Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	2		
409	ElectricDevice	37	Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	4		
410	ElectricDevice	37	Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	7		
411	ElectricDevice	37	Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	1		
412	ElectricDevice	37	Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	2		
413	ElectricDevice	37	Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	4		
414	ElectricDevice	37	Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	7		
415	ElectricDevice	37	Medium Voltage Switch	759	Underground Three Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	7 PHASEDESIGNATION	7	
416	ElectricDevice	37	Medium Voltage Switch	760	Underground Three Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	7 PHASEDESIGNATION	7	
417	ElectricDevice	37	Medium Voltage Switch	760	Underground Three Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	5	_AGDevice_PHASEDESIG	7 _AGDevice_CONSTRUCTIC	Underground	

Spreadsheet



SchemaMapper Parameters

Create Actions

To create an action, click Add, and select an action type. Fill in the details in the subsequent dialog.

Action	Description
Filter Features	featureTypeAttr = ArcGISFeatureClass
Filter Features	PrimaryAttrName = PrimaryAttrValue
Filter Features	SecondaryAttrName = SecondaryAttrValue
Filter Features	TertiaryAttrName = TertiaryAttrValue
Filter Features	ForthAttrName = ForthAttrValue
Filter Features	domainNetworkAttr = domainNetworkName
Set New Attributes	UNFeatureClassAttr = UNFeatureClass
Set New Attributes	assetGroupAttr = assetGroupCode
Set New Attributes	assetTypeAttr = assetTypeCode
Set New Attributes	assetGroupDescAttr = assetGroupDesc
Set New Attributes	assetTypeDescAttr = assetTypeDesc
Set New Attributes	AGV1 = assetgroupcodeV1
Set New Attributes	ATV1 = assettypecodeV1

+ - Edit...


Help < Back Finish Cancel

Tip: Accurate mapping to asset group & asset type for both device (assembly) and unit tables (devices) really helps

Schema Mapping: Mapping Domains

Spreadsheet

ArcGISAttrName	UNAttrName	ArcGISDesc	ArcGISCode	UNDesc	UNCode
PHASEDESIGNATION	PHASESNORMAL			DeEnergized	0
PHASEDESIGNATION	PHASESNORMAL	C		1 C	1
PHASEDESIGNATION	PHASESNORMAL	B		2 B	2
PHASEDESIGNATION	PHASESNORMAL	BC		3 BC	3
PHASEDESIGNATION	PHASESNORMAL	A		4 A	4
PHASEDESIGNATION	PHASESNORMAL	AC		5 AC	5
PHASEDESIGNATION	PHASESNORMAL	AB		6 AB	6
PHASEDESIGNATION	PHASESNORMAL	ABC		7 ABC	7



Parameters

action, click Add, and select an action type. Fill in the details in the dialog.

Action	Description
Filter Features	ArcGISAttrName = ArcGISCode
Set New Attributes	UNAttrName = UNCode

+ - Edit...


Help < Back Finish Cancel

Tip: Domain mappings can be applied to single source feature classes or across all feature classes at once.

Schema Mapping: Line to Junction lookup

1	LineAssetGroupDesc	LineAssetTypeDesc	JunctionAssetGroupDesc	JunctionAssetTypeDesc
2	Low Voltage Conductor	Unknown	Low Voltage Line End	Unknown
3	Low Voltage Conductor	Overhead	Low Voltage Line End	Overhead Line End
4	Low Voltage Conductor	Overhead	Low Voltage Line End	Overhead Line End
5	Low Voltage Conductor	Overhead	Low Voltage Line End	Overhead Line End
6	Low Voltage Conductor	Underground	Low Voltage Line End	Underground Terminator
7	Low Voltage Conductor	Underground	Low Voltage Line End	Underground Terminator
8	Low Voltage Conductor	Underground	Low Voltage Line End	Underground Terminator
9	Medium Voltage Conductor	Unknown	Medium Voltage Line End	Unknown
10	Medium Voltage Conductor	Overhead Single Phase	Medium Voltage Line End	Overhead Line End
11	Medium Voltage Conductor	Overhead Three Phase	Medium Voltage Line End	Overhead Line End
12	Medium Voltage Conductor	Overhead Two Phase	Medium Voltage Line End	Overhead Line End
13	Medium Voltage Conductor	Underground Single Phase	Medium Voltage Line End	Underground Terminator
14	Medium Voltage Conductor	Underground Three Phase	Medium Voltage Line End	Underground Terminator

Spreadsheet



DatabaseJoiner Parameters

Transformer

Transformer Name: DatabaseJoiner_10

Reader

Format: Microsoft Excel

Dataset: \$SchemaMappingTables

Parameters... Coord. System: Unknown

Join

Table: LineToJunctionLookup

Feature Attribute	Table Field
Junction1AssetGroupDesc	JunctionAssetGroupDesc
_lines_0_assetgroupdesc	LineAssetGroupDesc
_lines_0_assettypedesc	LineAssetTypeDesc

Join On:

Fields to Add: JunctionAssetTypeDesc

Cardinality: Match First (1:0..1+)

Multiple Matches:

Joined List Name:

Merge Attributes

Accumulation Mode: Merge Joined

Conflict Resolution: Use Joined

Prefix:

> Optimize

Help Presets OK Cancel

Tip: Determines the type of Junction attached to a conductor Line.

Schema Mapping: UN Feature Class & Domain Network

Source Feature Type ⇒ AttributeManager ⇒ BulkAttributeRenamer ⇒ AttributeCreator ⇒ ...

AttributeCreator transformer

The screenshot shows two dialog boxes. The main dialog is titled "AttributeCreator Parameters" and contains fields for "Transformer Name" (set to "AttributeCreator_151") and "Attributes To Create". The "Attributes To Create" section lists several new attributes with their corresponding attribute values:

New Attribute	Attribute Value
ORIGINAL_GLOBALID	GLOBALID
_AGFeatureClass	fme_feature_type
_UNFEATURECLASS	5 Possible Values
_domainNetworkName	2 Possible Values
assemblyKey2	

Below this table are buttons for adding, removing, and filtering items, along with "Help" and "Presets" buttons. The "OK" button is highlighted in blue.


A secondary dialog, titled "Parameter Condition Definition", is overlaid on the main dialog. It shows a table of condition statements:

Condition Statement	Test Condition	Attribute Value
1	If @Value(SUBTYPECD) IN 1,2	<input type="checkbox"/> ElectricAssembly
2	Else If @Value(SUBTYPECD) IN 3,4	<input type="checkbox"/> StructureJunction
3	Else If @Value(SUBTYPECD) = 5 AND @Value(CONSTRUCTIONTYPE) = Overhead	<input type="checkbox"/> ElectricAssembly
4	Else If @Value(SUBTYPECD) = 5 AND @Value(CONSTRUCTIONTYPE) = Undgerground	<input type="checkbox"/> StructureJunction
5	Else If	
6	Else <All Other Conditions>	<input type="checkbox"/> <No Action>

At the bottom of the sub-dialog are buttons for "Edit...", "Help", "OK" (highlighted in blue), and "Cancel".

Schema Mapping: AG Device & Unit Table

More complex Device & Unit Table




Tip: Unit Tables integrity really really helps

B	G	H	I	J	L	M	N	O	P	Q	R
UNFeatureClass	assetGroupCode	assetGroupDesc	assetTypeCode	assetTypeDesc	ArcGISFeatureClass	PrimaryAttrName	PrimaryAttrValue	SecondaryAttrName	SecondaryAttrValue	TertiaryAttrName	TertiaryAttrValue
407	ElectricDevice	37 Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	1		
408	ElectricDevice	37 Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	2		
409	ElectricDevice	37 Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	4		
410	ElectricDevice	37 Medium Voltage Switch	755	Underground Single Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	7		
411	ElectricDevice	37 Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	1		
412	ElectricDevice	37 Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	2		
413	ElectricDevice	37 Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	4		
414	ElectricDevice	37 Medium Voltage Switch	758	Underground Single Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	7		
415	ElectricDevice	37 Medium Voltage Switch	759	Underground Three Phase Disconnect	SwitchUnit	_AGDevice_SUBTYPEC	3	_AGDevice_PHASEDESIG	7 PHASEDESIGNATION		7
416	ElectricDevice	37 Medium Voltage Switch	760	Underground Three Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	4	_AGDevice_PHASEDESIG	7 PHASEDESIGNATION		7
417	ElectricDevice	37 Medium Voltage Switch	760	Underground Three Phase Load Break	SwitchUnit	_AGDevice_SUBTYPEC	5	_AGDevice_PHASEDESIG	7 _AGDevice_CONSTRUCTIC Underground		

Schema Mapping: Created Objects

Connection Point / Attachment and Association



AttributeCreator Parameters

Transformer

Transformer Name: AttributeCreator_63

Advanced: Attribute Value Handling

Attributes To Create

New Attribute	Attribute Value
association_type	4 Possible Values
from_global_id	GLOBALID
from_feature_class	_UNFEATURECLASS
from_domain	0
from_asset_group	ASSETGROUPDESC
from_asset_type	ASSETTYPEDESC
to_domain	1
to_feature_class	ElectricJunction
to_asset_group	4 Possible Values
to_asset_type	4 Possible Values
to_global_	Parameter Condition Definition


+ - Help Edit...

Condition Statement

Test Condition	Attribute Value
If @Value(from_asset_group) CONTAINS low	Low Voltage Attachment
Else If @Value(from_asset_group) CONTAINS medium	Medium Voltage Attachment
Else If @Value(from_asset_group) CONTAINS high	High Voltage Attachment
Else	<All Other Conditions>
Else	<No Action>

OK Cancel Help

Electric Migration Workspace




What Topology?

Devices

- Device Attributes
 - AssetGroupDesc / AssetTypeDesc
 - GlobalID
 - _ohug / _voltagelevel
 - _AG<*original attrs*>
 - _unit_table{.<*attrs*>}
 - Junction<n>AssetGroupDesc
 - STRCT_<*attrs*>
- Connected Lines
 - _lines{.AssetGroupDesc / AssetTypeDesc}
 - _lines{.GlobalID}
 - _lines{._assembly_rotation}
 - _lines{._clip_flag}

Topology



What Topology?

Lines


- Line Attributes
 - AssetGroupDesc / AssetTypeDesc
 - GlobalID
 - PhasesNormal
 - _ohug / _voltagelevel
- Connected Devices
 - _devices{}.AssetGroupDesc / AssetTypeDesc
 - _devices{}.GlobalID

Line Clipping

- Clip appropriate lines for assembly

Warning - very short lines (<0.1 ft) can cause assembly placement errors


Topology



What Topology? Junction Connectivity Logic

- Lines
 - AssetGroupDesc / AssetTypeDesc
 - GlobalID
 - Make a guess at the junction...
- LineToJunctionLookup table (in the schema mapping spreadsheet)
 - LineAssetGroupDesc / LineAssetTypeDesc/JuncitonAssetGroup
 - ⇒ JunctionAssetType

Electric Migration Workspace



Assembly Builder

Merges:


- Device Features
- XML Assembly Definitions

Keys:

ASSETGROUPDESC	<assemblyGroupDesc>
ASSETTYPEDESC	<assemblyTypeDesc>
assemblyKey2	<assemblyKey2>

Documentation:


Esri Utility Network_ Assembly XML Doc.pdf



Output:

- Device
- Assembly / StructureJunction
- Associations
- Junctions
- AssemblyCenterPoint
- Error / Inform





Assembly scale
parameter...




Electric Migration Workspace

Output Tips:

- **Output Tips:**
 - Prepare Asset Package - AssetPackageTools toolbox and ChangeGDBSpatialReference
 - Update Global IDs to GUIDs
 - Update Projection to Source Data Projection
 - Update FME Feature Types - if you made changes to your asset package
 - Upper or lower case option



Electric Migration Workspace



migration testing tips...

Create Test Dataset

- Small Sample Dataset
- Test Each Device Type... be patient

Run FME Migration Workspace on Sample Data


- Check Migration Reports
- Use Feature Types to Read for a single device
- Use the Test Data option

Use Feature Caching

- Only use on sample or 'test' data!

Geodatabase writer parameters might help...

- Ignore Failed Features: Yes
- Validate Feature to Write: Yes



migration testing tips...

There are two data models...

- Source ArcGIS Geometric Network Data Model
- Target Utility Network Asset Package Data Model

Source GN: Two Places the Schema is Defined

- Schema Mapping Spreadsheet
- Workspace (labeled SchemaMapping)

Target UN: Four Places the Schema is Defined

- Schema Mapping Spreadsheet
 - LineToJunctionLookup
 - Assembly XML
 - Workspace (labeled SchemaMapping)
- We'll try and keep this schema up-to-date*

Exercise - Fuse data error

Open workspace: "..\BasicV3\1.Fuse_Exercise\FuseExample.fmw"

Configure to test a single Fuse:

Fuse GlobalID: {DA309538-67AA-4CC2-8185-145D75E2DA8E}
Structure GlobalID: {185A715D-FEEA-4533-A922-D3763DEF224C}

Run workbench with Feature Caching ON + Test Data only
(also using Feature Types to Read)

Check error Excel - InvalidDevices tab
- note error transformer: TestFilter_21


Open NapervilleElectric_Fuse.gdb and check the data:

ArcGIS feature class list for easy viewing in Data Inspector:

BusBar **Fuse** **FuseUnit** PriOHElectricLineSegment PriUGElectricLineSegment
SecOHElectricLineSegment SecUGElectricLineSegment

What's wrong with the offending Fuse or FuseUnit?

SubtypeCD: 1
PhaseDesignation: 7
ConstructionType = Overhead



Re-Run with corrected data: NapervilleElectric_2019_03_27.gdb.zip

Exercise - new source Feature Class: DynamicProtectiveDevice


- Update the **Schema Mapping** Spreadsheet - AssetGroup&Type tab, etc.
- Update the Assembly Builder XML <assemblyDefNum>8</assemblyDefNum>
- Open workspace: "..BasicV3\2.DynamicProtectiveDevice_Exercise\DynamicProtectiveDevice - Begin.fmw"
 - Import Feature Types:
DynamicProtectiveDevice
RecloserUnit
SectionalizerUnit
Connect them. Add fme_feature_type
 - Copy transformers from similar objects - switches?

Cont... - new source Feature Class DynamicProtectiveDevice


Add tests:

Recloser GlobalID: {CD229437-CEA2-4225-85F6-CBFB0A272C35}

Support Structure: {D406A179-64C5-42F9-B991-AB4390C0CA5F}



Assembly XML Definitions



Exercise - Updating Assembly XML Definitions

Open workspace: "..\EsriUN\BasicV3\3.Recloser_Exercise\Recloser_Example.fmw"

Set-up for testing with the Test Filter

Recloser GlobalID: {320E0040-04E4-4E0D-B5BA-09253A19E3C3}

Switch Gear GlobalID: {B732B5E5-3D7D-478D-A795-774CFF49F32B}

SubtypeCD = 7

PhaseDesignation = 7

Unit tables = 3 i.e. one per phase

GangOperated = NA

Check results and error reports.

Update XML definitions - check documentation

Open XML definition in NotePad++ & search for “Recloser”

PadMountRecloser_definition - Begin.xml

Create new assembly definition

Re-run with either fixed XML or PadMountRecloser_definition - End.xml

Exercise - missing target Feature Class

- Update the Schema Mapping Spreadsheet - as needed
- Open workspace: "..BasicV3\2.DynamicProtectiveDevice_Exercise\SubnetController - Begin.fmw"
- Import Feature Types:
 - ElectricDeviceUnit
 - ElectricWireData
 - C_SubnetworkControllersConnect them.
- Copy transformers from similar objects - switches?
- Update the Assembly Builder XML - if needed

Wrap-up




Thanks for attending...

Editing the migration workspaces

- If you make ***changes***, please share them with us
- ***Need help*** - feel free to contact us

Next steps:

- Release the Electric migration workspace
- Esri UN [Reader/Writer](#) Feature Service
- Validation Workspace



That's all folks!

Safe Software

Ryan Cragg

Mark Stoakes mark@safe.com

Trent Kading trent.kading@safe.com

Thanks also to John Long & John
Alsup at Esri