


POLYPROPYLENE

BLUE



Type	Monofilament
Composition	Polypropylene, a polymer of propylene
Coating	None
Colour	Blue
Tissue reaction	Minimal
Absorption	Non absorbable
Presentation	Box with 12 sutures

*For quality
&
safety*

smi

www.sutures.be

POLYPROPYLENE

BLUE

CHARACTERISTICS

- ✓ High tensile strength, non absorbable
- ✓ Synthetic
- ✓ Monofilament with microscopic uniform diameter
- ✓ Pliability and softness
- ✓ Hermetically sealed packing

BENEFITS

Excellent and permanent tissue support

Minimal tissue reaction

Soft passage through the tissues without sawing, tissue drag and trauma
Absence of capillarity (no support of bacterial growth)
Excellent knot tie down

Good handling properties
Easy and secure knotting

Guaranteed seal and product sterility

INDICATIONS General soft tissue closing and/or ligation
especially in Ophthalmic surgery
Plastic surgery
Skin closure
Orthopaedics
Hernias (also as a mesh)
Gastrointestinal surgery
General surgery
Gynaecology
Obstetrics

CONTRAINDICATIONS Cardiovascular surgery
Neurosurgery
Microsurgery



Round bodied taper point

1/2 circle



			Metric	USP	Length		Order number
HR 10 mm			0.5	7/0	45 cm	blue	5050110
			0.7	6/0	75 cm	blue	5070110
HR 15 mm			0.7	6/0	75 cm	blue	5070115
			1	5/0	75 cm	blue	5100115
			1.5	4/0	75 cm	blue	5150115
HR 17 mm			1	5/0	75 cm	blue	5100117
			2	3/0	75 cm	blue	5200117
HR 20 mm			1	5/0	75 cm	blue	5100120
			1.5	4/0	75 cm	blue	5150120
			2	3/0	75 cm	blue	5200120
HR 25 mm			3	2/0	75 cm	blue	5300120
			1	5/0	75 cm	blue	5100125
			1.5	4/0	75 cm	blue	5150125
			2	3/0	75 cm	blue	5200125
			3	2/0	75 cm	blue	5300125
			3.5	0	75 cm	blue	5350125
HR 30 mm			4	1	75 cm	blue	5400125
			2	3/0	75 cm	blue	5200130
			3	2/0	75 cm	blue	5300130
			3.5	0	75 cm	blue	5350130
HR 35 mm			4	1	75 cm	blue	5400130
			3	2/0	75 cm	blue	5300135
			3.5	0	75 cm	blue	5350135
HR 40 mm			4	1	75 cm	blue	5400135
			5	2	75 cm	blue	5500140
			3.5	0	75 cm	blue	5350140


Round bodied taper point loop



1/2 circle



			Metric	USP	Length		Order number
HR 50 mm			4	1	150 cm	blue	5400950









Round bodied taper point double armed













1/2 circle




		Metric	USP	Length		Order number
	2 x HR 8 mm	0.4	8/0	60 cm	blue	5040108-2
		0.5	7/0	60 cm	blue	5050108-2
		0.7	6/0	60 cm	blue	5070108-2
	2 x HR 9.3 mm	0.5	7/0	60 cm	blue	5050193-2
		0.7	6/0	60 cm	blue	5070193-2
	2 x HR 10 mm	0.5	7/0	60 cm	blue	5050110-2
		0.7	6/0	60 cm	blue	5070110-2
		1	5/0	60 cm	blue	5100110-2
	2 x HR 13 mm	0.5	7/0	60 cm	blue	5050113-2
		0.7	6/0	60 cm	blue	5070113-2
		1	5/0	75 cm	blue	5100113-2
	2 x HR 16 mm	0.7	6/0	90 cm	blue	5070116-2
		1	5/0	90 cm	blue	5100116-2
		1.5	4/0	90 cm	blue	5150116-2
		2	3/0	90 cm	blue	5200116-2
	2 x HR 20 mm	1	5/0	90 cm	blue	5100120-2
		1.5	4/0	90 cm	blue	5150120-2
		2	3/0	90 cm	blue	5200120-2
	2 x HR 25 mm	1	5/0	90 cm	blue	5100125-2
		1.5	4/0	90 cm	blue	5150125-2
		2	3/0	90 cm	blue	5200125-2
		3	2/0	90 cm	blue	5300125-2
	2 x HR 30 mm	2	3/0	90 cm	blue	5200130-2
		3	2/0	90 cm	blue	5300130-2
	2 x HR 35 mm	3	2/0	90 cm	blue	5300135-2
	2 x HR 40 mm	4	1	90 cm	blue	5400140-2

 Round bodied taper point double armed	Metric	USP	Length	Order number		
1/2 circle 	HR 15 mm HR 30 mm		2 3/0	90 cm	<i>blue</i>	5200115-30

 Round bodied taper point	Metric	USP	Length	Order number		
3/8 circle 	DR 16 mm 	1.5	4/0	75 cm	<i>blue</i>	5150216

 Round bodied taper point double armed		Metric	USP	Length		Order number	
 3/8 circle	2 x DR 6 mm		0.4	8/0	45 cm	blue	5040206-2
	2 x DR 6.5 mm		0.4	8/0	60 cm	blue	50402065-2-60
	2 x DR 8 mm		0.4	8/0	45 cm	blue	5040208-2
			0.5	7/0	60 cm	blue	5050208-2
	2 x DR 9.3 mm		0.5	7/0	60 cm	blue	5050293-2
			0.7	6/0	60 cm	blue	5070293-2
	2 x DR 10 mm		0.7	6/0	60 cm	blue	5070210-2
			1	5/0	75 cm	blue	5100210-2
	2 x DR 13 mm		0.5	7/0	60 cm	blue	5050213-2
			1	5/0	60 cm	blue	5100213-2
			0.7	6/0	60 cm	blue	5070213-2
	2 x DR 17 mm		2	3/0	90 cm	blue	5200217-2
	2 x DR 18 mm		1	5/0	90 cm	blue	5100218-2
			1.5	4/0	90 cm	blue	5150218-2
	2 x DR 22 mm		1.5	4/0	90 cm	blue	5150222-2
			2	3/0	90 cm	blue	5200222-2
	2 x DR 25 mm		3	2/0	75 cm	blue	5300225-2



Round bodied taper point double armed

Metric

USP

Length

Order number

3/8 circle



2 x DR 26 mm



1

5/0

90 cm

blue

5100226-2

1.5

4/0

90 cm

blue

5150226-2



Reverse cutting

Metric

USP

Length

Order number

3/8 circle



DS 10 mm



0.7

6/0

45 cm

blue

5071510

DS 12 mm



0.5

7/0

45 cm

blue

5051512

0.7

6/0

45 cm

blue

5071512

1

5/0

45 cm

blue

5101512

1.5

4/0

75 cm

blue

5151512

DS 12 mm
Easy Pass



0.7

6/0

50 cm

blue

5071512P

1

5/0

50 cm

blue

5101512P

DS 16 mm



0.7

6/0

45 cm

blue

5071516

1

5/0

45 cm

blue

5101516

1.5

4/0

45 cm

blue

5151516-45

1.5

4/0

75 cm

blue

5151516

2

3/0

75 cm

blue

5201516

DS 16 mm
Easy Pass



0.7

6/0

50 cm

blue

5071516P

1

5/0

50 cm

blue

5101516P

1.5

4/0

50 cm

blue

5151516P

DS 16 mm black



1

5/0

45 cm

blue

5101516VB

DS 19 mm



0.7

6/0

75 cm

blue

5071519

1

5/0

45 cm

blue

5101519-45

1

5/0

75 cm

blue

5101519

1.5

4/0

45 cm

blue

5151519-45

1.5

4/0

75 cm

blue

5151519

2

3/0

45 cm

blue

5201519-45

2

3/0

75 cm

blue

5201519

3

2/0

75 cm

blue

5301519

3.5

0

75 cm

blue

5351519

DS 19 mm
Easy Pass



1

5/0

50 cm

blue

5101519P

1.5

4/0

50 cm

blue

5151519P

2

3/0

50 cm

blue

5201519P

DS 19 mm black



1

5/0

75 cm

blue

5101519VB

1.5

4/0

75 cm

blue









5151519VB












Reverse cutting







3/8 circle



		Metric	USP	Length		Order number
DS 24 mm		1.5	4/0	75 cm	blue	5151524
		2	3/0	45 cm	blue	5201524-45
		2	3/0	75 cm	blue	5201524
		3	2/0	45 cm	blue	5301524-45
		3	2/0	75 cm	blue	5301524
		3.5	0	75 cm	blue	5351524
		4	1	75 cm	blue	5401524
DS 24 mm Easy Pass		1.5	4/0	50 cm	blue	5151524P
		2	3/0	50 cm	blue	5201524P
		3	2/0	50 cm	blue	5301524P
DS 26 mm		2	3/0	45 cm	blue	5201526-45
		2	3/0	75 cm	blue	5201526
		3	2/0	45 cm	blue	5301526-45
		3	2/0	75 cm	blue	5301526
DS 30 mm		2	3/0	75 cm	blue	5201530
		3	2/0	75 cm	blue	5301530
		3.5	0	75 cm	blue	5351530
		4	1	75 cm	blue	5401530
DS 36 mm		2	3/0	75 cm	blue	5201536
		3	2/0	75 cm	blue	5301536
		3.5	0	75 cm	blue	5351536
		4	1	75 cm	blue	5401536
DS 40 mm		3	2/0	75 cm	blue	5301540
		3.5	0	75 cm	blue	5351540
		4	1	90 cm	blue	5401540
		5	2	90 cm	blue	5501540
DS 45 mm		4	1	90 cm	blue	5401545
DS 90 mm		4	1	90 cm	blue	5401590

 Reverse cutting			Metric	USP	Length		Order number
1/2 circle 	HS 22 mm		2	3/0	45 cm	blue	5201422
	HS 24 mm		3	2/0	75 cm	blue	5301424
	HS 26 mm		3	2/0	75 cm	blue	5301426

 Cutting			Metric	USP	Length		Order number
Straight 	GS 60 mm		2	3/0	75 cm	blue	5202160
			3	2/0	75 cm	blue	5302160
	GS 75 mm		3	2/0	75 cm	blue	5302175

 Round bodied taper cutting point double armed			Metric	USP	Length		Order number
1/2 circle 	2 x HRT 16 mm		1	5/0	75 cm	blue	5100516-2
			1.5	4/0	90 cm	blue	5150516-2
	2 x HRT 22 mm		1.5	4/0	90 cm	blue	5150522-2
	2 x HRT 25 mm		1.5	4/0	90 cm	blue	5150525-2
			2	3/0	90 cm	blue	5200525-2
			3	2/0	90 cm	blue	5300525-2
	2 x HRT 30 mm		2	3/0	90 cm	blue	5200530-2
			3	2/0	90 cm	blue	5300530-2



Round bodied taper cutting point

Metric

USP

Length

Order number

1/2 circle



HRT 10 mm



0.7

6/0

75 cm

blue

5070510

HRT 25 mm



3

2/0

75 cm

blue

5300525

HRT 30 mm



3.5

0

75 cm

blue

5350530

HRT 36 mm



4

1

75 cm

blue

5400536



Soft cutting point coronary double armed

Metric

USP

Length

Order number

3/8 circle



2 x CC 6.4 mm



0.4

8/0

60 cm

blue

5042606-2

2 x CC 8 mm



0.4

8/0

60 cm

blue

5042608-2

0.5

7/0

75 cm

blue

5052608-2

0.7

6/0

75 cm

blue

5072608-2

2 x CC 9.3 mm



0.5

7/0

60 cm

blue

5052693-2

0.7

6/0

60 cm

blue

5072693-2

2 x CC 10 m



0.5

7/0

75 cm

blue

5052610-2

0.7

6/0

75 cm

blue

5072610-2

2 x CC 13 mm



0.5

7/0

75 cm

blue

5052613-2

0.7

6/0

75 cm

blue

5072613-2

1

5/0

75 cm

blue

5102613-2



Soft cutting point coronary black double armed

Metric

USP

Length

Order number

3/8 circle



2 x CC 8 mm black



0.4

8/0

60 cm

blue

5042608-2VB

0.5

7/0

75 cm

blue

5052608-2VB

0.7

6/0

75 cm

blue

5072608-2VB

2 x CC 9 mm black



0.4

8/0

60 cm

blue

5042609-2VB

0.5

7/0

60 cm

blue

5052609-2VB

2 x CC 13 mm black



0.7

6/0

75 cm

blue

5072613-2VB

1

5/0

75 cm

blue

5102613-2VB



Micro needle taper point

Metric

USP

Length

Order number

3/8 circle



MDR 3.75 mm
150 µm



0.2

10/0

13 cm

blue

MP109

MDR 5.1 mm
100 µm



0.2

10/0

15 cm

blue

MP106

MDR 6 mm
150 µm



0.4

8/0

75 cm

blue

MP085

MDR 6.4 mm
150 µm



0.3

9/0

15 cm

blue

MP097