

Global HIV Trend Analysis Dashboard

Year

All

Continent

All





Country

All

Global HIV Trends

Treatment Access...

Insights & Reco...



44.82%

Treatment_Coverage

3.81%

Mortality Rate

3

Countries ≥ 80% Treatment Coverage


56

Countries < 50% Treatment Coverage


7M

Treatment Access Risk Score


Top 10 Countries by Treatment Coverage




New HIV Infections vs Treatment Coverage



ART Coverage vs Mortality Rate



Top 10 Countries Most at Risk from Poor Treatment Access



Key Insights and Strategic Recommendations

Key Insights

- The HIV burden is unevenly distributed across WHO regions, with Africa carrying the largest burden of people living with HIV.
- Global treatment coverage averages 44.82%, indicating that many countries still have substantial gaps in ART access.
- Countries with higher numbers of new HIV infections generally have higher treatment access risk scores, highlighting priority areas for intervention.
- Higher ART coverage is associated with lower HIV-related mortality in many countries, suggesting that expanding treatment can improve outcomes.
- Countries such as South Africa, Mozambique, Nigeria, and the United Republic of Tanzania have the highest treatment access risk scores and should be prioritized.

Conclusion

The analysis highlights significant disparities in the global HIV burden, treatment coverage, and health outcomes across countries and WHO regions. While some countries have achieved strong progress in expanding antiretroviral therapy (ART), many continue to experience high numbers of new HIV infections alongside inadequate treatment coverage. The findings suggest that improved ART access is generally associated with better health outcomes and lower HIV-related mortality. Countries identified with high Treatment Access Risk Scores should be prioritized for targeted interventions, increased healthcare investment, and strengthened prevention programs. By leveraging data-driven insights to guide policy and resource allocation, stakeholders can improve treatment access, reduce new HIV infections, and accelerate progress towards achieving global HIV control targets.

Strategic Recommendations

- ✓ Expand access to antiretroviral therapy (ART), particularly in countries with lower treatment coverage.
- ✓ Prioritize countries with the highest Treatment Access Risk Scores.
- ✓ Strengthen HIV prevention through increased testing, awareness campaigns and early diagnosis.
- ✓ Improve monitoring using data-driven dashboards to track HIV trends and treatment outcomes.
- ✓ Develop region-specific intervention strategies to address differences in HIV burden and healthcare capacity.
- ✓ Develop region-specific intervention strategies to address differences in HIV burden and healthcare capacity.
- ✓ Continue investing in healthcare infrastructure and international collaboration to reduce HIV-related mortality.