











Hierarchy View

 [-] **bassismuzikman**  307 points 1 hour ago (339|29)
 What happened to separation of church and space?
[permalink](#) [save](#) [source](#) [hide child comments](#)

 [-] **BubbaRay88**  215 points 49 minutes ago (249|32)
 To be perfectly honest, I don't see a problem with this if the astronauts are religious. It's a risky job being an astronaut, you can blow up, get shot into space, crash land, burn up on re-entry. If I were religious I would want my priest or a priest to bless me before hand.
[permalink](#) [save](#) [parent](#) [source](#)


 [-] **bassismuzikman**  74 points 47 minutes ago (84|9)
 Agreed. I'm not really knocking it. I just thought it was a fun play on words.
[permalink](#) [save](#) [parent](#) [source](#)

 [-] **BubbaRay88**  18 points 46 minutes ago (30|12)
 I gave you the upvote. I'm just reading some of the comments and I'm just like, -_- ignorance.
[permalink](#) [save](#) [parent](#) [source](#)

(Each comment has a parent comment)

How do we get all these comments on screen?

Javascript Model:



There is a JS array of Comment objects. Each Comment object points to an array of Comment objects that are the “children”.

In the server code...

- Fix a depth to render by default (eg, only to depth 3).
- Provide a button so the user can expand the depth.
- When the page receives updates, these comments can be inserted into the existing model by recursive add.
- Comments can also be deleted or redacted by delete, but requires “backtracking” to root node, then recursive delete