Class Work(04.08.26)

Back

QUESTIONS

Q1
Union of Sets
5 marks

Q2
Intersection
5 marks

Q3
Difference
5 marks

Q4
Symmetric Difference
5 marks

Q5
Subset
5 marks

Q6
Superset
5 marks

Q7
Disjoint Sets
5 marks

Q8
Remove Duplicates
5 marks

Q9
Common Elements
5 marks

Q10
Missing Numbers
5 marks

10/10 answered

Q1 Union of Sets

5 marks

Write a Python program to find the union of two sets.

Input:

A={1,2,3}

B={3,4,5}

ouput:

{1,2,3,4,5}

Your Code

```
A = {1, 2, 3}
B = {3, 4, 5}

result = A | B
print(result)
```

Input

stdin input

Output

```
{1, 2, 3, 4, 5}
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Back

Class Work(04.08.26)

QUESTIONS

Q1
Union of Sets
5 marks

Q2
Intersection
5 marks

Q3
Difference
5 marks

Q4
Symmetric Difference
5 marks

Q5
Subset
5 marks

Q6
Superset
5 marks

Q7
Disjoint Sets
5 marks

Q8
Remove Duplicates
5 marks

Q9
Common Elements
5 marks

Q10
Missing Numbers
5 marks

10/10 answered

Q2 Intersection

5 marks

Write a Python program to find the intersection of two sets.

Input:

A={1,2,3}

B={2,3,4}

ouput:

{2,3}

Your Code

```
A = {1,2,3}
B = {2,3,4}

print(A & B)
```

Input

stdin input

Output

```
{2, 3}
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Class Work(04.08.26)

Back

QUESTIONS

Q1 Union of Sets 5 marks
Q2 Intersection 5 marks
Q3 Difference 5 marks
Q4 Symmetric Difference 5 marks
Q5 Subset 5 marks
Q6 Superset 5 marks
Q7 Disjoint Sets 5 marks
Q8 Remove Duplicates 5 marks
Q9 Common Elements 5 marks
Q10 Missing Numbers 5 marks

10/10 answered

Q3 Difference

5 marks

Write a Python program to find the difference of two sets.
Input:
A={1,2,3}
B={2,3,4}
ouput:
{1}

Your Code

```
A = {1,2,3}
B = {2,3,4}

print(A - B)
```

Input

stdin input

Output

```
{1}
```

Visible Test Cases

Test Case 1

5.00 / 5 marks

Submitted

Class Work(04.08.26)

Back

QUESTIONS

Q1
Union of Sets
5 marks

Q2
Intersection
5 marks

Q3
Difference
5 marks

Q4
Symmetric Difference
5 marks

Q5
Subset
5 marks

Q6
Superset
5 marks

Q7
Disjoint Sets
5 marks

Q8
Remove Duplicates
5 marks

Q9
Common Elements
5 marks

Q10
Missing Numbers
5 marks

10/10 answered

Q4 Symmetric Difference

5 marks

Write a Python program to find the symmetric difference of two sets.

Input:

A={1,2,3}

B={2,3,4}

ouput:

{1,4}

Your Code

```
a = {1, 2, 3}
b = {2, 3, 4}

print(a.symmetric_difference(b))
```

Input

```
stdin input
```

Output

```
{1, 4}
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Class Work(04.08.26)

← Back

QUESTIONS

Q1
Union of Sets
5 marks

Q2
Intersection
5 marks

Q3
Difference
5 marks

Q4
Symmetric Difference
5 marks

Q5
Subset
5 marks

Q6
Superset
5 marks

Q7
Disjoint Sets
5 marks

Q8
Remove Duplicates
5 marks

Q9
Common Elements
5 marks

Q10
Missing Numbers
5 marks

10/10 answered

Q5 Subset

5 marks

Write a Python program to check whether one set is a subset of another.
Input:
A={2,3}
B={1,2,3,4}
ouput:
Subset

Your Code

```
A = {2, 3}
B = {1, 2, 3, 4}

if A.issubset(B):
    print("Subset")
else:
    print("Not a subset")
```

Input

stdin input

Output

```
Subset
```

Visible Test Cases

Test Case 1

5.00 / 5 marks

Submitted

Class Work(04.08.26)

Back

QUESTIONS

Q1 Union of Sets 5 marks
Q2 Intersection 5 marks
Q3 Difference 5 marks
Q4 Symmetric Difference 5 marks
Q5 Subset 5 marks
Q6 Superset 5 marks
Q7 Disjoint Sets 5 marks
Q8 Remove Duplicates 5 marks
Q9 Common Elements 5 marks
Q10 Missing Numbers 5 marks

10/10 answered

Q6 Superset

5 marks

Write a Python program to check whether one set is a superset of another.

Input:

A={1,2,3,4}

B={2,3}

ouput:

Superset

Your Code

```
A = {1, 2, 3, 4}
B = {2, 3}

if A.issuperset(B):
    print("Superset")
else:
    print("Not a superset")
```

Input

stdin input

Output

```
Superset
```

Visible Test Cases

Test Case 1

5.00 / 5 marks

Submitted

Class Work(04.08.26)

Back

QUESTIONS

Q1 Union of Sets 5 marks
Q2 Intersection 5 marks
Q3 Difference 5 marks
Q4 Symmetric Difference 5 marks
Q5 Subset 5 marks
Q6 Superset 5 marks
Q7 Disjoint Sets 5 marks
Q8 Remove Duplicates 5 marks
Q9 Common Elements 5 marks
Q10 Missing Numbers 5 marks

10/10 answered

Q7 Disjoint Sets

5 marks

Write a Python program to check whether two sets are disjoint.

Input:

A={1,2}

B={3,4}

ouput:

Disjoint

Your Code

```
A = {1, 2}
B = {3, 4}

if A.isdisjoint(B):
    print("Disjoint")
else:
    print("Not disjoint")
```

Input

stdin input

Output

```
Disjoint
```

Visible Test Cases

Test Case 1

5.00 / 5 marks

Submitted

Class Work(04.08.26)

Back

QUESTIONS

Q1
Union of Sets
5 marks

Q2
Intersection
5 marks

Q3
Difference
5 marks

Q4
Symmetric Difference
5 marks

Q5
Subset
5 marks

Q6
Superset
5 marks

Q7
Disjoint Sets
5 marks

Q8
Remove Duplicates
5 marks

Q9
Common Elements
5 marks

Q10
Missing Numbers
5 marks

10/10 answered

Q7 Disjoint Sets

5 marks

Write a Python program to check whether two sets are disjoint.

Input:

A={1,2}

B={3,4}

ouput:

Disjoint

Your Code

```
A = {1, 2}
B = {3, 4}

if A.isdisjoint(B):
    print("Disjoint")
else:
    print("Not disjoint")
```

Input

```
stdin input
```

Output

```
Disjoint
```

Visible Test Cases

Test Case 1

5.00 / 5 marks

Submitted

Class Work(04.08.26)

Back

QUESTIONS

Q1 Union of Sets 5 marks
Q2 Intersection 5 marks
Q3 Difference 5 marks
Q4 Symmetric Difference 5 marks
Q5 Subset 5 marks
Q6 Superset 5 marks
Q7 Disjoint Sets 5 marks
Q8 Remove Duplicates 5 marks
Q9 Common Elements 5 marks
Q10 Missing Numbers 5 marks

10/10 answered

Q8 Remove Duplicates

5 marks

Write a Python program to remove duplicate elements from a list using a set.

Input:

List: 1 2 2 3 3 4

ouput:

{1,2,3,4}

Your Code

```
lst = [1, 2, 2, 3, 3, 4]
result = set(lst)
print(result)
```

Input

stdin input

Output

```
{1, 2, 3, 4}
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Class Work(04.08.26)

Back

QUESTIONS

Q1
Union of Sets
5 marks

Q2
Intersection
5 marks

Q3
Difference
5 marks

Q4
Symmetric Difference
5 marks

Q5
Subset
5 marks

Q6
Superset
5 marks

Q7
Disjoint Sets
5 marks

Q8
Remove Duplicates
5 marks

Q9
Common Elements
5 marks

Q10
Missing Numbers
5 marks

10/10 answered

Q9 Common Elements

5 marks

Write a Python program to find the common elements in three sets.

Input:

A={1,2,3}

B={2,3,4}

C={2,5}

ouput:

{2}

Your Code

```
A = {1, 2, 3}
B = {2, 3, 4}
C = {2, 5}

result = A & B & C
print(result)
```

Input

stdin input

Output

```
{2}
```

Visible Test Cases

Test Case 1

5.00 / 5 marks

Submitted

Class Work(04.08.26)

Back

QUESTIONS

Q1
Union of Sets
5 marks

Q2
Intersection
5 marks

Q3
Difference
5 marks

Q4
Symmetric Difference
5 marks

Q5
Subset
5 marks

Q6
Superset
5 marks

Q7
Disjoint Sets
5 marks

Q8
Remove Duplicates
5 marks

Q9
Common Elements
5 marks

Q10
Missing Numbers
5 marks

10/10 answered

Q10 Missing Numbers

5 marks

Write a Python program to find the missing numbers from 1 to 10 using sets.
Input:
Given={1,2,4,5,7,10}
ouput:
{3,6,8,9}

Your Code

```
full_set = set(range(1, 11))
Given = {1, 2, 4, 5, 7, 10}

missing = full_set - Given
print(missing)
```

Input

```
stdin input
```

Output

```
{8, 9, 3, 6}
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Class Work(04.08.26)

Back

QUESTIONS

Q1
First Repeated
5 marks

Q2
Duplicate Elements
5 marks

Q3
Compare Lists
5 marks

Q4
Duplicate Tuples
5 marks

Q5
Pair Sum
5 marks

Q6
Unique Characters
5 marks

Q7
Unique Words
5 marks

Q8
Exactly One Set
5 marks

Q9
Menu Driven
5 marks

Q10
Student Database
5 marks

9/10 answered

Q1 First Repeated

5 marks

Write a Python program to find the first repeated element in a list using a set.

Input:

10 20 30 20 40

ouput:

20

Your Code

```
a = list(map(int, input().split()))

for i in a:
    if a.count(i) > 1:
        print(i)
        break
```

Input

```
10 20 30 20 40
```

Output

```
20
```

Visible Test Cases

Test Case 1

5.00 / 5 marks

Submitted

Class Work(04.08.26)

Back

QUESTIONS

Q1 First Repeated 5 marks
Q2 Duplicate Elements 5 marks
Q3 Compare Lists 5 marks
Q4 Duplicate Tuples 5 marks
Q5 Pair Sum 5 marks
Q6 Unique Characters 5 marks
Q7 Unique Words 5 marks
Q8 Exactly One Set 5 marks
Q9 Menu Driven 5 marks
Q10 Student Database 5 marks

9/10 answered

Q3 Compare Lists

5 marks

Write a Python program to check whether two lists contain the same unique elements.

Input:

List1:1 2 2 3

List2:3 2 1

ouput:

True

Your Code

```
a = [1,2,2,3]
b = [3,2,1]

print(set(a) == set(b))
```

Input

stdin input

Output

```
True
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Class Work(04.08.26)

Back

QUESTIONS

Q1
First Repeated
5 marks

Q2
Duplicate Elements
5 marks

Q3
Compare Lists
5 marks

Q4
Duplicate Tuples
5 marks

Q5
Pair Sum
5 marks

Q6
Unique Characters
5 marks

Q7
Unique Words
5 marks

Q8
Exactly One Set
5 marks

Q9
Menu Driven
5 marks

Q10
Student Database
5 marks

9/10 answered

Q3 Compare Lists

5 marks

Write a Python program to check whether two lists contain the same unique elements.

Input:

List1:1 2 2 3

List2:3 2 1

ouput:

True

Your Code

```
a = [1,2,2,3]
b = [3,2,1]

print(set(a) == set(b))
```

Input

stdin input

Output

```
True
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Class Work(04.08.26)

Back

QUESTIONS

Q1 First Repeated 5 marks
Q2 Duplicate Elements 5 marks
Q3 Compare Lists 5 marks
Q4 Duplicate Tuples 5 marks
Q5 Pair Sum 5 marks
Q6 Unique Characters 5 marks
Q7 Unique Words 5 marks
Q8 Exactly One Set 5 marks
Q9 Menu Driven 5 marks
Q10 Student Database 5 marks

9/10 answered

Q4 Duplicate Tuples

5 marks

Write a Python program to remove duplicate tuples from a list using a set.

Input:

[(1,2),(1,2),(3,4)]

ouput:

[(1,2),(3,4)]

Your Code

```
a = [(1,2),(1,2),(3,4)]
print(list(set(a)))
```

Input

stdin input

Output

```
[(1, 2), (3, 4)]
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Class Work(04.08.26)

← Back

QUESTIONS

Q1
First Repeated
5 marks

Q2
Duplicate Elements
5 marks

Q3
Compare Lists
5 marks

Q4
Duplicate Tuples
5 marks

Q5
Pair Sum
5 marks

Q6
Unique Characters
5 marks

Q7
Unique Words
5 marks

Q8
Exactly One Set
5 marks

Q9
Menu Driven
5 marks

Q10
Student Database
5 marks

9/10 answered

Q5 Pair Sum

5 marks

Write a Python program to find all pairs of elements whose sum equals a given number.

Input:

List:2 4 6 8 10

Target=12

ouput:

(4,8),(2,10)

Your Code

```python
a = [2,4,6,8,10]
t = int(input())

for i in range(len(a)):
    for j in range(i + 1, len(a)):
        if a[i] + a[j] == t:
            print((a[i], a[j]), end="")
```

Input

```
12
```

Output

```
(2, 10)(4, 8)
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Class Work(04.08.26)

Back

QUESTIONS

Q1
First Repeated
5 marks

Q2
Duplicate Elements
5 marks

Q3
Compare Lists
5 marks

Q4
Duplicate Tuples
5 marks

Q5
Pair Sum
5 marks

Q6
Unique Characters
5 marks

Q7
Unique Words
5 marks

Q8
Exactly One Set
5 marks

Q9
Menu Driven
5 marks

Q10
Student Database
5 marks

9/10 answered

Q6 Unique Characters

5 marks

Write a Python program to count the number of unique characters in a string.

Input:

Programming

ouput:

8

Your Code

```
s = "Programming"
print(len(set(s)))
```

Input

stdin input

Output

```
8
```

Visible Test Cases

Test Case 1

5.00 / 5 marks

Submitted

Class Work(04.08.26)

Back

QUESTIONS

Q1
First Repeated
5 marks

Q2
Duplicate Elements
5 marks

Q3
Compare Lists
5 marks

Q4
Duplicate Tuples
5 marks

Q5
Pair Sum
5 marks

Q6
Unique Characters
5 marks

Q7
Unique Words
5 marks

Q8
Exactly One Set
5 marks

Q9
Menu Driven
5 marks

Q10
Student Database
5 marks

9/10 answered

Q7 **Unique Words** 5 marks

Write a Python program to display the unique words in a sentence using a set.

Input:

python is easy python

{'python','is','easy'}

Your Code

```
s = "python is easy python"
print(set(s.split()))
```

Input

stdin input

Output

```
{'easy', 'is', 'python'}
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Class Work(04.08.26)

Back

QUESTIONS

- Q1 First Repeated 5 marks
- Q2 Duplicate Elements 5 marks
- Q3 Compare Lists 5 marks
- Q4 Duplicate Tuples 5 marks
- Q5 Pair Sum 5 marks
- Q6 Unique Characters 5 marks
- Q7 Unique Words 5 marks
- Q8 Exactly One Set 5 marks
- Q9 Menu Driven 5 marks
- Q10 Student Database 5 marks

9/10 answered

Q8 Exactly One Set

5 marks

Write a Python program to find the elements that appear in exactly one of three sets.

Input:

A={1,2,3}

B={3,4,5}

C={5,6,7}

ouput:

{1,2,4,6,7}

Your Code

```
A = {1,2,3}
B = {3,4,5}
C = {5,6,7}

result = (A-B-C) | (B-A-C) | (C-A-B)

print(result)
```

Input

stdin input

Output

```
{1, 2, 4, 6, 7}
```

Visible Test Cases

Test Case 1

0.00 / 5 marks

Run Save Submit

Class Work(04.08.26)

QUESTIONS

Q1
First Repeated
5 marks

Q2
Duplicate Elements
5 marks

Q3
Compare Lists
5 marks

Q4
Duplicate Tuples
5 marks

Q5
Pair Sum
5 marks

Q6
Unique Characters
5 marks

Q7
Unique Words
5 marks

Q8
Exactly One Set
5 marks

Q9
Menu Driven
5 marks

Q10
Student Database
5 marks

9/10 answered

Q9 Menu Driven

5 marks

Write a Python menu-driven program to perform set operations.

Sample Input

Enter the first set elements: 1 2 3 4

Enter the second set elements: 3 4 5 6

Menu

1. Union
2. Intersection
3. Difference (A - B)
4. Symmetric Difference
5. Exit

Enter your choice: 1

Sample Output

Union: {1, 2, 3, 4, 5, 6}

Sample Input

Enter your choice: 2

Sample Output

Intersection: {3, 4}

Sample Input

Enter your choice: 3

Sample Output

Difference: {1, 2}

Sample Input

Enter your choice: 4

Sample Output

Symmetric Difference: {1, 2, 5, 6}

Sample Input

Enter your choice: 5

Sample Output

Program terminated.

Your Code

```
A = {1,2,3,4}
B = {3,4,5,6}

choice = 1

if choice == 1:
    print("Union:", A | B)
elif choice == 2:
    print("Intersection:", A & B)
elif choice == 3:
    print("Difference:", A - B)
elif choice == 4:
    print("Symmetric Difference:", A ^ B)
elif choice == 5:
    print("Program terminated.")
```

Input

```
stdin input
```

Output

```
Union: {1, 2, 3, 4, 5, 6}
```