



Jurusan Teknologi Informasi Politeknik Negeri Malang
Mata Kuliah Data Warehouse
Kuis 1

Nama : **SAFRIZAL RAHMAN**

Nomor Urut : **19**

1. Tuliskan perbandingan star schema dan snowflake schema pada tabel berikut:


	Star Schema	Snowflake Schema
Normalisasi	Denormalisasi (tabel fakta terhubung langsung dengan tabel dimensi).	Normalisasi (tabel dimensi dipecah menjadi beberapa tabel terkait).
Kompleksitas desain/skema	Lebih sederhana karena tidak ada normalisasi tambahan.	Lebih kompleks karena adanya normalisasi dan hubungan antar tabel dimensi.
Kompleksitas query	Query lebih sederhana karena join yang lebih sedikit.	Query lebih kompleks karena banyak join antar tabel dimensi.
Performa query	Lebih cepat karena join yang lebih sedikit dan struktur yang sederhana.	Lebih lambat karena banyak join dan struktur yang lebih kompleks.
Storage	Membutuhkan lebih banyak storage karena adanya duplikasi data pada tabel dimensi.	Lebih hemat storage karena data yang dinormalisasi dan tidak ada duplikasi.
Integritas data	Kurang baik karena adanya duplikasi data.	Lebih baik karena data dinormalisasi dan tidak ada duplikasi.
Maintenance (pengisian data dengan proses ETL dari OLTP)	Lebih mudah karena struktur yang sederhana.	Lebih sulit karena struktur yang kompleks dan banyak tabel yang terkait.

Feature	Star Schema	Snowflake Schema
Structure	Central fact table connected to dimension tables	Fact table connected to normalized dimension tables
Data Normalization	Denormalized dimension tables	Normalized dimension tables
Performance	Faster query execution due to fewer joins	Slower query performance due to multiple joins
Design Complexity	Simple and easy to understand	Complex design with multiple levels of relationships
Space Usage	Uses more storage due to denormalization	Uses less storage due to normalization
Data Redundancy	Higher data redundancy	Lower data redundancy
Foreign Keys	Fewer foreign keys	More foreign keys
Use Cases	Best for large datasets and quick ad-hoc queries	Best for structured, predictable queries
Query Complexity	Low query complexity	High query complexity due to multiple joins
Maintainability	Easier to maintain due to simple design	More difficult to maintain due to complexity
Scalability	Scalable but may encounter performance issues with large data volumes	More scalable for very large data sets due to normalization
Suitability for BI Tools	Ideal for BI tools and quick reporting	Better for systems that require detailed reporting and data analysis
Data Integrity	Lower data integrity due to redundancy	Higher data integrity due to normalization
Updates and Modifications	More difficult to update due to denormalization	Easier to update as data is normalized
Learning Curve	Easier to learn and implement	More complex to learn and implement

[Difference between Star Schema and Snowflake Schema - GeeksforGeeks](#)


Star Schema

[Star Schema](#) is a type of [multidimensional model](#) used for [data warehouses](#). In a star schema, the [fact tables](#) and [dimension tables](#) are included. This schema uses fewer foreign-key joins. It forms a star structure with a central fact table connected to the surrounding dimension tables.




Snowflake Schema

[Snowflake Schema](#) is also a type of multidimensional model used for data warehouses. In the snowflake schema, the fact tables, dimension tables and sub-dimension tables are included. This schema forms a snowflake structure with fact tables, dimension tables and sub-dimension tables.



2. Gambar berikut menunjukkan skema OLTP database dari sebuah sistem informasi ekspedisi. Buatlah data warehouse dalam star schema yang digunakan sebagai dasar analisis performa ekspedisi.



Star Schema

Star Schema adalah model desain database yang digunakan dalam data warehousing. Schema ini terdiri dari:

1. **Tabel Fakta (Fact Table):** Tabel pusat yang berisi data transaksi atau metrik yang dapat diukur.
2. **Tabel Dimensi (Dimension Tables):** Tabel-tabel yang mengelilingi tabel fakta dan berisi data deskriptif yang memberikan konteks pada data di tabel fakta.

Breakdown Tabel Fakta dan Dimensi

1. Tabel Fakta (Fact Table)

Tabel fakta adalah tabel pusat yang menyimpan data transaksi atau metrik yang dapat diukur.

Dalam konteks sistem ekspedisi, ada dua tabel fakta:

- **faktapengiriman:**
 - **Deskripsi:** Menyimpan data transaksi pengiriman.
 - **Kolom:**
 - **ID:** ID pengiriman (Primary Key).
 - **KurirID:** ID kurir yang melakukan pengiriman (Foreign Key ke dimkurir).

- KecamatanAsalID: ID kecamatan asal pengiriman (Foreign Key ke dimkecamatan).
 - KecamatanTujuanID: ID kecamatan tujuan pengiriman (Foreign Key ke dimkecamatan).
 - StatusPengirimanID: ID status pengiriman (Foreign Key ke dimstatuspengiriman).
 - TanggalPengiriman: Tanggal pengiriman.
 - TanggalSampaiPerkiraan: Tanggal perkiraan sampai.
 - TanggalSampaiAktual: Tanggal aktual sampai.
 - Berat: Berat paket.
 - PembayaranID: ID pembayaran (Foreign Key ke faktapembayaran).
 - WaktuID: ID waktu (Foreign Key ke dimwaktu).
- faktapembayaran:
 - Deskripsi: Menyimpan data transaksi pembayaran.
 - Kolom:
 - PembayaranID: ID pembayaran (Primary Key).
 - WaktuID: ID waktu pembayaran (Foreign Key ke dimwaktu).
 - KurirID: ID kurir yang terkait dengan pembayaran (Foreign Key ke dimkurir).
 - StatusPembayaranID: ID status pembayaran (Foreign Key ke dimstatuspembayaran).
 - TipePembayaranID: ID tipe pembayaran (Foreign Key ke dimtipepembayaran).
 - Total: Total pembayaran.

2. Tabel Dimensi (Dimension Tables)

Tabel dimensi menyimpan data deskriptif yang memberikan konteks pada data di tabel fakta.

Berikut adalah tabel-tabel dimensi yang relevan:


- dimkecamatan:
 - Deskripsi: Menyimpan data tentang kecamatan.
 - Kolom:
 - KecamatanID: ID kecamatan (Primary Key).
 - Nama: Nama kecamatan.
 - KotaID: ID kota tempat kecamatan berada (Foreign Key ke dimkota).
- dimkota:
 - Deskripsi: Menyimpan data tentang kota.
 - Kolom:
 - KotaID: ID kota (Primary Key).
 - Nama: Nama kota.
 - ProvinsiID: ID provinsi tempat kota berada (Foreign Key ke dimprovinsi).



- **dimprovinsi:**
 - Deskripsi: Menyimpan data tentang provinsi.
 - Kolom:
 - ProvinsiID: ID provinsi (Primary Key).
 - Nama: Nama provinsi.
- **dimkurir:**
 - Deskripsi: Menyimpan data tentang kurir.
 - Kolom:
 - KurirID: ID kurir (Primary Key).
 - Nama: Nama kurir.
 - TipeKendaraan: Tipe kendaraan yang digunakan kurir.
 - NoHP: Nomor HP kurir.
- **dimstatuspengiriman:**
 - Deskripsi: Menyimpan data tentang status pengiriman.
 - Kolom:
 - StatusPengirimanID: ID status pengiriman (Primary Key).
 - Nama: Nama status pengiriman (e.g., "Dalam Proses", "Dikirim", "Sampai Tujuan", "Dibatalkan").
- **dimstatuspembayaran:**
 - Deskripsi: Menyimpan data tentang status pembayaran.
 - Kolom:
 - StatusPembayaranID: ID status pembayaran (Primary Key).
 - Nama: Nama status pembayaran (e.g., "Lunas", "Belum Lunas", "Pending", "Gagal").
- **dimtipepembayaran:**
 - Deskripsi: Menyimpan data tentang tipe pembayaran.
 - Kolom:
 - TipePembayaranID: ID tipe pembayaran (Primary Key).
 - Nama: Nama tipe pembayaran (e.g., "Transfer Bank", "Kartu Kredit", "E-Wallet", "Tunai").
- **dimwaktu:**
 - Deskripsi: Menyimpan data tentang waktu.
 - Kolom:
 - WaktuID: ID waktu (Primary Key).
 - Tanggal: Tanggal.
 - Hari: Hari dalam angka (1-7).
 - Bulan: Bulan dalam angka (1-12).
 - Tahun: Tahun.
 - NamaHari: Nama hari (e.g., "Senin", "Selasa").
 - NamaBulan: Nama bulan (e.g., "Januari", "Februari").


- **Kuartal: Kuartal (1-4).**
- **Semester: Semester (1 atau 2).**

Relasi Antar Tabel

- **faktapengiriman terhubung ke:**
 - **dimkurir melalui KurirID.**
 - **dimkecamatan melalui KecamatanAsalID dan KecamatanTujuanID.**
 - **dimstatuspengiriman melalui StatusPengirimanID.**
 - **faktapembayaran melalui PembayaranID.**
 - **dimwaktu melalui WaktuID.**
- **faktapembayaran terhubung ke:**
 - **dimkurir melalui KurirID.**
 - **dimstatuspembayaran melalui StatusPembayaranID.**
 - **dimtipepembayaran melalui TipePembayaranID.**
 - **dimwaktu melalui WaktuID.**
- **dimkecamatan terhubung ke:**
 - **dimkota melalui KotaID.**
- **dimkota terhubung ke:**
 - **dimprovinsi melalui ProvinsiID.**







PENGISIAN DATA

TABEL PENGIRIMAN

```

INSERT INTO pengiriman (ID, NamaPelanggan, AlamatAsal, AlamatTujuan, KecamatanAsalID,
KecamatanTujuanID, Berat, TanggalPengiriman, TanggalSampaiPerkiraan, TanggalSampaiAktual, KurirID,
StatusPengirimanID, PembayaranID)
SELECT
seq AS ID,
CONCAT('Pelanggan ', seq) AS NamaPelanggan,
CONCAT('Alamat Asal ', seq) AS AlamatAsal,
CONCAT('Alamat Tujuan ', seq) AS AlamatTujuan,
(SELECT ID FROM kecamatan ORDER BY RAND() LIMIT 1) AS KecamatanAsalID,
(SELECT ID FROM kecamatan ORDER BY RAND() LIMIT 1) AS KecamatanTujuanID,
ROUND(RAND() * 100, 2) AS Berat,
DATE_ADD('2024-01-01', INTERVAL FLOOR(RAND() * 365) DAY) AS TanggalPengiriman,
DATE_ADD(DATE_ADD('2024-01-01', INTERVAL FLOOR(RAND() * 365) DAY), INTERVAL FLOOR(1 + RAND() * 7)
DAY) AS TanggalSampaiPerkiraan,
CASE WHEN RAND() > 0.5 THEN DATE_ADD(DATE_ADD('2024-01-01', INTERVAL FLOOR(RAND() * 365) DAY),
INTERVAL FLOOR(1 + RAND() * 7) DAY) ELSE NULL END AS TanggalSampaiAktual,
(SELECT ID FROM kurir ORDER BY RAND() LIMIT 1) AS KurirID,
(SELECT ID FROM statuspengiriman ORDER BY RAND() LIMIT 1) AS StatusPengirimanID,
(SELECT ID FROM pembayaran ORDER BY RAND() LIMIT 1) AS PembayaranID
FROM
(SELECT (a.a + (10 * b.a)) AS seq
FROM
(SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS a
CROSS JOIN
(SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS b
LIMIT 100) AS numbers;

```

TABEL PROVINSI

```

INSERT INTO provinsi (ID, Nama)
SELECT
    seq AS ID,
    CONCAT('Provinsi ', seq) AS Nama
FROM
    (SELECT (a.a + (10 * b.a)) AS seq
    FROM
        (SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
        UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS a
        CROSS JOIN
        (SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
        UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS b
        LIMIT 100) AS numbers;

```

TABEL KOTA

```

INSERT INTO kota (ID, Nama, ProvinsiID)
SELECT
    seq AS ID,
    CONCAT('Kota ', seq) AS Nama,
    FLOOR(1 + RAND() * 100) AS ProvinsiID
FROM
    (SELECT (a.a + (10 * b.a)) AS seq
    FROM
        (SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
        UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS a
        CROSS JOIN
        (SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
        UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS b
        LIMIT 100) AS numbers;

```

TABEL KECAMATAN

```

INSERT INTO kecamatan (ID, Nama, KotaID)
SELECT
    seq AS ID,
    CONCAT('Kecamatan ', seq) AS Nama,
    FLOOR(1 + RAND() * 100) AS KotaID
FROM
    (SELECT (a.a + (10 * b.a)) AS seq
    FROM
        (SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
        UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS a
        CROSS JOIN
        (SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
        UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS b
    LIMIT 100) AS numbers;

```

TABEL KURIR

```

INSERT INTO kurir (ID, Nama, TipeKendaraan, NoHP)
SELECT
    seq AS ID,
    CONCAT('Kurir ', seq) AS Nama,
    ELT(FLOOR(1 + RAND() * 3), 'Motor', 'Mobil', 'Truk') AS TipeKendaraan,
    CONCAT('08123456', LPAD(seq, 4, '0')) AS NoHP
FROM
    (SELECT (a.a + (10 * b.a)) AS seq
    FROM
        (SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
        UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS a
        CROSS JOIN
        (SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
        UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS b
    LIMIT 100) AS numbers;

```

TABEL STATUS PEMBAYARAN

```

INSERT INTO statuspembayaran (ID, Nama)
VALUES
    (1, 'Lunas'),
    (2, 'Belum Lunas'),
    (3, 'Pending'),
    (4, 'Gagal');

```

TABEL TIPE PEMBAYARAN

```
INSERT INTO tipepembayaran (ID, Nama)
VALUES
(1, 'Transfer Bank'),
(2, 'Kartu Kredit'),
(3, 'E-Wallet'),
(4, 'Tunai');
```


TABEL PEMBAYARAN

```
INSERT INTO pembayaran (ID, Total, StatusPembayaranID, TipePembayaranID)
SELECT
    seq AS ID,
    ROUND(RAND() * 1000000, 2) AS Total,
    FLOOR(1 + RAND() * 4) AS StatusPembayaranID,
    FLOOR(1 + RAND() * 4) AS TipePembayaranID
FROM
    (SELECT (a.a + (10 * b.a)) AS seq
    FROM
        (SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
        UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS a
        CROSS JOIN
        (SELECT 0 AS a UNION ALL SELECT 1 UNION ALL SELECT 2 UNION ALL SELECT 3 UNION ALL SELECT 4
        UNION ALL SELECT 5 UNION ALL SELECT 6 UNION ALL SELECT 7 UNION ALL SELECT 8 UNION ALL SELECT 9) AS b
    LIMIT 100) AS numbers;
```


TABEL STATUS PENGIRIMAN

```
INSERT INTO statuspengiriman (ID, Nama)
VALUES
(1, 'Dalam Proses'),
(2, 'Dikirim'),
(3, 'Sampai Tujuan'),
(4, 'Dibatalkan');
```


TRANFORMASI DATA



DIMENSI WAKTU



phpMyAdmin interface showing the table structure and data for 'dimwaktu'.

Showing rows 0 - 24 (1825 total, Query took 0.0008 seconds) [NamaHari: ...]

SELECT * FROM 'dimwaktu' ORDER BY 'NamaHari' DESC

Number of rows: 25 Filter rows: Search this table Sort by key: None

WaktuID	Tanggal	Hari	Bulan	Tahun	NamaHari	NamaBulan	Kuartal	Semester
1826	2003-01-01	1	1	2003	1	1	1970	1970
1827	2003-01-02	2	1	2003	1	1	1970	1970
1828	2003-01-03	3	1	2003	1	1	1970	1970
1829	2003-01-04	4	1	2003	1	1	1970	1970
1830	2003-01-05	5	1	2003	1	1	1970	1970
1831	2003-01-06	6	1	2003	1	1	1970	1970
1832	2003-01-07	7	1	2003	1	1	1970	1970
1833	2003-01-08	8	1	2003	1	1	1970	1970
1834	2003-01-09	9	1	2003	1	1	1970	1970
1835	2003-01-10	10	1	2003	1	1	1970	1970
1836	2003-01-11	11	1	2003	1	1	1970	1970
1837	2003-01-12	12	1	2003	1	1	1970	1970
1838	2003-01-13	13	1	2003	1	1	1970	1970
1839	2003-01-14	14	1	2003	1	1	1970	1970
1840	2003-01-15	15	1	2003	1	1	1970	1970
1841	2003-01-16	16	1	2003	1	1	1970	1970
1842	2003-01-17	17	1	2003	1	1	1970	1970
1843	2003-01-18	18	1	2003	1	1	1970	1970
1844	2003-01-19	19	1	2003	1	1	1970	1970
1845	2003-01-20	20	1	2003	1	1	1970	1970
1846	2003-01-21	21	1	2003	1	1	1970	1970
1847	2003-01-22	22	1	2003	1	1	1970	1970
1848	2003-01-23	23	1	2003	1	1	1970	1970

Activate Windows
Go to Settings to activate Windows.

Spoon - DIMENSIWAKTU_SAFIRZALQUIZ

Execution Results

streamDate	streamYear	streamMonth	streamDay	tanggal	tahun	bulan	hari
2003/01/01 00:00:00.000	2003	1	1	<null>	<null>	<null>	<null>
2003/01/02 00:00:00.000	2003	1	2	<null>	<null>	<null>	<null>
2003/01/03 00:00:00.000	2003	1	3	<null>	<null>	<null>	<null>
2003/01/04 00:00:00.000	2003	1	4	<null>	<null>	<null>	<null>
2003/01/05 00:00:00.000	2003	1	5	<null>	<null>	<null>	<null>
2003/01/06 00:00:00.000	2003	1	6	<null>	<null>	<null>	<null>
2003/01/07 00:00:00.000	2003	1	7	<null>	<null>	<null>	<null>
2003/01/08 00:00:00.000	2003	1	8	<null>	<null>	<null>	<null>
2003/01/09 00:00:00.000	2003	1	9	<null>	<null>	<null>	<null>
2003/01/10 00:00:00.000	2003	1	10	<null>	<null>	<null>	<null>
2003/01/11 00:00:00.000	2003	1	11	<null>	<null>	<null>	<null>
2003/01/12 00:00:00.000	2003	1	12	<null>	<null>	<null>	<null>
2003/01/13 00:00:00.000	2003	1	13	<null>	<null>	<null>	<null>

Activate Windows
Go to Settings to activate Windows.

Spoon - DIMENSIWAKTU_SAFRIZALQUIZ

File Edit View Action Tools Help

View Design

Search

Input
Output
Streaming
Transform
Utility
Flow
Scripting
Pentaho Server
Lookup
Joins
Data Warehouse
Validation
Statistics
Big Data
Cryptography
Job
Mapping
Bulk loading
Inline
Experimental
Deprecated
History

100%

Generate rows
Add sequence
Calculator
Select values
Database lookup
Filter rows
Table output



Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

#	Stepname	Copied	Read	Written	Input	Output	Updated	Rejected	Errors	Active	Time	Speed (r/s)	Input/output
1	Generate rows	0	0	1825	0	0	0	0	0	Finished	0.0s	1,825,000	-
2	Add sequence	0	1825	1825	0	0	0	0	0	Finished	0.0s	62,931	-
3	Calculator	0	1825	1825	0	0	0	0	0	Finished	0.1s	30,417	-
4	Select values	0	1825	1825	0	0	0	0	0	Finished	0.1s	20,278	-
5	Database lookup	0	1825	1825	0	0	0	0	0	Finished	0.4s	4,777	-
6	Filter rows	0	1825	1825	0	0	0	0	0	Finished	0.4s	4,284	-
7	Table output	0	1825	1825	0	1825	0	0	0	Finished	0.5s	3,456	-

Activate Windows
Go to Settings to activate Windows.

DIMENSI KECAMATAN



SAFRIZAL RAHMAN CODE


```
SELECT *
FROM kecamatan e
LEFT JOIN dimkecamatan r
ON e.ID = r.KecamatanID;
```

Examine preview data

ows of step: Table input (100 rows)

#	ID	Nama	KotalID	KecamatanID	Nama_1	Kotal_ID_1
1	0	Kecamatan 0	61	<null>	<null>	<null>
2	1	Kecamatan 1	67	<null>	<null>	<null>
3	2	Kecamatan 2	57	<null>	<null>	<null>
4	3	Kecamatan 3	6	<null>	<null>	<null>
5	4	Kecamatan 4	58	<null>	<null>	<null>
6	5	Kecamatan 5	61	<null>	<null>	<null>
7	6	Kecamatan 6	16	<null>	<null>	<null>
8	7	Kecamatan 7	6	<null>	<null>	<null>
9	8	Kecamatan 8	4	<null>	<null>	<null>
10	9	Kecamatan 9	5	<null>	<null>	<null>
11	10	Kecamatan 10	9	<null>	<null>	<null>
12	11	Kecamatan 11	29	<null>	<null>	<null>
13	12	Kecamatan 12	78	<null>	<null>	<null>
14	13	Kecamatan 13	20	<null>	<null>	<null>
15	14	Kecamatan 14	73	<null>	<null>	<null>
16	15	Kecamatan 15	49	<null>	<null>	<null>
17	16	Kecamatan 16	23	<null>	<null>	<null>
18	17	Kecamatan 17	89	<null>	<null>	<null>
19	18	Kecamatan 18	41	<null>	<null>	<null>
20	19	Kecamatan 19	5	<null>	<null>	<null>
21	20	Kecamatan 20	53	<null>	<null>	<null>
22	21	Kecamatan 21	72	<null>	<null>	<null>
23	22	Kecamatan 22	35	<null>	<null>	<null>
24	23	Kecamatan 23	1	<null>	<null>	<null>
25	24	Kecamatan 24	89	<null>	<null>	<null>
26	25	Kecamatan 25	15	<null>	<null>	<null>
27	26	Kecamatan 26	62	<null>	<null>	<null>
28	27	Kecamatan 27	98	<null>	<null>	<null>
29	28	Kecamatan 28	76	<null>	<null>	<null>
30	29	Kecamatan 29	61	<null>	<null>	<null>
31	30	Kecamatan 30	61	<null>	<null>	<null>
32	31	Kecamatan 31	51	<null>	<null>	<null>
33	32	Kecamatan 32	31	<null>	<null>	<null>

3	Database lookup	0	0	0	0	0	0	0	0	0	Finished	0.1s	
4	Filter rows	0	0	0	0	0	0	0	0	0	Finished	0.1s	Limit size 0
5	Table output	0	0	0	0	0	0	0	0	0	Finished	0.1s	Help QK



ron - DIMENSIKECAMATAN_SAFRIZAL RAHMAN

File View Action Tools Help

Design

Transformations

- DIMENSIKECAMATAN_SAFRIZAL RAHMAN
 - Run configurations
 - Database connections
 - Steps
 - Hops
 - Partition schemas
 - Slave server
 - Kettle cluster schemas
 - VFS Connections

Table input → Select values → Database lookup → Filter rows → Table output

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

#	Stepname	Copied	Read	Written	Input	Output	Updated	Rejected	Errors	Active	Time	Speed (r/s)	input/output
1	Table input	0	0	100	100	0	0	0	0	Finished	0.0s	33,333	-
2	Select values	0	100	100	0	0	0	0	0	Finished	0.0s	3,263	-
3	Database lookup	0	100	100	0	0	0	0	0	Finished	0.0s	2,083	-
4	Filter rows	0	100	100	0	0	0	0	0	Finished	0.1s	1,587	-
5	Table output	0	100	100	0	100	0	0	0	Finished	0.1s	909	-

Activate Windows
Go to Settings to activate Windows.

Spoon - DIMENSIKECAMATAN_SAFRIZAL RAHMAN

File Edit View Action Tools Help

View Design

Search

Transformations

- DIMENSIKECAMATAN_SAFRIZAL RAHMAN
 - Run configurations
 - Database connections
 - Steps
 - Hops
 - Partition schemas
 - Slave server
 - Kettle cluster schemas
 - VFS Connections

Table input → Select values → Database lookup → Filter rows → Table output


Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data


First rows Last rows Off

#	streamNama	streamKota	streamKecamatan	Nama_1	KotaD_1	KecamatanID	Nama	KotaID
1	Kecamatan 0	61	<null>	<null>	<null>	<null>	<null>	<null>
2	Kecamatan 1	67	<null>	<null>	<null>	<null>	<null>	<null>
3	Kecamatan 2	57	<null>	<null>	<null>	<null>	<null>	<null>
4	Kecamatan 3	6	<null>	<null>	<null>	<null>	<null>	<null>
5	Kecamatan 4	58	<null>	<null>	<null>	<null>	<null>	<null>
6	Kecamatan 5	61	<null>	<null>	<null>	<null>	<null>	<null>
7	Kecamatan 6	16	<null>	<null>	<null>	<null>	<null>	<null>
8	Kecamatan 7	6	<null>	<null>	<null>	<null>	<null>	<null>
9	Kecamatan 8	4	<null>	<null>	<null>	<null>	<null>	<null>
10	Kecamatan 9	5	<null>	<null>	<null>	<null>	<null>	<null>
11	Kecamatan 10	9	<null>	<null>	<null>	<null>	<null>	<null>
12	Kecamatan 11	29	<null>	<null>	<null>	<null>	<null>	<null>
13	Kecamatan 12	78	<null>	<null>	<null>	<null>	<null>	<null>

Activate Windows
Go to Settings to activate Windows.



DIMENSI KOTA



Spoon - Transformation 1 (changed)

File Edit View Action Tools Help

View Design

Search

Input
Output
Streaming
Transform
Utility
Flow
Scripting
Pentaho Server
Lookup
Joins
Data Warehouse
Validation
Statistics
Big Data
Cryptograpy
Job
Mapping
Bulk loading
Inline
Experimental
Deprecated
History

Table input

Step name: Table input
Connection: conn_safrazalquiz1_dimkota

SQL

```
SELECT *
FROM kota e
LEFT JOIN dimkota r
ON e.ID = r.KotaId;
```

Examine preview data

Rows of step: Table input (100 rows)

#	ID	Nama	ProvinsiID	KotaID	Nama_1	ProvinsiID_1
1	0	Kota 0	73	<null>	<null>	<null>
2	1	Kota 1	19	<null>	<null>	<null>
3	2	Kota 2	6	<null>	<null>	<null>
4	3	Kota 3	4	<null>	<null>	<null>
5	4	Kota 4	72	<null>	<null>	<null>
6	5	Kota 5	18	<null>	<null>	<null>
7	6	Kota 6	6	<null>	<null>	<null>
8	7	Kota 7	3	<null>	<null>	<null>
9	8	Kota 8	37	<null>	<null>	<null>
10	9	Kota 9	60	<null>	<null>	<null>
11	10	Kota 10	96	<null>	<null>	<null>
12	11	Kota 11	91	<null>	<null>	<null>
13	12	Kota 12	53	<null>	<null>	<null>
14	13	Kota 13	58	<null>	<null>	<null>
15	14	Kota 14	78	<null>	<null>	<null>
16	15	Kota 15	11	<null>	<null>	<null>
17	16	Kota 16	92	<null>	<null>	<null>
18	17	Kota 17	16	<null>	<null>	<null>
19	18	Kota 18	29	<null>	<null>	<null>
20	19	Kota 19	10	<null>	<null>	<null>
21	20	Kota 20	95	<null>	<null>	<null>
22	21	Kota 21	79	<null>	<null>	<null>
23	22	Kota 22	33	<null>	<null>	<null>
24	23	Kota 23	96	<null>	<null>	<null>
25	24	Kota 24	15	<null>	<null>	<null>
26	25	Kota 25	26	<null>	<null>	<null>
27	26	Kota 26	72	<null>	<null>	<null>
28	27	Kota 27	78	<null>	<null>	<null>
29	28	Kota 28	39	<null>	<null>	<null>

Activate Windows
Go to Settings to activate Windows.

SAFRIZAL RAHMAN CODE

```
SELECT *
FROM kota e
LEFT JOIN dimkota r
ON e.ID = r.KotaId;
```

Spoon - DIMENSIKOTA_SAFRIZALQUIZ_1

File Edit View Action Tools Help

View Design

Search

Input
Output
Streaming
Transform
Utility
Flow
Scripting
Pentaho Server
Lookup
Joins
Data Warehouse
Validation
Statistics
Big Data
Cryptograpy
Job
Mapping
Bulk loading
Inline
Experimental
Deprecated
History

Table input

Select values

Database lookup

Filter rows

Table output

Execution Results

#	Stepname	Copypn	Read	Written	Input	Output	Updated	Rejected	Errors	Active	Time	Speed (r/s)	input/output
1	Table input	0	0	100	100	0	0	0	0	Finished	0.0s	33,333	-
2	Select values	0	100	100	0	0	0	0	0	Finished	0.0s	12,500	-
3	Database lookup	0	100	100	0	0	0	0	0	Finished	0.0s	2,703	-
4	Filter rows	0	100	100	0	0	0	0	0	Finished	0.1s	1,923	-
5	Table output	0	100	100	0	100	0	0	0	Finished	0.1s	1,010	-

Activate Windows
Go to Settings to activate Windows.

Spoon - DIMENSKOTA_SAFRIZALQUIZ_1

File Edit View Action Tools Help

View Design

Search

- Input
- Output
- Streaming
- Transform
- Utility
- Flow
- Scripting
- Pentaho Server
- Lookup
- Joins
- Data Warehouse
- Validation
- Statistics
- Big Data
- Cryptography
- Job
- Mapping
- Bulk loading
- Inline
- Experimental
- Deprecated
- History

Table input

Select values

Database lookup

Filter rows

Table output

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

First rows Last rows Off

#	streamName	ProvinsiID	KotaID	Nama_1	ProvinsiID_1	Nama
1	Kota 0	73	<null>	<null>	<null>	<null>
2	Kota 1	19	<null>	<null>	<null>	<null>
3	Kota 2	6	<null>	<null>	<null>	<null>
4	Kota 3	4	<null>	<null>	<null>	<null>
5	Kota 4	72	<null>	<null>	<null>	<null>
6	Kota 5	18	<null>	<null>	<null>	<null>
7	Kota 6	6	<null>	<null>	<null>	<null>
8	Kota 7	3	<null>	<null>	<null>	<null>
9	Kota 8	37	<null>	<null>	<null>	<null>
10	Kota 9	60	<null>	<null>	<null>	<null>
11	Kota 10	96	<null>	<null>	<null>	<null>
12	Kota 11	91	<null>	<null>	<null>	<null>
13	Kota 12	53	<null>	<null>	<null>	<null>

Activate Windows
Go to Settings to activate Windows.

DIM KURIR

Spoon - Transformation 1 (changed)

File Edit View Action Tools Help

View Design

Search

- Input
- Output
- Streaming
- Transform
- Utility
- Flow
- Scripting
- Pentaho Server
- Lookup
- Joins
- Data Warehouse
- Validation
- Statistics
- Big Data
- Cryptography
- Job
- Mapping
- Bulk loading
- Inline
- Experimental
- Deprecated
- History

Database Connection

Connection name: conn_safizalquiz_Dimkurir

Connection type: Ingres VectorWise, InterSystems Cache, KingbaseES, LucidDB, MS Access, MS SQL Server, MS SQL Server (Native), MariaDB, MaxDB (SAP DB), MonetDB, **MySQL**, Native Mondrian, NeoView, Netezza, Oracle

Settings

Host Name: localhost

Database Name: safizalquiz

Port Number: 3306

Username: root

Password:

Use Result Streaming Cursor

Test Feature List Explore

OK Cancel

Connection tested successfully

Connection to conn_safizalquiz_Dimkurir was successful.

Hostname: localhost
Port: 3306
Database name: safizalquiz

OK

Activate Windows
Go to Settings to activate Windows.

Spoon - Transformation 1 (changed)

Edit View Action Tools Help

View Design

Search

Input
Output
Streaming
Transform
Utility
Flow
Scripting
Pentaho Server
Lookup
Joins
Data Warehouse
Validation
Statistics
Big Data
Cryptography
Job
Mapping
Bulk loading
Inline
Experimental
Deprecated
History

Connect

Table input

Step name Table input

Connection conn_safizalquiz_dimkurir

SQL

```
SELECT *
FROM kurir e
LEFT JOIN dimkurir r
ON e.ID = r.KurirID;
```

Examine preview data

Rows of step: Table input (100 rows)

#	ID	Nama	TipeKendaraan	NoHP	KurirID	Nama_1	TipeKendaraan_1	NoHP_1
1	0	Kurir 0	Mobil	081234560000	<null>	<null>	<null>	<null>
2	1	Kurir 1	Motor	081234560001	<null>	<null>	<null>	<null>
3	2	Kurir 2	Motor	081234560002	<null>	<null>	<null>	<null>
4	3	Kurir 3	Motor	081234560003	<null>	<null>	<null>	<null>
5	4	Kurir 4	Truk	081234560004	<null>	<null>	<null>	<null>
6	5	Kurir 5	Truk	081234560005	<null>	<null>	<null>	<null>
7	6	Kurir 6	Mobil	081234560006	<null>	<null>	<null>	<null>
8	7	Kurir 7	Motor	081234560007	<null>	<null>	<null>	<null>
9	8	Kurir 8	Truk	081234560008	<null>	<null>	<null>	<null>
10	9	Kurir 9	Truk	081234560009	<null>	<null>	<null>	<null>
11	10	Kurir 10	Mobil	081234560010	<null>	<null>	<null>	<null>
12	11	Kurir 11	Motor	081234560011	<null>	<null>	<null>	<null>
13	12	Kurir 12	Motor	081234560012	<null>	<null>	<null>	<null>
14	13	Kurir 13	Mobil	081234560013	<null>	<null>	<null>	<null>
15	14	Kurir 14	Motor	081234560014	<null>	<null>	<null>	<null>
16	15	Kurir 15	Truk	081234560015	<null>	<null>	<null>	<null>
17	16	Kurir 16	Truk	081234560016	<null>	<null>	<null>	<null>
18	17	Kurir 17	Mobil	081234560017	<null>	<null>	<null>	<null>
19	18	Kurir 18	Motor	081234560018	<null>	<null>	<null>	<null>
20	19	Kurir 19	Motor	081234560019	<null>	<null>	<null>	<null>
21	20	Kurir 20	Motor	081234560020	<null>	<null>	<null>	<null>
22	21	Kurir 21	Mobil	081234560021	<null>	<null>	<null>	<null>
23	22	Kurir 22	Truk	081234560022	<null>	<null>	<null>	<null>
24	23	Kurir 23	Mobil	081234560023	<null>	<null>	<null>	<null>
25	24	Kurir 24	Motor	081234560024	<null>	<null>	<null>	<null>
26	25	Kurir 25	Truk	081234560025	<null>	<null>	<null>	<null>
27	26	Kurir 26	Mobil	081234560026	<null>	<null>	<null>	<null>
28	27	Kurir 27	Truk	081234560027	<null>	<null>	<null>	<null>
29	28	Kurir 28	Truk	081234560028	<null>	<null>	<null>	<null>
30	29	Kurir 29	Motor	081234560029	<null>	<null>	<null>	<null>

Activate Windows
Go to Settings to activate Windows.

SAFRIZAL RAHMAN CODE

```
SELECT *
FROM kurir e
LEFT JOIN dimkurir r
ON e.ID = r.KurirID;
```

Help

Con

Table input

Select values

Database lookup

Filter rows

Table output

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

#	Stepname	Copypnr	Read	Written	Input	Output	Updated	Rejected	Errors	Active	Time	Speed (r/s)	input/output
1	Table input	0	0	100	100	0	0	0	0	Finished	0.0s	25,000	-
2	Select values	0	100	100	0	0	0	0	0	Finished	0.0s	5,882	-
3	Database lookup	0	100	100	0	0	0	0	0	Finished	0.0s	2,174	-
4	Filter rows	0	100	100	0	0	0	0	0	Finished	0.1s	1,613	-
5	Table output	0	100	100	0	100	0	0	0	Finished	0.1s	943	-

Activate Windows
Go to Settings to activate Windows.

View Design

Search

- Input
- Output
- Streaming
- Transform
- Utility
- Flow
- Scripting
- Pentaho Server
- Lookup
- Joins
- Data Warehouse
- Validation
- Statistics
- Big Data
- Cryptography
- Job
- Mapping
- Bulk loading
- Inline
- Experimental
- Deprecated
- History

Table input

Select values

Database lookup

Filter rows

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

First rows Last rows Off

#	stream>Nama	stream>Kendaraan	streamNo	streamKurir	Nama_1	TipeKendaraan_1	NoHP_1
1	Kurir 0	Mobil	081234560000	<null>	<null>	<null>	<null>
2	Kurir 1	Motor	081234560001	<null>	<null>	<null>	<null>
3	Kurir 2	Motor	081234560002	<null>	<null>	<null>	<null>
4	Kurir 3	Motor	081234560003	<null>	<null>	<null>	<null>
5	Kurir 4	Truk	081234560004	<null>	<null>	<null>	<null>
6	Kurir 5	Truk	081234560005	<null>	<null>	<null>	<null>
7	Kurir 6	Mobil	081234560006	<null>	<null>	<null>	<null>
8	Kurir 7	Motor	081234560007	<null>	<null>	<null>	<null>
9	Kurir 8	Truk	081234560008	<null>	<null>	<null>	<null>
10	Kurir 9	Truk	081234560009	<null>	<null>	<null>	<null>
11	Kurir 10	Mobil	081234560010	<null>	<null>	<null>	<null>
12	Kurir 11	Motor	081234560011	<null>	<null>	<null>	<null>
13	Kurir 12	Motor	081234560012	<null>	<null>	<null>	<null>

Activate Windows
Go to Settings to activate Windows.

phpMyAdmin

Server: localhost:3306 Database: safizalquiz Table: dimkurir

Showing rows 0 - 24 (100 total. Query took 0.0003 seconds)

SELECT * FROM `dimkurir`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]



1 > >> Show all Number of rows: 25 Filter rows: Search this table Sort by key: None



Extra options

	KurirID	Nama	TipeKendaraan	NoHP
☐ Edit ☐ Copy ☐ Delete	1	Kurir 0	Mobil	081234560000
☐ Edit ☐ Copy ☐ Delete	2	Kurir 1	Motor	081234560001
☐ Edit ☐ Copy ☐ Delete	3	Kurir 2	Motor	081234560002
☐ Edit ☐ Copy ☐ Delete	4	Kurir 3	Motor	081234560003
☐ Edit ☐ Copy ☐ Delete	5	Kurir 4	Truk	081234560004
☐ Edit ☐ Copy ☐ Delete	6	Kurir 5	Truk	081234560005
☐ Edit ☐ Copy ☐ Delete	7	Kurir 6	Mobil	081234560006
☐ Edit ☐ Copy ☐ Delete	8	Kurir 7	Motor	081234560007
☐ Edit ☐ Copy ☐ Delete	9	Kurir 8	Truk	081234560008
☐ Edit ☐ Copy ☐ Delete	10	Kurir 9	Truk	081234560009
☐ Edit ☐ Copy ☐ Delete	11	Kurir 10	Mobil	081234560010
☐ Edit ☐ Copy ☐ Delete	12	Kurir 11	Motor	081234560011
☐ Edit ☐ Copy ☐ Delete	13	Kurir 12	Motor	081234560012
☐ Edit ☐ Copy ☐ Delete	14	Kurir 13	Mobil	081234560013
☐ Edit ☐ Copy ☐ Delete	15	Kurir 14	Motor	081234560014
☐ Edit ☐ Copy ☐ Delete	16	Kurir 15	Truk	081234560015
☐ Edit ☐ Copy ☐ Delete	17	Kurir 16	Truk	081234560016
☐ Edit ☐ Copy ☐ Delete	18	Kurir 17	Mobil	081234560017
☐ Edit ☐ Copy ☐ Delete	19	Kurir 18	Motor	081234560018
☐ Edit ☐ Copy ☐ Delete	20	Kurir 19	Motor	081234560019
☐ Edit ☐ Copy ☐ Delete	21	Kurir 20	Motor	081234560020
☐ Edit ☐ Copy ☐ Delete	22	Kurir 21	Mobil	081234560021

Activate Windows
Go to Settings to activate Windows.

DIM PEMBAYARAN





Spoon - DIMEPEMBAYARAN_SAFRALQUIZ_1

File Edit View Action Tools Help

Search

Input
Output
Streaming
Transform
Utility
Flow
Scripting
Pentaho Server
Lookup
Joins
Data Warehouse
Validation
Statistics
Big Data
Cryptography
Job
Mapping
Bulk loading
Inline
Experimental
Deprecated
History

Table input

Select values

Database lookup

Filter rows

Table output

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

First rows Last rows Off

#	streamTotal	streamPembayaran	streamType	PembayaranID	Total_1	StatusPembayaranID_1	TipePembayaranID_1	Total	StatusPembayaranID	TipePembayaranID
1	840412.06	2	1	<null>	<null>	<null>	<null>	<null>	<null>	<null>
2	668333.04	4	4	<null>	<null>	<null>	<null>	<null>	<null>	<null>
3	726897.51	3	2	<null>	<null>	<null>	<null>	<null>	<null>	<null>
4	795684.06	2	1	<null>	<null>	<null>	<null>	<null>	<null>	<null>
5	701030.69	4	4	<null>	<null>	<null>	<null>	<null>	<null>	<null>
6	788398.99	2	3	<null>	<null>	<null>	<null>	<null>	<null>	<null>
7	272995.94	2	3	<null>	<null>	<null>	<null>	<null>	<null>	<null>
8	779676.95	2	3	<null>	<null>	<null>	<null>	<null>	<null>	<null>
9	77820.81	3	1	<null>	<null>	<null>	<null>	<null>	<null>	<null>
10	53555.16	4	4	<null>	<null>	<null>	<null>	<null>	<null>	<null>
11	987684.71	3	1	<null>	<null>	<null>	<null>	<null>	<null>	<null>
12	109887.01	3	4	<null>	<null>	<null>	<null>	<null>	<null>	<null>
13	66788.05	2	3	<null>	<null>	<null>	<null>	<null>	<null>	<null>

Activate Windows
Go to Settings to activate Windows.

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=safzalquiz&table=dimpembayaran

phpMyAdmin

Recent Favorites

Information_schema
mysql
performance_schema
safzalquiz
dimkacamatan
dimkota
dimkurir
dimpembayaran
dimprovinsi
dimstatuspembayaran
dimstatuspengiriman
dimtipepembayaran
dimwaktu
laktapembayaran
laktapengiriman
kacamatan
kota
kurir
pembayaran
pengiriman
provinsi
statuspembayaran
statuspengiriman
tipepembayaran
safzalquiz
sys

Showing rows 0 - 24 (100 total. Query took 0.0003 seconds)

SELECT * FROM `dimpembayaran`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

1 > >> Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	PembayaranID	Total	StatusPembayaranID	TipePembayaranID
☐ Edit ☐ Copy ☐ Delete	1	840412.06	2	1
☐ Edit ☐ Copy ☐ Delete	2	668333.04	4	4
☐ Edit ☐ Copy ☐ Delete	3	726897.51	3	2
☐ Edit ☐ Copy ☐ Delete	4	795684.06	2	1
☐ Edit ☐ Copy ☐ Delete	5	701030.69	4	4
☐ Edit ☐ Copy ☐ Delete	6	788398.99	2	3
☐ Edit ☐ Copy ☐ Delete	7	272995.94	2	3
☐ Edit ☐ Copy ☐ Delete	8	779676.95	2	3
☐ Edit ☐ Copy ☐ Delete	9	77820.81	3	1
☐ Edit ☐ Copy ☐ Delete	10	53555.16	4	4
☐ Edit ☐ Copy ☐ Delete	11	987684.71	3	1
☐ Edit ☐ Copy ☐ Delete	12	109887.01	3	4
☐ Edit ☐ Copy ☐ Delete	13	66788.05	2	3
☐ Edit ☐ Copy ☐ Delete	14	934561.44	4	4
☐ Edit ☐ Copy ☐ Delete	15	766597.36	4	3
☐ Edit ☐ Copy ☐ Delete	16	977526.99	1	3
☐ Edit ☐ Copy ☐ Delete	17	238354.20	3	3
☐ Edit ☐ Copy ☐ Delete	18	670030.03	1	3
☐ Edit ☐ Copy ☐ Delete	19	346816.67	2	3
☐ Edit ☐ Copy ☐ Delete	20	187974.26	4	4
☐ Edit ☐ Copy ☐ Delete	21	743387.82	2	4
☐ Edit ☐ Copy ☐ Delete	22	155464.88	4	1
☐ Edit ☐ Copy ☐ Delete	23	396066.82	1	2

Activate Windows
Go to Settings to activate Windows.

DIM PROVINSI

Spooon - DIM_PROVINSI_SAFRIZALQUIZ_1

File Edit View Action Tools Help

Search

Transformations

- Run configurations
- Database connections
- Steps
- Hops
- Partition schemas
- Slave server
- Kettle cluster schemas
- VFS Connections

Table input

Table output

Database Connection

General

Advanced

Options

Pooling

Clustering

Connection name: conn_safrizalquiz_dimprovinsi

Connection type:

- Ingres VectorWise
- Intersystems Cache
- KingbaseES
- LucidDB
- MS Access
- MS SQL Server
- MS SQL Server (Native)
- MariaDB
- MaxDB (SAP DB)
- MonetDB
- MySQL
- Native Mondrian
- Neoview
- Netezza
- Oracle
- Oracle RDB
- Palo MOLAP Server
- PostgreSQL
- Redshift

Settings

Host Name: localhost

Database Name: safrizalquiz

Port Number: 3306

Username: root

Password:

Use Result Streaming Cursor

Access:

- Native (JDBC)
- ODBC
- JNDI

Test Feature List Explore

OK Cancel

Connection tested successfully

Connection to conn_safrizalquiz_dimprovinsi was successful.

Hostname: localhost

Port: 3306

Database name: safrizalquiz

OK

Table input

Table output

Activate Windows

Go to Settings to activate Windows.

Spooon - DIM_PROVINSI_SAFRIZALQUIZ_1

File Edit View Action Tools Help

Search

Transformations

- Run configurations
- Database connections
- Steps
- Hops
- Partition schemas
- Slave server
- Kettle cluster schemas
- VFS Connections

Table input

Table output

Database lookup

Filter rows

Select values

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

#	Stepname	Copynr	Read	Written	Input	Output	Updated	Rejected	Errors	Active	Time	Speed (r/s)	Input/output
1	Table input	0	0	100	100	0	0	0	0	Finished	0.0s	25,000	-
2	Select values	0	100	100	0	0	0	0	0	Finished	0.0s	4,348	-
3	Database lookup	0	100	100	0	0	0	0	0	Finished	0.0s	2,391	-
4	Filter rows	0	100	100	0	0	0	0	0	Finished	0.1s	1,470	-
5	Table output	0	100	100	0	100	0	0	0	Finished	0.1s	885	-

Activate Windows

Go to Settings to activate Windows.

File Edit View Action Tools Help

View Design

Search

Transformations

- Run configurations
- Database connections
- Steps
- Hops
- Partition schemas
- Slave server
- Kettle cluster schemas
- VFS Connections

Table input

Select values

Database lookup

Filter rows

Table output

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

First rows Last rows Off

#	streamName	ProvinsiID	Nama_1	Nama
1	Provinsi 0	<null>	<null>	<null>
2	Provinsi 1	<null>	<null>	<null>
3	Provinsi 2	<null>	<null>	<null>
4	Provinsi 3	<null>	<null>	<null>
5	Provinsi 4	<null>	<null>	<null>
6	Provinsi 5	<null>	<null>	<null>
7	Provinsi 6	<null>	<null>	<null>
8	Provinsi 7	<null>	<null>	<null>
9	Provinsi 8	<null>	<null>	<null>
10	Provinsi 9	<null>	<null>	<null>
11	Provinsi 10	<null>	<null>	<null>
12	Provinsi 11	<null>	<null>	<null>
13	Provinsi 12	<null>	<null>	<null>

Activate Windows
Go to Settings to activate Windows.

phpMyAdmin

Recent Favorites

New

- Information_schema
- mysql
- performance_schema
- safrizalquiz
- New
- dimkacamatan
- dimkota
- dimkurir
- dimpembayaran
- dimprovinsi
- dimstatuspembayaran
- dimstatuspengiriman
- dimtipepembayaran
- dimwaktu
- faktapembayaran
- faktapengiriman
- kecamatan
- kota
- kurir
- pembayaran
- pengiriman
- provinsi
- statuspembayaran
- statuspengiriman
- tipepembayaran
- safrizalquiz
- sys

Showing rows 0 - 24 (100 total. Query took 0.0003 seconds)

SELECT * FROM 'dimprovinsi'

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]



1 > >> Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

ProvinsiID	Nama
1	Provinsi 0
2	Provinsi 1
3	Provinsi 2
4	Provinsi 3
5	Provinsi 4
6	Provinsi 5
7	Provinsi 6
8	Provinsi 7
9	Provinsi 8
10	Provinsi 9
11	Provinsi 10
12	Provinsi 11
13	Provinsi 12
14	Provinsi 13
15	Provinsi 14
16	Provinsi 15
17	Provinsi 16
18	Provinsi 17
19	Provinsi 18
20	Provinsi 19
21	Provinsi 20
22	Provinsi 21
23	Provinsi 22



Activate Windows
Go to Settings to activate Windows.


DIM STATUS PEMBAYARAN




SAFRIZAL RAHMAN CODE

```
SELECT *
FROM statuspembayaran e
LEFT JOIN dimstatuspembayaran r
ON e.ID = r.StatusPembayaranID;
```





DIM STATUS



SAFRIZAL RAHMAN CODE

```
SELECT *
FROM statuspengiriman e
LEFT JOIN dimstatuspengiriman r
ON e.ID = r.StatusPengirimanID;
```


ver

ouse

ty

I

I



Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

#	Stepname	Copynr	Read	Written	Input	Output	Updated	Rejected	Errors	Active	Time	Speed (r/s)	input/output
1	Table input	0	0	4	4	0	0	0	0	Finished	0.0s	1,000	-
2	Generate rows	0	0	1825	0	0	0	0	0	Finished	0.0s	912,500	-
3	Select values	0	4	4	0	0	0	0	0	Finished	0.0s	167	-
4	Database lookup	0	1829	1829	0	0	0	0	0	Finished	0.3s	5,443	-
5	Filter rows	0	1829	1829	0	0	0	0	0	Finished	0.3s	5,241	-
6	Table output	0	1829	1829	0	1829	0	0	0	Finished	0.4s	4,138	-

A


ver

ouse

ty

I

tl




Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data


#	streamNama	StatusPengirimanID	Nama_1	Nama
1	Dalam Proses	<null>	<null>	<null>
2	Dikirim	<null>	<null>	<null>
3	Sampai Tujuan	<null>	<null>	<null>
4	Dibatalkan	<null>	<null>	<null>
5	Dikirim	<null>	<null>	<null>
6	Dikirim	<null>	<null>	<null>
7	Dikirim	<null>	<null>	<null>
8	Dikirim	<null>	<null>	<null>
9	Dikirim	<null>	<null>	<null>
10	Dikirim	<null>	<null>	<null>
11	Dikirim	<null>	<null>	<null>
12	Dikirim	<null>	<null>	<null>
13	Dikirim	<null>	<null>	<null>

A

G



DIM TIPEPENGIRIMAN



SAFRIZAL RAHMAN CODE

```
SELECT *
FROM tipepembayaran e
LEFT JOIN dimtipepembayaran r
ON e.ID = r.TipePembayaranID;
```


FRIZALQUIZ_1

5

5

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

☒ First rows ☐ Last rows ☐ Off

#	streamName	TipePembayaranID	Nama_1	Nama
1	Transfer Bank	<null>	<null>	<null>
2	Kartu Kredit	<null>	<null>	<null>
3	E-Wallet	<null>	<null>	<null>
4	Tunai	<null>	<null>	<null>
5	Transfer Bank	<null>	<null>	<null>
6	Transfer Bank	<null>	<null>	<null>
7	Transfer Bank	<null>	<null>	<null>
8	Transfer Bank	<null>	<null>	<null>
9	Transfer Bank	<null>	<null>	<null>
10	Transfer Bank	<null>	<null>	<null>
11	Transfer Bank	<null>	<null>	<null>
12	Transfer Bank	<null>	<null>	<null>
13	Transfer Bank	<null>	<null>	<null>

phpMyAdmin

Recent Favorites

- New
- information_schema
- mysql
- performance_schema
- safrizalquiz
 - New
 - dimkecamatan
 - dimkota
 - dimkurir
 - dimpembayaran
 - dimprovinsi
 - dimstatuspembayaran
 - dimstatuspengiriman
 - dimtipepembayaran
 - dimwaktu
 - faktapembayaran
 - faktapengiriman
 - kecamatan
 - kota
 - kurir
 - pembayaran
 - pengiriman
 - provinsi
 - statuspembayaran
 - statuspengiriman
 - tipepembayaran
- safrzalquiz
- sys

Server: localhost:3306 » Database: safrizalquiz » Table: dimtipepembayaran

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Showing rows 0 - 24 (1829 total, Query took 0.0004 seconds.)

SELECT * FROM `dimtipepembayaran`

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

1 > >> Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	TipePembayaranID	Nama
☐ Edit Copy Delete	1	Transfer Bank
☐ Edit Copy Delete	2	Kartu Kredit
☐ Edit Copy Delete	3	E-Wallet
☐ Edit Copy Delete	4	Tunai
☐ Edit Copy Delete	5	Transfer Bank
☐ Edit Copy Delete	6	Transfer Bank
☐ Edit Copy Delete	7	Transfer Bank
☐ Edit Copy Delete	8	Transfer Bank
☐ Edit Copy Delete	9	Transfer Bank
☐ Edit Copy Delete	10	Transfer Bank
☐ Edit Copy Delete	11	Transfer Bank
☐ Edit Copy Delete	12	Transfer Bank
☐ Edit Copy Delete	13	Transfer Bank
☐ Edit Copy Delete	14	Transfer Bank
☐ Edit Copy Delete	15	Transfer Bank
☐ Edit Copy Delete	16	Transfer Bank
☐ Edit Copy Delete	17	Transfer Bank
☐ Edit Copy Delete	18	Transfer Bank
☐ Edit Copy Delete	19	Transfer Bank
☐ Edit Copy Delete	20	Transfer Bank
☐ Edit Copy Delete	21	Transfer Bank
☐ Edit Copy Delete	22	Transfer Bank
☐ Edit Copy Delete	23	Transfer Bank

Console

FAKTA PEMBAYARAN

Spooon - Transformation 1 (changed)

File Edit View Action Tools Help

table output

Input

Output

Table output

Streaming

Transform

Utility

Flow

ETL metadata injection

Scripting

Pentaho Server

Lookup

Connect

Step name Table input

Connection conn_safrizalquiz_faktapembayaran

SQL

```
SELECT *
FROM kurir k
LEFT JOIN kurir r ON k.ID = r.ID
INNER JOIN pengiriman p ON k.ID = p.KurirID
INNER JOIN pembayaran pb ON p.PembayaranID = pb.ID;
```

Examine preview data

Rows of step: Table input (100 rows)

#	ID	Nama	TipeKendaraan	NoHP	ID_1	Nama_1	TipeKendaraan_1	NoHP_1	ID_2	NamaPelanggan	AlamatAsal	AlamatTujuan	KecamatanAsalID	KecamatanTujuanID	Berat	TanggalPengiriman	TanggalSempetKirim	Tanggal
1	62	Kurir 62	Motor	081234560062	62	Kurir 62	Motor	081234560062	0	Pelanggan 0	Alamat Asal 0	Alamat Tujuan 0	17	37	18.76	2024/06/05 00:00:00.000	2024/07/25 00:00:00.000	2024/1
2	14	Kurir 14	Motor	081234560014	14	Kurir 14	Motor	081234560014	1	Pelanggan 1	Alamat Asal 1	Alamat Tujuan 1	35	37	65.09	2024/01/08 00:00:00.000	2024/02/27 00:00:00.000	2024/1
3	48	Kurir 48	Truk	081234560048	48	Kurir 48	Truk	081234560048	2	Pelanggan 2	Alamat Asal 2	Alamat Tujuan 2	13	58	0.9	2024/02/28 00:00:00.000	2024/10/13 00:00:00.000	2024/1
4	36	Kurir 36	Mobil	081234560036	36	Kurir 36	Mobil	081234560036	3	Pelanggan 3	Alamat Asal 3	Alamat Tujuan 3	12	21	65.44	2024/12/22 00:00:00.000	2024/12/27 00:00:00.000	2024/1
5	6	Kurir 6	Mobil	081234560006	6	Kurir 6	Mobil	081234560006	4	Pelanggan 4	Alamat Asal 4	Alamat Tujuan 4	82	55	30.24	2024/03/06 00:00:00.000	2024/12/29 00:00:00.000	< null
6	60	Kurir 60	Truk	081234560060	60	Kurir 60	Truk	081234560060	5	Pelanggan 5	Alamat Asal 5	Alamat Tujuan 5	40	98	37.8	2024/05/19 00:00:00.000	2024/10/16 00:00:00.000	< null
7	99	Kurir 99	Truk	081234560099	99	Kurir 99	Truk	081234560099	6	Pelanggan 6	Alamat Asal 6	Alamat Tujuan 6	90	77	5.32	2024/03/23 00:00:00.000	2024/12/19 00:00:00.000	2024/1
8	3	Kurir 3	Motor	081234560003	3	Kurir 3	Motor	081234560003	7	Pelanggan 7	Alamat Asal 7	Alamat Tujuan 7	57	40	66.93	2024/06/04 00:00:00.000	2024/02/15 00:00:00.000	< null
9	58	Kurir 58	Truk	081234560058	58	Kurir 58	Truk	081234560058	8	Pelanggan 8	Alamat Asal 8	Alamat Tujuan 8	53	57	94.68	2024/10/25 00:00:00.000	2024/04/07 00:00:00.000	< null
10	85	Kurir 85	Truk	081234560085	85	Kurir 85	Truk	081234560085	9	Pelanggan 9	Alamat Asal 9	Alamat Tujuan 9	58	12	36.12	2024/07/05 00:00:00.000	2024/06/29 00:00:00.000	2024/1
11	52	Kurir 52	Truk	081234560052	52	Kurir 52	Truk	081234560052	10	Pelanggan 10	Alamat Asal 10	Alamat Tujuan 10	91	70	76.19	2024/05/01 00:00:00.000	2024/05/28 00:00:00.000	< null
12	68	Kurir 68	Motor	081234560068	68	Kurir 68	Motor	081234560068	11	Pelanggan 11	Alamat Asal 11	Alamat Tujuan 11	34	65	3.63	2024/09/12 00:00:00.000	2024/05/28 00:00:00.000	< null
13	32	Kurir 32	Mobil	081234560032	32	Kurir 32	Mobil	081234560032	12	Pelanggan 12	Alamat Asal 12	Alamat Tujuan 12	31	90	53.76	2024/08/26 00:00:00.000	2024/09/01 00:00:00.000	2024/1
14	84	Kurir 84	Truk	081234560084	84	Kurir 84	Truk	081234560084	13	Pelanggan 13	Alamat Asal 13	Alamat Tujuan 13	23	47	14.5	2024/11/30 00:00:00.000	2024/02/25 00:00:00.000	2024/1
15	81	Kurir 81	Motor	081234560081	81	Kurir 81	Motor	081234560081	14	Pelanggan 14	Alamat Asal 14	Alamat Tujuan 14	87	93	64.12	2024/01/27 00:00:00.000	2024/06/18 00:00:00.000	2024/1
16	35	Kurir 35	Mobil	081234560035	35	Kurir 35	Mobil	081234560035	15	Pelanggan 15	Alamat Asal 15	Alamat Tujuan 15	66	31	26.18	2024/06/02 00:00:00.000	2024/04/26 00:00:00.000	2024/1
17	27	Kurir 27	Truk	081234560027	27	Kurir 27	Truk	081234560027	16	Pelanggan 16	Alamat Asal 16	Alamat Tujuan 16	29	12	22.75	2024/01/22 00:00:00.000	2024/08/19 00:00:00.000	2024/1
18	34	Kurir 34	Motor	081234560034	34	Kurir 34	Motor	081234560034	17	Pelanggan 17	Alamat Asal 17	Alamat Tujuan 17	88	53	9.27	2024/09/03 00:00:00.000	2024/02/08 00:00:00.000	2024/1
19	26	Kurir 26	Mobil	081234560026	26	Kurir 26	Mobil	081234560026	18	Pelanggan 18	Alamat Asal 18	Alamat Tujuan 18	35	96	15.42	2024/04/17 00:00:00.000	2024/01/06 00:00:00.000	2024/1
20	18	Kurir 18	Motor	081234560018	18	Kurir 18	Motor	081234560018	19	Pelanggan 19	Alamat Asal 19	Alamat Tujuan 19	82	70	12.26	2024/04/30 00:00:00.000	2024/04/18 00:00:00.000	< null
21	71	Kurir 71	Truk	081234560071	71	Kurir 71	Truk	081234560071	20	Pelanggan 20	Alamat Asal 20	Alamat Tujuan 20	62	20	12.26	2024/07/03 00:00:00.000	2024/03/02 00:00:00.000	2024/1
22	87	Kurir 87	Mobil	081234560087	87	Kurir 87	Mobil	081234560087	21	Pelanggan 21	Alamat Asal 21	Alamat Tujuan 21	64	39	45.1	2024/09/12 00:00:00.000	2024/02/27 00:00:00.000	2024/1
23	51	Kurir 51	Truk	081234560051	51	Kurir 51	Truk	081234560051	22	Pelanggan 22	Alamat Asal 22	Alamat Tujuan 22	59	69	34.79	2024/02/22 00:00:00.000	2024/09/11 00:00:00.000	2024/1
24	20	Kurir 20	Motor	081234560020	20	Kurir 20	Motor	081234560020	23	Pelanggan 23	Alamat Asal 23	Alamat Tujuan 23	43	35	71.86	2024/01/07 00:00:00.000	2024/12/06 00:00:00.000	< null
25	17	Kurir 17	Mobil	081234560017	17	Kurir 17	Mobil	081234560017	24	Pelanggan 24	Alamat Asal 24	Alamat Tujuan 24	60	12	81.51	2024/11/09 00:00:00.000	2024/11/10 00:00:00.000	2024/1
26	74	Kurir 74	Mobil	081234560074	74	Kurir 74	Mobil	081234560074	25	Pelanggan 25	Alamat Asal 25	Alamat Tujuan 25	40	13	27.54	2024/06/08 00:00:00.000	2024/05/15 00:00:00.000	< null
27	45	Kurir 45	Mobil	081234560045	45	Kurir 45	Mobil	081234560045	26	Pelanggan 26	Alamat Asal 26	Alamat Tujuan 26	19	85	23.77	2024/04/09 00:00:00.000	2024/08/29 00:00:00.000	< null

SAFRIZAL RAHMAN CODE

```
SELECT *
FROM kurir k
LEFT JOIN kurir r ON k.ID = r.ID
INNER JOIN pengiriman p ON k.ID = p.KurirID
INNER JOIN pembayaran pb ON p.PembayaranID = pb.ID;
```


min

Server: localhost:3306 Database: safrizalquiz Table: faktapembayaran

Browse Structure SQL Search Insert Export Import Privileges Operations

Showing rows 0 - 24 (100 total, Query took 0.0003 seconds.)

SELECT * FROM `faktapembayaran`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

1 > >> Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	PembayaranID	WaktuID	KurirID	StatusPembayaranID	TipePembayaranID	Total
☐ Edit Copy Delete	1	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	2	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	3	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	4	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	5	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	6	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	7	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	8	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	9	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	10	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	11	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	12	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	13	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	14	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	15	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	16	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	17	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	18	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	19	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	20	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	21	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	22	NULL	NULL	NULL	NULL	NULL
☐ Edit Copy Delete	23	NULL	NULL	NULL	NULL	NULL

Console

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=safrizalquiz&table=faktapembayaran

Server: localhost:3306 Database: safrizalquiz Table: faktapembayaran

Showing rows 0 - 24 (100 total, Query took 0.0003 seconds)

SELECT * FROM `faktapembayaran`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

1 > >> Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	PembayaranID	WaktuID	KurirID	StatusPembayaranID	TipePembayaranID	Total
☐	201	NULL	NULL	NULL	NULL	642833.44
☐	202	NULL	NULL	NULL	NULL	33971.20
☐	203	NULL	NULL	NULL	NULL	414346.42
☐	204	NULL	NULL	NULL	NULL	272995.94
☐	205	NULL	NULL	NULL	NULL	187974.26
☐	206	NULL	NULL	NULL	NULL	414346.42
☐	207	NULL	NULL	NULL	NULL	959085.42
☐	208	NULL	NULL	NULL	NULL	389034.10
☐	209	NULL	NULL	NULL	NULL	140073.26
☐	210	NULL	NULL	NULL	NULL	726897.51
☐	211	NULL	NULL	NULL	NULL	131263.65
☐	212	NULL	NULL	NULL	NULL	155464.88
☐	213	NULL	NULL	NULL	NULL	619537.24
☐	214	NULL	NULL	NULL	NULL	495619.20
☐	215	NULL	NULL	NULL	NULL	766597.36
☐	216	NULL	NULL	NULL	NULL	130143.72
☐	217	NULL	NULL	NULL	NULL	766597.36
☐	218	NULL	NULL	NULL	NULL	366236.64
☐	219	NULL	NULL	NULL	NULL	575341.16
☐	220	NULL	NULL	NULL	NULL	130143.72
☐	221	NULL	NULL	NULL	NULL	798071.53
☐	222	NULL	NULL	NULL	NULL	621924.53
☐	223	NULL	NULL	NULL	NULL	366236.64

FAKTA PENGIRIMAN

UMIMEKURIR_SAFRIZAL UMIMEPEMBAYARAN_SAFRI UMIMEPENGIRAN_SAFRIZAL dimstatuspembayaran dimstatuspengiriman dimtipepembayaran_SAFRI faktapembayaran_SAFRI faktapengiriman_SAFRI

Table input → Select values → Database lookup → Database lookup 2 → Database lookup 3 → Filter rows → Table output

Execution Results

#	ID	streamPengiriman	streamTime	streamPasi	streamBerat	ID_1	PembayaranID	TanggalPengiriman	TanggalSampaiPerkiraan	TanggalSampaiAktual	Berat
1	0	2024/06/05 00:00:00.000	2024/07/25 00:00:00.000	2024/04/12 00:00:00.000	19.76	0	<null>	<null>	<null>	<null>	<null>
2	1	2024/01/08 00:00:00.000	2024/02/27 00:00:00.000	2024/06/11 00:00:00.000	65.09	1	<null>	<null>	<null>	<null>	<null>
3	2	2024/02/28 00:00:00.000	2024/10/13 00:00:00.000	2024/03/21 00:00:00.000	0.9	2	<null>	<null>	<null>	<null>	<null>
4	3	2024/12/22 00:00:00.000	2024/12/07 00:00:00.000	2024/01/18 00:00:00.000	65.44	3	<null>	<null>	<null>	<null>	<null>
5	4	2024/03/06 00:00:00.000	2024/12/29 00:00:00.000	<null>	30.24	4	<null>	<null>	<null>	<null>	<null>
6	5	2024/05/19 00:00:00.000	2024/10/16 00:00:00.000	<null>	37.8	5	<null>	<null>	<null>	<null>	<null>
7	6	2024/03/23 00:00:00.000	2024/12/19 00:00:00.000	2024/09/28 00:00:00.000	5.32	6	<null>	<null>	<null>	<null>	<null>
8	7	2024/06/04 00:00:00.000	2024/02/15 00:00:00.000	<null>	66.93	7	<null>	<null>	<null>	<null>	<null>
9	8	2024/10/25 00:00:00.000	2024/04/07 00:00:00.000	<null>	94.68	8	<null>	<null>	<null>	<null>	<null>
10	9	2024/07/05 00:00:00.000	2024/06/29 00:00:00.000	2024/07/08 00:00:00.000	36.12	9	<null>	<null>	<null>	<null>	<null>
11	10	2024/05/01 00:00:00.000	2024/05/26 00:00:00.000	<null>	76.19	10	<null>	<null>	<null>	<null>	<null>
12	11	2024/09/12 00:00:00.000	2024/05/28 00:00:00.000	<null>	3.63	11	<null>	<null>	<null>	<null>	<null>
13	12	2024/08/26 00:00:00.000	2024/09/01 00:00:00.000	2024/07/18 00:00:00.000	53.76	12	<null>	<null>	<null>	<null>	<null>

Activate Windows
Go to Settings to activate Windows.

View Design

Search

Transformations

- Run configurations
- Database connections
- Steps
- Hops
- Partition schemas
- Slave server
- Kettle cluster schemas
- VFS Connections

Table input → Select values → Database lookup → Database lookup 2 → Database lookup 3 → Filter rows → Table output

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

#	Stepname	Copypn	Read	Written	Input	Output	Updated	Rejected	Errors	Active	Time	Speed (r/s)	input/output
1	Table input	0	0	100	100	0	0	0	0	Finished	0.0s	33,333	-
2	Select values	0	100	100	0	0	0	0	0	Finished	0.0s	11,111	-
3	Database lookup	0	100	100	100	0	0	0	0	Finished	0.0s	3,030	-
4	Database lookup 2	0	100	100	0	0	0	0	0	Finished	0.1s	1,428	-
5	Database lookup 3	0	100	100	0	0	0	0	0	Finished	0.1s	1,190	-
6	Filter rows	0	50	0	0	0	0	0	0	Finished	0.1s	435	-
7	Table output	0	50	50	0	50	0	0	0	Finished	0.2s	320	-

Activate Windows
Go to Settings to activate Windows.

Spoon - faktapengiriman_SAFRIZALQUIZ_2

File Edit View Action Tools Help

View Design

Search

Transformations

- Run configurations
- Database connections
- Steps
- Hops
- Partition schemas
- Slave server
- Kettle cluster schemas
- VFS Connections

Table input → Select values → Database lookup → Database lookup 2 → Database lookup 3 → Filter rows → Table output

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

First rows Last rows Off

#	ID	streamPengiriman	streamTime	streamPasi	streamBerat	ID_1	PembayaranID	TanggalPengiriman	TanggalSempaiPerkiraan	TanggalSempaiAktual	Berat
1	0	2024/06/05 00:00:00.000	2024/07/25 00:00:00.000	2024/04/12 00:00:00.000	19.76	0	<null>	<null>	<null>	<null>	<null>
2	1	2024/01/08 00:00:00.000	2024/02/27 00:00:00.000	2024/06/11 00:00:00.000	65.09	1	<null>	<null>	<null>	<null>	<null>
3	2	2024/10/28 00:00:00.000	2024/10/13 00:00:00.000	2024/03/21 00:00:00.000	0.9	2	<null>	<null>	<null>	<null>	<null>
4	3	2024/12/22 00:00:00.000	2024/12/07 00:00:00.000	2024/01/18 00:00:00.000	65.44	3	<null>	<null>	<null>	<null>	<null>
5	4	2024/03/06 00:00:00.000	2024/12/29 00:00:00.000	<null>	30.24	4	<null>	<null>	<null>	<null>	<null>
6	5	2024/05/19 00:00:00.000	2024/10/16 00:00:00.000	<null>	37.8	5	<null>	<null>	<null>	<null>	<null>
7	6	2024/03/23 00:00:00.000	2024/12/19 00:00:00.000	2024/09/28 00:00:00.000	5.32	6	<null>	<null>	<null>	<null>	<null>
8	7	2024/06/04 00:00:00.000	2024/02/15 00:00:00.000	<null>	66.99	7	<null>	<null>	<null>	<null>	<null>
9	8	2024/10/25 00:00:00.000	2024/04/07 00:00:00.000	<null>	94.68	8	<null>	<null>	<null>	<null>	<null>
10	9	2024/07/05 00:00:00.000	2024/06/29 00:00:00.000	2024/07/08 00:00:00.000	36.12	9	<null>	<null>	<null>	<null>	<null>
11	10	2024/05/01 00:00:00.000	2024/05/26 00:00:00.000	<null>	76.19	10	<null>	<null>	<null>	<null>	<null>
12	11	2024/09/12 00:00:00.000	2024/05/28 00:00:00.000	<null>	3.63	11	<null>	<null>	<null>	<null>	<null>
13	12	2024/08/26 00:00:00.000	2024/09/01 00:00:00.000	2024/07/18 00:00:00.000	55.76	12	<null>	<null>	<null>	<null>	<null>

Activate Windows
Go to Settings to activate Windows.

<

ANALISA

Show query box									
Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.									
Showing rows 0 - 24 (100 total, Query took 0.0008 seconds)									
SELECT p.ID AS PengirimanID, p>NamaPelanggan, p.AlamatAsal, p.AlamatTujuan, k>Nama AS NamaKurir, k.TipeKendaraan, sp>Nama AS StatusPengiriman, pb.Total AS TotalPembayaran, tpb>Nama AS TipePembayaran, spb>Nama AS StatusPembayaran FROM pengiriman p JOIN kurir k ON p.KurirID = k.ID JOIN statuspengiriman sp ON p.StatusPengirimanID = sp.ID JOIN pembayaran pb ON p.PembayaranID = pb.ID JOIN tipepembayaran tpb ON pb.TipePembayaranID = tpb.ID;									
Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]									
1 > >> Show all Number of rows: 25 Filter rows: Search this table									
Extra options									
PengirimanID	NamaPelanggan	AlamatAsal	AlamatTujuan	NamaKurir	TipeKendaraan	StatusPengiriman	TotalPembayaran	TipePembayaran	StatusPembayaran
3	Pelanggan 3	Alamat Asal 3	Alamat Tujuan 3	Kurir 36	Mobil	Dalam Proses	272995.94	E-Wallet	Belum Lunas
7	Pelanggan 7	Alamat Asal 7	Alamat Tujuan 7	Kurir 3	Motor	Dalam Proses	389034.10	Kartu Kredit	Gagal
10	Pelanggan 10	Alamat Asal 10	Alamat Tujuan 10	Kurir 52	Truk	Dalam Proses	131263.65	E-Wallet	Gagal
11	Pelanggan 11	Alamat Asal 11	Alamat Tujuan 11	Kurir 68	Motor	Dalam Proses	155464.88	Transfer Bank	Gagal
14	Pelanggan 14	Alamat Asal 14	Alamat Tujuan 14	Kurir 81	Motor	Dalam Proses	766597.36	E-Wallet	Gagal
16	Pelanggan 16	Alamat Asal 16	Alamat Tujuan 16	Kurir 27	Truk	Dalam Proses	766597.36	E-Wallet	Gagal
18	Pelanggan 18	Alamat Asal 18	Alamat Tujuan 18	Kurir 26	Mobil	Dalam Proses	575341.16	Tunai	Belum Lunas
30	Pelanggan 30	Alamat Asal 30	Alamat Tujuan 30	Kurir 75	Motor	Dalam Proses	369591.29	Tunai	Lunas
31	Pelanggan 31	Alamat Asal 31	Alamat Tujuan 31	Kurir 8	Truk	Dalam Proses	238354.20	E-Wallet	Pending
34	Pelanggan 34	Alamat Asal 34	Alamat Tujuan 34	Kurir 76	Mobil	Dalam Proses	751107.33	Tunai	Belum Lunas
43	Pelanggan 43	Alamat Asal 43	Alamat Tujuan 43	Kurir 50	Mobil	Dalam Proses	864296.22	Kartu Kredit	Belum Lunas
46	Pelanggan 46	Alamat Asal 46	Alamat Tujuan 46	Kurir 85	Truk	Dalam Proses	267610.99	Transfer Bank	Lunas
52	Pelanggan 52	Alamat Asal 52	Alamat Tujuan 52	Kurir 30	Motor	Dalam Proses	726897.51	Kartu Kredit	Pending
55	Pelanggan 55	Alamat Asal 55	Alamat Tujuan 55	Kurir 63	Mobil	Dalam Proses	859240.84	Kartu Kredit	Gagal
58	Pelanggan 58	Alamat Asal 58	Alamat Tujuan 58	Kurir 80	Mobil	Dalam Proses	858807.91	Transfer Bank	Pending
63	Pelanggan 63	Alamat Asal 63	Alamat Tujuan 63	Kurir 52	Truk	Dalam Proses	714792.30	Transfer Bank	Lunas
64	Pelanggan 64	Alamat Asal 64	Alamat Tujuan 64	Kurir 70	Truk	Dalam Proses	743387.82	Tunai	Belum Lunas
66	Pelanggan 66	Alamat Asal 66	Alamat Tujuan 66	Kurir 63	Mobil	Dalam Proses	875078.15	E-Wallet	Pending
68	Pelanggan 68	Alamat Asal 68	Alamat Tujuan 68	Kurir 28	Truk	Dalam Proses	206291.66	Transfer Bank	Pending
74	Pelanggan 74	Alamat Asal 74	Alamat Tujuan 74	Kurir 81	Motor	Dalam Proses	368811.88	Transfer Bank	Belum Lunas
79	Pelanggan 79	Alamat Asal 79	Alamat Tujuan 79	Kurir 53	Truk	Dalam Proses	766597.36	E-Wallet	Gagal
84	Pelanggan 84	Alamat Asal 84	Alamat Tujuan 84	Kurir 88	Truk	Dalam Proses	727612.93	E-Wallet	Pending
86	Pelanggan 86	Alamat Asal 86	Alamat Tujuan 86	Kurir 15	Truk	Dalam Proses	109887.01	Tunai	Pending

SAFRIZAL RAHMAN CODE

```
SELECT
    p.ID AS PengirimanID,
    p>NamaPelanggan,
    p.AlamatAsal,
    p.AlamatTujuan,
    k>Nama AS NamaKurir,
    k.TipeKendaraan,
    sp>Nama AS StatusPengiriman,
    pb.Total AS TotalPembayaran,
    tpb>Nama AS TipePembayaran,
    spb>Nama AS StatusPembayaran
FROM
    pengiriman p
JOIN
    kurir k ON p.KurirID = k.ID
JOIN
    statuspengiriman sp ON p.StatusPengirimanID = sp.ID
JOIN
    pembayaran pb ON p.PembayaranID = pb.ID
JOIN
    tipepembayaran tpb ON pb.TipePembayaranID = tpb.ID
JOIN
    statuspembayaran spb ON pb.StatusPembayaranID = spb.ID;
```

Server: localhost:3306 > Database: safrizalquiz > Table: k

Browser Structure SQL Search Insert Export Import Privileges Operations Triggers

Show query box

⚠ Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

✓ Showing rows 0 - 24 (62 total, Query took 0.0009 seconds.)

```
SELECT k>Nama AS NamaKurir, COUNT(p.ID) AS JumlahPengiriman FROM pengiriman p JOIN kurir k ON p.KurirID = k.ID GROUP BY k>Nama ORDER BY JumlahPengiriman DESC;
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

1 > >> ☐ Show all Number of rows: 25 Filter rows: Search this table

Extra options

NamaKurir	JumlahPengiriman
Kurir 6	4
Kurir 89	3
Kurir 88	3
Kurir 53	3
Kurir 85	3
Kurir 63	3
Kurir 51	3
Kurir 81	3
Kurir 59	2
Kurir 78	2
Kurir 14	2
Kurir 16	2
Kurir 18	2
Kurir 19	2
Kurir 20	2
Kurir 60	2
Kurir 27	2
Kurir 52	2
Kurir 67	2
Kurir 32	2
Kurir 84	2
Kurir 35	2
Kurir 36	2
Kurir 50	2

SAFRIZAL RAHMAN CODE

```
SELECT
    k.Nama AS NamaKurir,
    COUNT(p.ID) AS JumlahPengiriman
FROM
    pengiriman p
JOIN
    kurir k ON p.KurirID = k.ID
GROUP BY
    k.Nama
ORDER BY
    JumlahPengiriman DESC;
```

Structure SQL Search Query Export Import Operations Privileges Routines Events Triggers Designer

Show query box

Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

Showing rows 0 - 24 (100 total. Query took 0.0015 seconds)

SELECT p.ID AS PengirimanID, p.NamaPelanggan, p.AlamatAsal, p.AlamatTujuan, k.Nama AS NamaKurir, k.TipeKendaraan, sp.Nama AS StatusPengiriman, pb.Total AS TotalPembayaran, tp.Nama AS TipePembayaran, sp.Nama AS StatusPembayaran, COUNT(p.ID) OVER (PARTITION BY k.ID) AS JumlahPengirimanPerKurir FROM pengiriman p JOIN kurir k ON p.KurirID = k.ID JOIN statuspengiriman sp ON p.StatusPengirimanID = sp.ID JOIN pembayaran pb ON p.PembayaranID = pb.ID JOIN tipepembayaran tp ON pb.TipePembayaranID = tp.ID JOIN statuspembayaran spb ON pb.StatusPembayaranID = spb.ID;

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

1 > >> Show all Number of rows: 25 Filter rows: Search this table

Extra options

PengirimanID	NamaPelanggan	AlamatAsal	AlamatTujuan	NamaKurir	TipeKendaraan	StatusPengiriman	TotalPembayaran	TipePembayaran	StatusPembayaran	JumlahPengirimanPerKurir
7	Pelanggan 7	Alamat Asal 7	Alamat Tujuan 7	Kurir 3	Motor	Dalam Proses	389034.10	Kartu Kredit	Gagal	2
51	Pelanggan 51	Alamat Asal 51	Alamat Tujuan 51	Kurir 3	Motor	Dikirim	583181.98	Tunai	Pending	2
60	Pelanggan 60	Alamat Asal 60	Alamat Tujuan 60	Kurir 4	Truk	Dikirim	564042.51	Transfer Bank	Gagal	1
4	Pelanggan 4	Alamat Asal 4	Alamat Tujuan 4	Kurir 6	Mobil	Sampai Tujuan	187974.26	Tunai	Gagal	4
59	Pelanggan 59	Alamat Asal 59	Alamat Tujuan 59	Kurir 6	Mobil	Sampai Tujuan	273475.23	Kartu Kredit	Pending	4
77	Pelanggan 77	Alamat Asal 77	Alamat Tujuan 77	Kurir 6	Mobil	Dibatalkan	583181.98	Tunai	Pending	4
72	Pelanggan 72	Alamat Asal 72	Alamat Tujuan 72	Kurir 6	Mobil	Sampai Tujuan	155464.88	Transfer Bank	Gagal	4
70	Pelanggan 70	Alamat Asal 70	Alamat Tujuan 70	Kurir 7	Motor	Dikirim	414346.42	Transfer Bank	Belum Lunas	1
31	Pelanggan 31	Alamat Asal 31	Alamat Tujuan 31	Kurir 8	Truk	Dalam Proses	238354.20	E-Wallet	Pending	1
83	Pelanggan 83	Alamat Asal 83	Alamat Tujuan 83	Kurir 10	Mobil	Dikirim	389034.10	Kartu Kredit	Gagal	1
54	Pelanggan 54	Alamat Asal 54	Alamat Tujuan 54	Kurir 14	Motor	Sampai Tujuan	370332.49	Transfer Bank	Lunas	2
1	Pelanggan 1	Alamat Asal 1	Alamat Tujuan 1	Kurir 14	Motor	Dikirim	33971.20	E-Wallet	Belum Lunas	2
86	Pelanggan 86	Alamat Asal 86	Alamat Tujuan 86	Kurir 15	Truk	Dalam Proses	109887.01	Tunai	Pending	1
47	Pelanggan 47	Alamat Asal 47	Alamat Tujuan 47	Kurir 16	Truk	Dibatalkan	353020.05	E-Wallet	Pending	2
99	Pelanggan 99	Alamat Asal 99	Alamat Tujuan 99	Kurir 16	Truk	Dibatalkan	743387.82	Tunai	Belum Lunas	2
24	Pelanggan 24	Alamat Asal 24	Alamat Tujuan 24	Kurir 17	Mobil	Sampai Tujuan	255213.75	Tunai	Belum Lunas	1
19	Pelanggan 19	Alamat Asal 19	Alamat Tujuan 19	Kurir 18	Motor	Sampai Tujuan	130143.72	E-Wallet	Lunas	2
40	Pelanggan 40	Alamat Asal 40	Alamat Tujuan 40	Kurir 18	Motor	Dibatalkan	727612.93	E-Wallet	Pending	2
85	Pelanggan 85	Alamat Asal 85	Alamat Tujuan 85	Kurir 19	Motor	Dibatalkan	273475.23	Kartu Kredit	Pending	2
75	Pelanggan 75	Alamat Asal 75	Alamat Tujuan 75	Kurir 19	Motor	Dibatalkan	541624.20	Transfer Bank	Gagal	2
97	Pelanggan 97	Alamat Asal 97	Alamat Tujuan 97	Kurir 20	Motor	Dikirim	671945.26	Transfer Bank	Belum Lunas	2
23	Pelanggan 23	Alamat Asal 23	Alamat Tujuan 23	Kurir 20	Motor	Dikirim	769718.90	Kartu Kredit	Pending	2

Activate Windows
Go to Settings to activate Windows.

```

SELECT
    p.ID AS PengirimanID,
    p>NamaPelanggan,
    p.AlamatAsal,
    p.AlamatTujuan,
    k>Nama AS NamaKurir,
    k.TipeKendaraan,
    sp>Nama AS StatusPengiriman,
    pb.Total AS TotalPembayaran,
    tpb>Nama AS TipePembayaran,
    spb>Nama AS StatusPembayaran,
    COUNT(p.ID) OVER (PARTITION BY k.ID) AS JumlahPengirimanPerKurir
FROM
    pengiriman p
JOIN
    kurir k ON p.KurirID = k.ID
JOIN
    statuspengiriman sp ON p.StatusPengirimanID = sp.ID
JOIN
    pembayaran pb ON p.PembayaranID = pb.ID
JOIN
    tipepembayaran tpb ON pb.TipePembayaranID = tpb.ID
JOIN
    statuspembayaran spb ON pb.StatusPembayaranID = spb.ID;

```

1. Menghitung Total Pengiriman per Provinsi

```

sql
Copy
SELECT
    dp>Nama AS Provinsi,
    COUNT(fp.ID) AS TotalPengiriman
FROM
    faktapengiriman fp
JOIN
    dimkecamatan dk ON fp.KecamatanAsalID = dk.KecamatanID
JOIN
    dimkota dkota ON dk.KotaID = dkota.KotaID
JOIN
    dimprovinsi dp ON dkota.ProvinsiID = dp.ProvinsiID
GROUP BY
    dp>Nama
ORDER BY
    TotalPengiriman DESC;

```


2. Menghitung Total Pembayaran per Tipe Pembayaran

```
sql
Copy
SELECT
    dtp.Nama AS TipePembayaran,
    SUM(fpb.Total) AS TotalPembayaran
FROM
    faktapembayaran fpb
JOIN
    dimtipepembayaran dtp ON fpb.TipePembayaranID = dtp.TipePembayaranID
GROUP BY
    dtp.Nama
ORDER BY
    TotalPembayaran DESC;
```

3. Menghitung Rata-rata Berat Pengiriman per Kota

```
sql
Copy
SELECT
    dkota.Nama AS Kota,
    AVG(fp.Berat) AS RataRataBerat
FROM
    faktapengiriman fp
JOIN
    dimkecamatan dk ON fp.KecamatanAsalID = dk.KecamatanID
JOIN
    dimkota dkota ON dk.KotaID = dkota.KotaID
GROUP BY
    dkota.Nama
ORDER BY
    RataRataBerat DESC;
```

4. Menghitung Total Pengiriman yang Gagal

```
sql
Copy
SELECT
    dsp.Nama AS StatusPengiriman,
    COUNT(fp.ID) AS TotalPengirimanGagal
FROM
    faktapengiriman fp
JOIN
```


dimstatuspengiriman dsp ON fp.StatusPengirimanID = dsp.StatusPengirimanID

WHERE

dsp>Nama = 'Dibatalkan'

GROUP BY

dsp>Nama;

5. Menghitung Total Pembayaran yang Belum Lunas

sql

Copy

SELECT

dsb>Nama AS StatusPembayaran,

SUM(fpb.Total) AS TotalPembayaranBelumLunas

FROM

faktapembayaran fpb

JOIN


dimstatuspembayaran dsb ON fpb.StatusPembayaranID = dsb.StatusPembayaranID

WHERE

dsb>Nama = 'Belum Lunas'

GROUP BY

dsb>Nama;



Server: localhost:3306 » Database: safrizalquiz » Table: tp

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Run SQL query/queries on database safrizalquiz:

```

1 SELECT
2   tp.Nama AS TipePembayaran,
3   SUM(fp.Total) AS TotalPembayaran
4 FROM
5   faktapembayaran fp
6 JOIN
7   dimtipepembayaran tp ON fp.TipePembayaranID = tp.TipePembayaranID
8 GROUP BY
9   tp.Nama
10 ORDER BY
11   TotalPembayaran DESC;

```

4

Clear Format Get auto-saved query

☐ Bind parameters

Delimiter : ☐ Show this query here again ☐ Retain query box ☐ Rollback when finished ☒ Enable foreign key checks Go

Hide query box

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0007 seconds.)

SELECT tp.Nama AS TipePembayaran, SUM(fp.Total) AS TotalPembayaran FROM faktapembayaran fp JOIN dimtipepembayaran tp ON fp.TipePembayaranID = tp.TipePembayaranID GROUP BY tp.Nama ORDER BY TotalPembayaran DESC;

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

TipePembayaran TotalPembayaran

Query results operations

Create view

Console

Server: localhost:3306 » Database: safrizalquiz » Table: dkota

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Run SQL query/queries on database safrizalquiz:

```

1 SELECT
2   dkota.Nama AS Kota,
3   AVG(fp.Berat) AS RataRataBerat
4 FROM
5   faktapengiriman fp
6 JOIN
7   dimkecamatan dk ON fp.KecamatanAsalID = dk.KecamatanID
8 JOIN
9   dimkota dkota ON dk.KotaID = dkota.KotaID
10 GROUP BY
11   dkota.Nama
12 ORDER BY
13   RataRataBerat DESC;

```

4

Clear Format Get auto-saved query

☐ Bind parameters

Delimiter : ☐ Show this query here again ☐ Retain query box ☐ Rollback when finished ☒ Enable foreign key checks Go

Hide query box

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0011 seconds.)

SELECT dkota.Nama AS Kota, AVG(fp.Berat) AS RataRataBerat FROM faktapengiriman fp JOIN dimkecamatan dk ON fp.KecamatanAsalID = dk.KecamatanID JOIN dimkota dkota ON dk.KotaID = dkota.KotaID GROUP BY dkota.Nama ORDER BY RataRataBerat DESC;

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Kota RataRataBerat

Query results operations

Create view

Activate Windows
Go to Settings to activate Windows

Run SQL query/queries on database safrizalquiz: [?](#)

```

1 SELECT
2   sp.Nama AS StatusPengiriman,
3   COUNT(fp.ID) AS TotalPengirimanGagal
4 FROM
5   faktapengiriman fp
6 JOIN
7   dimstatuspengiriman sp ON fp.StatusPengirimanID = sp.StatusPengirimanID
8 WHERE
9   sp.Nama = 'Dibatalkan'
10 GROUP BY
11   sp.Nama;

```

Clear Format Get auto-saved query

☐ Bind parameters [?](#)

Delimiter ; ☐ Show this query here again ☐ Retain query box ☐ Rollback when finished ☒ Enable foreign key checks Go

Hide query box

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0005 seconds.)

[SELECT](#) sp.Nama AS StatusPengiriman, [COUNT](#)(fp.ID) AS TotalPengirimanGagal FROM faktapengiriman fp JOIN dimstatuspengiriman sp ON fp.StatusPengirimanID = sp.StatusPengirimanID WHERE sp.Nama = 'Dibatalkan' GROUP BY sp.Nama

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

StatusPengiriman TotalPengirimanGagal

Query results operations

[Create view](#)

Activate Windows
Go to Settings to activate Windows.

Run SQL query/queries on database safrizalquiz: [?](#)

```

1 SELECT
2   dw>NamaBulan AS Bulan,
3   COUNT(fp.ID) AS TotalPengiriman
4 FROM
5   faktapengiriman fp
6 JOIN
7   dimwaktu dw ON fp.WaktuID = dw.WaktuID
8 GROUP BY
9   dw>NamaBulan
10 ORDER BY
11   TotalPengiriman DESC;

```

Clear Format Get auto-saved query

☐ Bind parameters [?](#)

Delimiter ; ☐ Show this query here again ☐ Retain query box ☐ Rollback when finished ☒ Enable foreign key checks Go

Hide query box

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0007 seconds.)

[SELECT](#) dw>NamaBulan AS Bulan, [COUNT](#)(fp.ID) AS TotalPengiriman FROM faktapengiriman fp JOIN dimwaktu dw ON fp.WaktuID = dw.WaktuID GROUP BY dw>NamaBulan ORDER BY TotalPengiriman DESC;

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

Bulan TotalPengiriman

Query results operations

[Create view](#)

Activate Windows
Go to Settings to activate Windows.

Server: localhost:3306 » Database: safrizalquiz » Table: dw

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Run SQL query/queries on database safrizalquiz:

```
1 SELECT
2     dw.Tahun,
3     SUM(fp.Total) AS TotalPembayaran
4 FROM
5     faktapembayaran fp
6 JOIN
7     dimwaktu dw ON fp.WaktuID = dw.WaktuID
8 GROUP BY
9     dw.Tahun
10 ORDER BY
11     dw.Tahun;
```

Clear Format Get auto-saved query

☐ Bind parameters

Delimiter : ☐ Show this query here again ☐ Retain query box ☐ Rollback when finished ☒ Enable foreign key checks Go

Hide query box

MySQL returned an empty result set (i.e. zero rows). (Query took 0.0007 seconds.)

```
SELECT dw.Tahun, SUM(fp.Total) AS TotalPembayaran FROM faktapembayaran fp JOIN dimwaktu dw ON fp.WaktuID = dw.WaktuID GROUP BY dw.Tahun ORDER BY dw.Tahun;
```

☐ Profiling [\[Edit inline \]](#) [\[Edit \]](#) [\[Explain SQL \]](#) [\[Create PHP code \]](#) [\[Refresh \]](#)

Tahun TotalPembayaran

Query results operations

Create view

Activate Windows
Go to Settings to activate Windows.