

PRACTICUM DATA WAREHOUSE

‘Jobsheet 3 – Database Analytical’




Name : Sabrina Rahmadini

Student ID : 2341760155


Class : SIB 2G

A) DIMENSI WAKTU


- 1) Buatlah sebuah database yang digunakan sebagai **OLAP** dengan nama **dw_LegendVehicle**.




- 2) Buatlah table untuk menyimpan data master waktu atau yang disebut dengan **tabel dimensi**. Beri nama table tersebut dengan nama **dimDate**.




- 3) Konfigurasi pada **Generate Rows** adalah merubah **limit** menjadi **1825** dimana memiliki arti bahwa data yang akan dibuat sebanyak 1825 data. 1825 merupakan jumlah hari dalam 5 tahun (365 hari x 5 tahun).
- 4) Membuat fields baru bernama **CurrentDate** dengan **type** data **Date** dan **format dd-MM-yyyy** serta **value** awal **01-01-2003**.





5) Hubungkan output dari **Generate Rows** menuju **Add Sequence**.

6) Konfigurasi pada **Add Sequences** adalah merubah **Name of value** menjadi **incrementDay** dengan **start value** bernilai **0** dan **increment by** bernilai **1**



7) Hubungkan output dari **add sequences** menuju **calculator**.

8) Konfigurasi pada calculator dengan membuat fields baru sebagai berikut:

streamDate merupakan kalkulasi dari **CurrentDate + incrementDay**

streamYear merupakan **Year** dari **streamDate**

streamMonth merupakan **Month** dari **streamDate**

streamDay merupakan **Day of month** dari **streamDate**

Calculator

Step name
Calculator

☒ Throw an error on non existing files

Fields:

#	New field	Calculation	Field A	Field B	Field C	Value type	Length	Precision	Remove	Conversion n
1	streamDate	Date A + B Days	CurrentDate	incremen...		None				
2	streamYear	Year of date A	streamDate			None				
3	streamMonth	Month of date A	streamDate			None				
4	streamDay	Day of month of date A	streamDate			None				

- 9) Hubungkan output dari **calculator** menuju **Select values**
- 10) Konfigurasi pada **select values** adalah dengan menekan tombol **Get fields to select** pada tab **Select & Alter**. Secara otomatis semua fields dari data input akan muncul.
- 11) Dikarenakan tidak semua fields digunakan, maka pada tab **Remove** diisikan fields **CurrentDate** dan **incrementDay** dikarenakan kedua fields tersebut tidak digunakan.

Select values

Step name Select values


Select & Alter Remove Meta-data

Fields to remove :

#	Fieldname
1	CurrentDate
2	incrementDay
3	

Get fields to remove

- 12) Hubungkan output select values menuju database lookup.
- 13) Sebelum melakukan konfigurasi pada **database lookup**, buatlah koneksi terlebih dahulu pada database melalui **File - New - Database Connection**. Gunakan **Connection type MySQL** dengan **host name** , **database name**, **port number**, **username** dan **password** sesuai konfigurasi MySQL pada device masing-masing. beri nama **connection name** tersebut dengan nama **conn_dw_destination**.



- 14) Konfigurasi pada **database lookup** adalah dengan memberikan **connection** dengan koneksi yang sudah dibuat pada step sebelumnya. dengan **schema** nama database yang digunakan dan **tabel dimdate** yang telah dibuat pada langkah pertama.
- 15) Field yang akan dicek untuk melihat kesamaan isi datanya agar tidak kembar adalah:
 - field **date** pada table **dimdate** dengan field **streamDate**
 - field **year** pada table **dimdate** dengan field **streamYear**
 - field **month** pada table **dimdate** dengan field **streamMonth**
 - field **day** pada table **dimdate** dengan field **streamDay**
- 16) Field yang akan di **retrive** adalah field yang ada pada table **dimDate** yaitu **date, year, month, dan day**.

Database lookup

Step name
Database lookup

Connection
conn_dw_destination
Edit...
New...
Wizard...

Lookup schema
dw_legendvehicle
Browse...

Lookup table
dimdate
Browse...

Enable cache?
☐

Cache size in rows (0=cache
0

Load all data from table
☐

The key(s) to look up the value(s):

#	Table field	Comparator	Field1	Field2
1	date	=	streamD...	
2	year	=	streamY...	
3	month	=	streamM...	
4	day	=	streamD...	

Values to return from the lookup table :

#	Field	New name	Default	Type
1	date			None
2	year			None
3	month			None
4	day			None

17) Hubungkan output dari **database lookup** dengan **filter rows**

18) Konfigurasi pada **filter rows** adalah dengan melakukan konfigurasi **output true data** pada **table output**. Pada bagian ini data yang tidak memiliki kesamaan pada tahapan sebelumnya akan dicek dimana jika **fields Stream** tidak memiliki kesamaan dengan **field dimDate**, maka **field dimDate** tersebut akan bernilai **null**. Pada pernyataan kondisi tuliskan (**date is null and year is null and month is null and day is null**)

Filter rows

Step name:

Send 'true' data to step:

Send 'false' data to step:

The condition:

To edit a subcondition, simply click on it
+

date IS NULL

AND

year IS NULL

AND

month IS NULL

AND

day IS NULL

19) Hubungkan output dari **filter rows** menuju **table output**.

20) Konfigurasi pada **table output** adalah memberikan koneksi pada **conn_dw_destination** dengan **schema dw_legendvehicle** dan table **dimdate**.

21) Aktifkan **specify database fields**.

22) Pada tab **Database fields**, mapping data input **streamDate**, **streamYear**, **streamMonth** dan **streamDay** dengan fields yang ada pada **dimDate**. Pada tahapan ini akan dilakukan insert data menuju tabel **dimDate**.

Table output

Step name:

Connection: Edit... New... Wizard...

Target schema: Browse...

Target table: Browse...

Commit size:

Truncate table: ☐

Ignore insert errors: ☐

Specify database fields: ☒


Main options **Database fields**

Fields to insert:

#	Table field	Stream field
1	date	date
2	year	year
3	month	month
4	day	day

Get fields

Enter field mapping



Server: localhost » Database: dw_legendvehicle

Structure SQL Search Query Export Import Operations Privileges Routines Events

Filters

Containing the word:

Table	Action	Rows	Type	Collation	Size	Overhead
☐ dimdate	☐ Browse ☐ Structure ☐ Search ☐ Insert ☐ Empty ☐ Drop	1,825	InnoDB	utf8mb4_0900_ai_ci	80.0 KiB	-
1 table	Sum	1,825	InnoDB	utf8mb4_0900_ai_ci	80.0 KiB	0 B

☐ Check all

Server: localhost » Database: dw_legendvehicle » Table: dimdate

Browse Structure SQL Search Insert Export

Showing rows 0 - 24 (1825 total, Query took 0.0006 seconds.)

SELECT * FROM `dimdate`

☐ Profiling [Edit inline] [Edit] [Explain]

1 > >> Number of rows: 25 Filter rows: Search this table

Extra options

	id_dimDate	Date	year	month	day
☐ Edit Copy Delete	1	2003-01-01	2003	1	1
☐ Edit Copy Delete	2	2003-01-02	2003	1	2
☐ Edit Copy Delete	3	2003-01-03	2003	1	3
☐ Edit Copy Delete	4	2003-01-04	2003	1	4
☐ Edit Copy Delete	5	2003-01-05	2003	1	5
☐ Edit Copy Delete	6	2003-01-06	2003	1	6
☐ Edit Copy Delete	7	2003-01-07	2003	1	7
☐ Edit Copy Delete	8	2003-01-08	2003	1	8
☐ Edit Copy Delete	9	2003-01-09	2003	1	9
☐ Edit Copy Delete	10	2003-01-10	2003	1	10
☐ Edit Copy Delete	11	2003-01-11	2003	1	11
☐ Edit Copy Delete	12	2003-01-12	2003	1	12
☐ Edit Copy Delete	13	2003-01-13	2003	1	13
☐ Edit Copy Delete	14	2003-01-14	2003	1	14
☐ Edit Copy Delete	15	2003-01-15	2003	1	15
☐ Edit Copy Delete	16	2003-01-16	2003	1	16
☐ Edit Copy Delete	17	2003-01-17	2003	1	17
☐ Edit Copy Delete	18	2003-01-18	2003	1	18

Buka preview tab pada execution result area di setiap proses object. amati input dan output data yang ada. bandingkan di setiap prosesnya. jelaskan perbedaan disetiap prosesnya.

Generate rows

Data input :

Generate rows

Step name: Generate rows

Limit: 1825

Never stop generating rows: ☐

Interval in ms (delay): 5000

Current row time field name: now


Previous row time field name: FiveSecondsAgo

Fields:

#	Name	Type	Format	Length	Precision	Currency	Decimal	Group	Value	Set empty str
1	CurrentDate	Date	dd-MM-y...						01-01-2003	N

Help OK Preview Cancel

Data output :



Execution Results

Execution History		
Step Metrics		
First row Last row Off		
#	CurrentDate	
1	01-01-2003	
2	01-01-2003	
3	01-01-2003	
4	01-01-2003	
5	01-01-2003	
6	01-01-2003	
7	01-01-2003	
8	01-01-2003	
9	01-01-2003	
10	01-01-2003	
11	01-01-2003	
12	01-01-2003	
13	01-01-2003	
14	01-01-2003	

Keterangan :

Pada data input generate rows itu digunakan untuk membuat data dummy, dimana isinya itu random yang dibuat oleh Pentaho nya.

Add sequence


Data input :

The 'Add sequence' dialog box is shown with the following fields and options:

- Step name: Add sequence
- Name of value: valuenam
- Use a database to generate the sequence:
 - Use DB to get sequence?: ☐
 - Connection: [Dropdown menu]
 - Schema name: [Text field]
 - Sequence name: SEQ_
- Use a transformation counter to generate the sequence:
 - Use counter to calculate sequence?: ☒
 - Counter name (optional): [Text field]
 - Start at value: 0
 - Increment by: 1
 - Maximum value: 999999999

Buttons: Help, OK, Cancel

Data output :



Execution Results

Execution History		Step Metrics	Performance
First row		Last row	Off
#	CurrentDate	incrementDay	
1	01-01-2003	0	
2	01-01-2003	1	
3	01-01-2003	2	
4	01-01-2003	3	
5	01-01-2003	4	
5	01-01-2003	5	
7	01-01-2003	6	
8	01-01-2003	7	
9	01-01-2003	8	
10	01-01-2003	9	
11	01-01-2003	10	
12	01-01-2003	11	
13	01-01-2003	12	
14	01-01-2003	13	

Keterangan :


Pada bagian add sequence ini secara umum digunakan untuk membuat urutan angka otomatis sedangkan berdasarkan case diatas digunakan untuk mengurutkan tanggal nya yang nanti akan dijumlahkan berdasarkan kolom increment day nya.

calculator

data input :

[illegible]

data output :



The screenshot shows the 'Execution Results' window in Pentaho Data Studio. It has tabs for 'Step Metrics', 'Performance Graph', 'Metrics', and 'Preview data'. The 'Preview data' tab is active, showing a table with 6 rows of data. The table has columns: 'streamDate', 'streamYear', 'streamMonth', and 'streamDay'. The data represents a sequence of dates from 2003/01/01 to 2003/01/06.


	streamDate	streamYear	streamMonth	streamDay
0	2003/01/01 00:00:00.000	2003	1	1
1	2003/01/02 00:00:00.000	2003	1	2
2	2003/01/03 00:00:00.000	2003	1	3
3	2003/01/04 00:00:00.000	2003	1	4
4	2003/01/05 00:00:00.000	2003	1	5
5	2003/01/06 00:00:00.000	2003	1	6

Keterangan :

Fungsi calculator di Pentaho sama dengan fungsi calculator pada umumnya yaitu untuk melakukan perhitungan matematis, namun disini case nya calculator digunakan untuk memisahkan dimana kolom tahun hanya menampilkan tahun lalu bulan hanya bulan dan day hanya tanggal pada hari tersebut jadi tidak dijadikan satu yang mencantumkan tahun, tanggal, bulan tetapi satu satu.

Select values

Data input :



The screenshot shows the 'Select values' dialog box. It has a 'Step name' field with the value 'Select values'. Below it are tabs for 'Select & Alter', 'Remove', and 'Meta-data'. The 'Select & Alter' tab is active, showing a table of fields. The table has columns: '#', 'Fieldname', 'Rename to', 'Length', and 'Precision'. The fields listed are 'CurrentDate', 'incrementDay', 'streamDate', 'streamYear', 'streamMonth', and 'streamDay'. There are buttons for 'Get fields to select' and 'Edit Mapping' on the right.

#	Fieldname	Rename to	Length	Precision
1	CurrentDate			
2	incrementDay			
3	streamDate			
4	streamYear			
5	streamMonth			
6	streamDay			
7				

Database lookup

Step name
Database lookup

Connection
conn_dw_destination

Edit...
New...
Wizard...

Lookup schema
dw_legendvehicle

Browse...

Lookup table
dimdate

Browse...

Enable cache?
☐

Cache size in rows (0=cache)
0

Load all data from table
☐


The key(s) to look up the value(s):

#	Table field	Comparator	Field1	Field2	
1	date	=	streamD...		
2	year	=	streamY...		
3	month	=	streamM...		
4	day	=	streamD...		

Values to return from the lookup table :

#	Field	New name	Default	Type	
1	date			None	
2	year			None	
3	month			None	
4	day			None	

Data output :



Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data								
First rows Last rows Off								
#	streamDate	streamYear	streamMonth	streamDay	date	year	month	day
1	2003/01/01 00:00:00.000	2003	1	1	<null>	<null>	<null>	<null>
2	2003/01/02 00:00:00.000	2003	1	2	<null>	<null>	<null>	<null>
3	2003/01/03 00:00:00.000	2003	1	3	<null>	<null>	<null>	<null>
4	2003/01/04 00:00:00.000	2003	1	4	<null>	<null>	<null>	<null>
5	2003/01/05 00:00:00.000	2003	1	5	<null>	<null>	<null>	<null>
6	2003/01/06 00:00:00.000	2003	1	6	<null>	<null>	<null>	<null>
7	2003/01/07 00:00:00.000	2003	1	7	<null>	<null>	<null>	<null>
8	2003/01/08 00:00:00.000	2003	1	8	<null>	<null>	<null>	<null>
9	2003/01/09 00:00:00.000	2003	1	9	<null>	<null>	<null>	<null>
10	2003/01/10 00:00:00.000	2003	1	10	<null>	<null>	<null>	<null>
11	2003/01/11 00:00:00.000	2003	1	11	<null>	<null>	<null>	<null>
12	2003/01/12 00:00:00.000	2003	1	12	<null>	<null>	<null>	<null>
13	2003/01/13 00:00:00.000	2003	1	13	<null>	<null>	<null>	<null>
14	2003/01/14 00:00:00.000	2003	1	14	<null>	<null>	<null>	<null>
15	2003/01/15 00:00:00.000	2003	1	15	<null>	<null>	<null>	<null>
16	2003/01/16 00:00:00.000	2003	1	16	<null>	<null>	<null>	<null>

Keterangan :

Pada database lookup ini digunakan untuk mmenyambungkan antara Pentaho ke database yang mau kita tuju, pada case ini saya menggunakan laragon sehingga pengaturannya seperti diatas.

Filter row

Data input :

Filter rows

Step name

Filter rows

Send 'true' data to step:

Table output

Send 'false' data to step:

The condition:

To edit a subcondition, simply click on it

+

date IS NULL

AND

year IS NULL

AND

month IS NULL

AND

day IS NULL

Data output :

Table output

Filter rows

Execution Results

Logging

Execution History

Step Metrics

Performance Graph

Metrics

Preview data

First row

Last row

Off

#	streamDate	streamYear	streamMonth	streamDay	date	year	month	day
1	2003/01/01 00:00:00.000	2003	1	1	<null>	<null>	<null>	<null>
2	2003/01/02 00:00:00.000	2003	1	2	<null>	<null>	<null>	<null>
3	2003/01/03 00:00:00.000	2003	1	3	<null>	<null>	<null>	<null>
4	2003/01/04 00:00:00.000	2003	1	4	<null>	<null>	<null>	<null>
5	2003/01/05 00:00:00.000	2003	1	5	<null>	<null>	<null>	<null>
6	2003/01/06 00:00:00.000	2003	1	6	<null>	<null>	<null>	<null>
7	2003/01/07 00:00:00.000	2003	1	7	<null>	<null>	<null>	<null>
8	2003/01/08 00:00:00.000	2003	1	8	<null>	<null>	<null>	<null>
9	2003/01/09 00:00:00.000	2003	1	9	<null>	<null>	<null>	<null>
10	2003/01/10 00:00:00.000	2003	1	10	<null>	<null>	<null>	<null>
11	2003/01/11 00:00:00.000	2003	1	11	<null>	<null>	<null>	<null>

keterangan

di filter row ini digunakan untuk menyaring data berdasarkan kondisi tersebut. Dan pada case diatas data disaring apabila ada nilai null data masih bisa ditampilkan.

Table output

Data input :

Step name: Table output

Connection: conn_dw_destination

Target schema: dw_legendvehicle

Target table: dimdate

Commit size: 1000

Truncate table: ☐

Ignore insert errors: ☐

Specify database fields: ☒

Main options | Database fields


Fields to insert:

#	Table field	Stream field
1	date	date
2	year	year
3	month	month
4	day	day

Get fields

Enter field mapping

Data output :



Execution Results

Logging | Execution History | Step Metrics | Performance Graph | Metrics | Preview data

First row | Last row | Off


#	streamDate	streamYear	streamMonth	streamDay	date	year	month	day
1	2003/01/01 00:00:00.000	2003	1	1	<null>	<null>	<null>	<null>
2	2003/01/02 00:00:00.000	2003	1	2	<null>	<null>	<null>	<null>
3	2003/01/03 00:00:00.000	2003	1	3	<null>	<null>	<null>	<null>
4	2003/01/04 00:00:00.000	2003	1	4	<null>	<null>	<null>	<null>
5	2003/01/05 00:00:00.000	2003	1	5	<null>	<null>	<null>	<null>
6	2003/01/06 00:00:00.000	2003	1	6	<null>	<null>	<null>	<null>
7	2003/01/07 00:00:00.000	2003	1	7	<null>	<null>	<null>	<null>
8	2003/01/08 00:00:00.000	2003	1	8	<null>	<null>	<null>	<null>
9	2003/01/09 00:00:00.000	2003	1	9	<null>	<null>	<null>	<null>
10	2003/01/10 00:00:00.000	2003	1	10	<null>	<null>	<null>	<null>
11	2003/01/11 00:00:00.000	2003	1	11	<null>	<null>	<null>	<null>

Keterangan


Pada table output ini menentukan apakah data yang sudah diatur apakah sudah masuk ke dalam database. Apabila ada yang error

EMPLOYEE DIMENSION


- Pertama, buatlah tabel baru dengan nama dimEmployees di database dw_LegendVehicle



- Check apakah sudah sesuai menggunakan select*from




- Lalu selanjutnya drag and drop object di pentaho yaitu table input, select values, database lookup, filter rows, table output




- Selanjutnya kita konfigurasi table input sesuai gambar di bawah

Table input

- Data input :
 - langkah pertama kita atur databasenya dengan nama '**conn_oltp_resources**' pilih connection type nya mysql dan di **bagian settings hostname nya kita beri nama localhost database nya classicmodels**, terakhir kita atur username password untuk login ke database.



- selanjutnya di sql kita tuliskan query
***'select * from employees e
left join employees r
ON e.reportsTo=r.employeeNumber;'***
query tersebut digunakan untuk menghubungkan antara karyawan dengan atasan nya.



- Data output :



Execution Results

id	lastName	firstName	extension	email	officeCode	reportsTo	jobTitle	employeeNumber_1	lastName_1	firstName_1
2	Murphy	Diane	x5800	dmurphy@classicmodelcars.com	1	<null>	President	<null>	<null>	<null>
5	Patterson	Mary	x4611	mpatterson@classicmodelcars.com	1	1002	VP Sales	1002	Murphy	Diane
5	Firrelli	Jeff	x9273	jfirrelli@classicmodelcars.com	1	1002	VP Marketing	1002	Murphy	Diane
9	Patterson	William	x4871	wpatterson@classicmodelcars.com	6	1056	Sales Manager (APAC)	1056	Patterson	Mary
3	Bondur	Gerard	x5408	gbondur@classicmodelcars.com	4	1056	Sale Manager (EMEA)	1056	Patterson	Mary
3	Bow	Anthony	x5428	abow@classicmodelcars.com	1	1056	Sales Manager (NA)	1056	Patterson	Mary

Keterangan :

Pada tabel input ini digunakan untuk mengambil isi data dari database classicmodels serta terdapat query yang berguna untuk menghubungkan antara karyawan dengan atasan.

Select values

- Data input
pada object select values di **bagian select & alter** ini digunakan untuk menampilkan kolom **kolom yang akan ditampilkan di database**, jangan lupa untuk menghubungkan antara table input ke select values agar nama fields nya langsung tersedia. Dan di **bagian remove** itu untuk **menghapus field apa saja yang tidak ingin dicantumkan ke dalam database**

Select values

Step name: Select values

Select & Alter Remove Meta-data

#	Fieldname	Rename to	Length	Precision
1	id_dimEmployees			
2	employeeNumber	StreamEmployeeNumber		
3	firstName	StreamFirstname		
4	lastName	StreamLastname		
5	extension			
6	email			
7	officeCode			
8	reportsTo			
9	jobTitle	StreamJobtitle		
10	boss_firstname			
11	boss_lastname			
12	updated			
13	id_dimEmployees_1			
14	employeeNumber_1			
15	firstName_1	StreamFirstnameBoss		
16	lastName_1	StreamLastnameBoss		
17	extension_1			

Include unspecified fields, ordered by name ☐

OK Cancel

Select values

Step name: Select values

Select & Alter Remove Meta-data

Fields to remove :

#	Fieldname
1	updated
2	reportsTo_1
3	reportsTo
4	officeCode_1
5	officeCode
6	jobTitle_1
7	id_dimEmployees_1
8	extension_1
9	extension
10	employeeNumber_1
11	email_1
12	email
13	boss_lastname_1
14	boss_lastname
15	boss_firstname_1
16	boss_firstname

Data output :

- Dari hasil preview data di bawah bisa dilihat perbedaan antara table input dengan select values dimana pada table input msh terdapat kolom email, officeCode, dll tetapi pada object select values sudah lebih rapi dan tidak ada kolom kolom yang tidak perlu.



Execution Results


Logging Execution History Step Metrics Performance Graph Metrics Preview data

First row Last row Off

#	StreamEmployeeenumber	StreamLastname	StreamFirstname	StreamJobtitle	StreamLastnameBoss	StreamFirstnameBoss
1	1002	Murphy	Diane	President	<null>	<null>
2	1056	Patterson	Mary	VP Sales	Murphy	Diane
3	1076	Firrelli	Jeff	VP Marketing	Murphy	Diane
4	1088	Patterson	William	Sales Manager (APAC)	Patterson	Mary
5	1102	Bondur	Gerard	Sale Manager (EMEA)	Patterson	Mary
6	1143	Bow	Anthony	Sales Manager (NA)	Patterson	Mary
7	1165	Jennings	Leslie	Sales Rep	Bow	Anthony
8	1166	Thompson	Leslie	Sales Rep	Bow	Anthony

Database lookup

- Data input :
Pada database lookup ini kita menggunakan connection database baru yaitu **'conn_dw_destination'** pengaturannya sama dengan pengaturan database awal yang berbeda dari yang awal hanya nama database nya saja yaitu menggunakan **'dw_LegendVehicle'**



Database Connection

General
Advanced
Options
Pooling
Clustering

Connection name:
conn_dw_destination

Connection type:
MySQL
Native Mondrian
Neoview
Netezza
Oracle
Oracle RDB
Palo MOLAP Server
PostgreSQL
Redshift
Remedy Action Request System
SAP ERP System
SQLite
Snowflake
Sybase

Access:
Native (JDBC)
ODBC
JNDI

Settings
Host Name:
localhost
Database Name:
dw_LegendVehicle
Port Number:
3306
Username:
admin
Password:
.....
☒ Use Result Streaming Cursor

- Setelah selesai lokup schema nya kita ganti sesuai nama database kita yaitu dw_LegendVehicle dan di lookup table itu kita tulis nama table nya yang ingin digunakan. Lalu di bagian the keys to lookup the values itu digunakan untuk mengisi data kosong yang ada di table dimEmployees

yang asal datanya dari db classicmodels. Lalu di bagian values to return from the lookup table itu untuk menentukan tipe datanya.

Database lookup

Step name

Database lookup

Connection

conn_dw_destination

Edit...

New...

Wizard...

Lookup schema

dw_LegendVehicle

Browse...

Lookup table

dimEmployees

Browse...

Enable cache?

☐

Cache size in rows (0=cache)

0

Load all data from table

☐

The key(s) to look up the value(s):

#	Table field	Comparator	Field1	Field2
1	employeeNumber	=	StreamEmployeeNumber	
2	firstName	=	StreamFirstname	
3	lastName	=	StreamLastname	
4	jobTitle	=	StreamJobtitle	
5	boss_firstname	=	StreamFirstnameBoss	
6	boss_lastname	=	StreamLastnameBoss	
7				

Values to return from the lookup table :

#	Field	New name	Default	Type
1	employeeNumber	employeeNumber		Integer
2	firstName	firstName		String
3	lastName	lastName		String
4	jobTitle	jobTitle		String
5	boss_firstname	boss_firstname		String
6	boss_lastname	boss_lastname		String

• Data output :

Table input

Select values

Database lookup

Filter rows

Table output

Execution Results

Logging

Execution History

Step Metrics

Performance Graph


Metrics

Preview data

employeeNumber	StreamLastname	StreamFirstname	StreamJobtitle	StreamLastnameBoss	StreamFirstnameBoss	employeeNumber	firstName	lastName	boss_firstname
1002	Murphy	Diane	President	<null>	<null>	<null>	<null>	<null>	<null>
1056	Patterson	Mary	VP Sales	Murphy	Diane	1056	Mary	Patterson	Diane
1076	Firrelli	Jeff	VP Marketing	Murphy	Diane	1076	Jeff	Firrelli	Diane
1088	Patterson	William	Sales Manager (APAC)	Patterson	Mary	1088	William	Patterson	Mary
1102	Bondur	Gerard	Sale Manager (EMEA)	Patterson	Mary	1102	Gerard	Bondur	Mary
1143	Bow	Anthony	Sales Manager (NA)	Patterson	Mary	1143	Anthony	Bow	Mary
1165	Jennings	Leslie	Sales Rep	Bow	Anthony	1165	Leslie	Jennings	Anthony
1166	Thompson	Leslie	Sales Rep	Bow	Anthony	1166	Leslie	Thompson	Anthony
1188	Firrelli	Julie	Sales Rep	Bow	Anthony	1188	Julie	Firrelli	Anthony
1216	Patterson	Steve	Sales Rep	Bow	Anthony	1216	Steve	Patterson	Anthony
1286	Tseng	Foon Yue	Sales Rep	Bow	Anthony	1286	Foon Yue	Tseng	Anthony
1323	Vanauf	George	Sales Rep	Bow	Anthony	1323	George	Vanauf	Anthony
1337	Bondur	Loui	Sales Rep	Bondur	Gerard	1337	Loui	Bondur	Gerard

Filter row

- Data input :
pada bagian filter row di bawah ini berguna apabila kolom kolom di bawah ini bernilai null maka akan dilanjutkan ke step table output.



- Data output :

#	StreamEmployeeenumber	StreamLastname	StreamFirstname	StreamJobtitle	StreamLastnameBoss	StreamFirstnameBoss	employeeNumber	firstName	lastName	boss_fi
1	1002	Murphy	Diane	President	<null>	<null>	<null>	<null>	<null>	<null>

Table output

- Data input :
Pada table output ini benar benar menentukan isi data yang akan ditampilkan di database phpMyAdmin nya sehingga kalo error maka isi datanya akan sama dengan null.

Table output

Step name: Table output

Connection: conn_dw_destination

Target schema: dw_LegendVehicle

Target table: dimEmployees

Commit size: 1000

Truncate table: ☐

Ignore insert errors: ☐

Specify database fields: ☒

Main options Database fields

Fields to insert:

#	Table field	Stream field
1	id_dimEmployees	id_dimEmployees
2	employeeNumber	StreamEmployeeenumber
3	firstName	StreamFirstname
4	lastName	StreamLastname
5	jobTitle	StreamJobtitle
6	boss_firstname	StreamFirstnameBoss
7	boss_lastname	StreamLastnameBoss

- Data output :

Table input → Select values → Database lookup → Filter rows → Table output

Execution Results

Logging Execution History Step Metrics Performance Graph Metrics Preview data

#	StreamEmployeeenumber	StreamLastname	StreamFirstname	StreamJobtitle	StreamLastnameBoss	StreamFirstnameBoss	employeeNumber	firstName	lastName	boss_f
1	1002	Murphy	Diane	President	<null>	<null>	<null>	<null>	<null>	<null>

Di bawah ini hasil running nya

localhost/phpmyadmin/index.php?route=/sql&db=dw_legendvehicle&table=dimemployees2&pos=0

Import favorites Berminat Kuliah di J... Example Collection... Kumpulan Film Ani... TEMPLATE PPT Login Presensi Samsung I...

Server: localhost Database: dw_legendvehicle Table: dimemployees2

Showing rows 0 - 22 (23 total, Query took 0.0008 seconds.)

SELECT * FROM `dimemployees2`

Number of rows: 25 Filter rows: Search this table Sort by key: None

	id_dimEmployees	employeeNumber	firstName	lastName	jobTitle	boss_firstname	boss_lastname	updated
☐ Edit Copy Delete	1	1002	Diane	Murphy	President	NULL	NULL	2025-03-25 15:14:42
☐ Edit Copy Delete	2	1056	Mary	Patterson	VP Sales	Diane	Murphy	2025-03-25 15:14:42
☐ Edit Copy Delete	3	1076	Jeff	Firrelli	VP Marketing	Diane	Murphy	2025-03-25 15:14:42
☐ Edit Copy Delete	4	1088	William	Patterson	Sales Manager (APAC)	Mary	Patterson	2025-03-25 15:14:42
☐ Edit Copy Delete	5	1102	Gerard	Bondur	Sale Manager (EMEA)	Mary	Patterson	2025-03-25 15:14:42
☐ Edit Copy Delete	6	1143	Anthony	Bow	Sales Manager (NA)	Mary	Patterson	2025-03-25 15:14:42
☐ Edit Copy Delete	7	1165	Leslie	Jennings	Sales Rep	Anthony	Bow	2025-03-25 15:14:42
☐ Edit Copy Delete	8	1166	Leslie	Thompson	Sales Rep	Anthony	Bow	2025-03-25 15:14:42
☐ Edit Copy Delete	9	1188	Julie	Firrelli	Sales Rep	Anthony	Bow	2025-03-25 15:14:42
☐ Edit Copy Delete	10	1216	Steve	Patterson	Sales Rep	Anthony	Bow	2025-03-25 15:14:42

