

Azure Private Endpoint Lab

Locking down Blob Storage with Private Link + Private DNS

- Build a VNet, VM, storage account and private endpoint
- Prove DNS flips from a public IP to a private one
- Disable public access and test from inside vs. outside the VNet
- Use a SAS token to show a token alone is not enough

Swipe through the 18 steps >

Create the virtual network

vnet-private-endpoint-lab (10.50.0.0/16) with one client subnet.

The screenshot displays the Microsoft Azure portal interface for configuring a virtual network. The left sidebar shows the navigation menu with categories like Overview, Virtual network, NAT gateways, Public IP addresses, Network interfaces, Network security groups, Application security groups, Bastions, Route tables, Route servers, Private Link, DNS, Related services, Monitoring and management, and Help. The main content area is titled 'vnet-private-endpoint-lab' and shows the 'Overview' tab. The 'Essentials' section displays key properties: Resource group (rg-hybrid-network-lab), Location (East US), Subscription (Azure subscription 1), and Subscription ID (redacted). The 'Capabilities' section shows five features: DDoS protection, Azure Firewall, Peerings, Microsoft Defender for Cloud, and Private endpoints, all of which are currently 'Not configured'. The bottom of the page includes a footer with a note about removing favorites by pressing Ctrl+Shift+F.

Microsoft Azure Upgrade

Search resources, services, and docs (G+)

Copilot

ie > Network foundation | Virtual networks

Network foundation | Virtual networks << >>

Default Directory

Search

+ Create Manage view ...

Overview

Virtual network

Virtual Network overview

Virtual networks

NAT gateways

Public IP addresses

Network interfaces

Network security groups

Application security groups

Bastions

Route tables

Route servers

Private Link

DNS

Related services

Monitoring and management

Help

Showing 1 - 1 of 1. Display auto count:

remove favorites by pressing Ctrl+Shift+F

vnet-private-endpoint-lab Virtual network

Search

Move Delete Refresh Give feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Address space

Connected devices

Subnets

Bastion

DDoS protection

Firewall

Microsoft Defender for Cloud

Network manager

DNS

Peerings

Service endpoints

Private endpoints

Properties

Locks

Monitoring

Automation

Help

Essentials

Resource group (...): rg-hybrid-network-lab

Location (move): East US

Subscription (move): Azure subscription 1

Subscription ID: redacted

Address space: 10.50.0.0/16

Advertised gateway ...: -

Subnets: 1 subnet

DNS servers: Azure provided DNS service

BGP community stri...: Configure

Virtual network ID: 61be9d60-a3a4-4c69-b583-24f730cf447f

Tags (edit): Add tags

Topology Properties Capabilities Recommendations Tutorials

DDoS protection

Configure additional protection from distributed denial of service attacks.

Not configured

Azure Firewall

Protect your network with a stateful L3-L7 firewall.

Not configured

Peerings

Seamlessly connect two or more virtual networks.

Not configured

Microsoft Defender for Cloud

Strengthen the security posture of your environment.

Private endpoints

Privately access Azure services without sending traffic across internet.

Not configured

Add or remove favorites by pressing Ctrl+Shift+F

Create the storage account

stprivatelab2026 - public network access left on temporarily for setup.

The screenshot displays the Azure portal interface for a storage account named **stprivatelab2026**. The left sidebar shows the navigation menu with **Blob Storage** selected. The main content area is divided into several sections:

- Overview**: Contains links to Activity log, Tags, Diagnose and solve problems, Access Control (IAM), Data migration, Events, Storage browser, Storage Mover, Partner solutions, Resource visualizer, and a list of categories (Data storage, Security + networking, Data management, Settings, Monitoring, Automation, Help).
- Essentials**: Displays key account details:
 - Resource group (...): [rg-hybrid-network-lab](#)
 - Location: eastus
 - Subscription (move): [Azure subscription 1](#)
 - Subscription ID: redacted
 - Disk state: Available
 - Tags (edit): [Add tags](#)
- Properties**: A tabbed interface showing various settings:
 - Blob service**:
 - Hierarchical namespace: Disabled
 - Default access tier: Hot
 - Blob anonymous access: Disabled
 - Blob soft delete: Enabled (7 days)
 - Container soft delete: Enabled (7 days)
 - Versioning: Disabled
 - Change feed: Disabled
 - NFS v3: Disabled
 - Allow cross-tenant replication: Disabled
 - Storage tasks assignments: None
 - File service**:
 - Identity-based access: Not configured
 - Default share-level permissions: Disabled
 - Soft delete: Enabled (7 days)
 - Security**:
 - Require secure transfer for REST API operations: Enabled
 - Storage account key access: Enabled
 - Minimum TLS version: Version 1.2
 - Infrastructure encryption: Disabled
 - Networking**:
 - Public network access: Enabled
 - Public network access scope: Enable from all networks
 - Private endpoint connections: 0
 - Network routing: Microsoft network routing
 - Endpoint type: Standard

Deploy a test VM inside the VNet

vm-private-test (Ubuntu 24.04) in snet-client, used as the 'inside' client.

The screenshot displays the Microsoft Azure portal interface. The main content area shows the details for a virtual machine named 'vm-private-test'. The left sidebar contains navigation links for 'Overview', 'Activity log', 'Access control (IAM)', 'Tags', 'Diagnose and solve problems', 'Monitor', 'Resource visualizer', 'Connect', 'Networking', 'Settings', 'Disks', 'Extensions + applications', 'Operating system', 'Configuration', 'Advisor recommendations', 'Properties', 'Locks', 'Availability + scale', 'Security', 'Backup + disaster recovery', 'Operations', and 'Monitoring'. The 'Networking' section is expanded, showing 'Network settings', 'Load balancing', 'Application security groups', and 'Network manager'. The 'Settings' section is also expanded, showing 'Disks', 'Extensions + applications', 'Operating system', 'Configuration', 'Advisor recommendations', 'Properties', 'Locks', 'Availability + scale', 'Security', 'Backup + disaster recovery', 'Operations', and 'Monitoring'. The 'Properties' section is selected, showing details for the virtual machine, including its name, operating system, VM generation, VM architecture, agent status, agent version, hibernation, host group, host, proximity placement group, colocation status, capacity reservation group, disk controller type, and Azure Spot settings. The 'Networking' section shows the public IP address, private IP address, and virtual network/subnet. The 'Size' section shows the VM size, vCPUs, RAM, and threads per core. The 'Source image details' section shows the source image publisher, source image offer, and source image plan.

vm-private-test Virtual machine

Help me copy this VM in any region | Manage this VM with Azure CLI

Connect | Start | Restart | Stop | Hibernate | Capture | Delete | Refresh | Scale | Open in mobile | Feedback

Essentials

Resource group (move) : [rg-hybrid-network-lab](#) | Operating system : Linux (ubuntu 24.04)

Status : Running | Size : Standard D2als v7 (2 vcpus, 4 GiB memory)

Location : East US | Primary NIC public IP : [redacted] | [1 associated public IPs](#)

Subscription (move) : [Azure subscription 1](#) | Virtual network/subnet : [vnet-private-endpoint-lab/snet-client](#)

Subscription ID : [redacted] | DNS name : [Not configured](#)

Health state : - | Time created : 10/4/2026, 9:02 PM UTC

Tags (edit) : [Add tags](#)

Properties | Monitoring | Capabilities (7) | Recommendations | Tutorials

Virtual machine

Computer name : vm-private-test

Operating system : Linux (ubuntu 24.04)

VM generation : V2

VM architecture : x64

Agent status : Ready

Agent version : 2.16.0.2

Hibernation : Disabled

Host group : -

Host : -

Proximity placement group : -

Colocation status : N/A

Capacity reservation group : -

Disk controller type : NVMe

Azure Spot

Azure Spot : -

Azure Spot eviction : -

Networking

Public IP address : [redacted] | Network interface : [vm-private-test827](#) | [1 associated public IPs](#)

Public IP address (IPv6) : -

Private IP address : 10.50.1.4

Private IP address (IPv6) : -

Virtual network/subnet : [vnet-private-endpoint-lab/snet-client](#)

DNS name : [Configure](#)

Size

Size : Standard D2als v7

vCPUs : 2

RAM : 4 GiB

Threads per core : 2

Source image details

Source image publisher : canonical

Source image offer : ubuntu-24_04-lts

Source image plan : ubuntu-pro

Showing 1 - 1 of 1. Display count: auto

58°F Cloudy

Search

5 10/

Before: DNS resolves to a public IP

nslookup from the VM returns the storage account's public address.

```
No VM guests are running outdated hypervisor (qemu) binaries on this host.
azureuser@vm-private-test:~$ nslookup stprivatelab2026.blob.core.windows.net
Server:      127.0.0.53
Address:     127.0.0.53#53

Non-authoritative answer:
stprivatelab2026.blob.core.windows.net  canonical name = blob.iad02prdstr22a.store.core.windows.net.
Name:   blob.iad02prdstr22a.store.core.windows.net
Address: 57.150.26.33

azureuser@vm-private-test:~$ |
```

Create the private endpoint

pe-storage-blob targets the blob sub-resource, with private DNS integration on.

Home > Storage center | Blob Storage > stprivatelab2026 | Networking

Create a private endpoint

Validation passed

✓ Basics

✓ Resource

✓ Virtual Network

✓ DNS

✓ Tags

6 Review + create

Basics

Subscription

Azure subscription 1

Resource group

rg-hybrid-network-lab

Region

East US

Name

pe-storage-blob

Network Interface Name

pe-storage-blob-nic

Resource

Subscription ID

redacted Azure subscription 1)

Link type

Microsoft.Storage/storageAccounts

Resource group

rg-hybrid-network-lab

Resource

stprivatelab2026

Target sub-resource

blob

Virtual Network

Virtual network resource group

rg-hybrid-network-lab

Virtual network

vnet-private-endpoint-lab

Subnet

snet-client (10.50.1.0/24)

Network Policies

Disabled

Application security groups

None

DNS

Integrate with private DNS zone?

Yes

Statically allocate Private IP

No

Private DNS zone resource group

rg-hybrid-network-lab

Private DNS zone

privatelink.blob.core.windows.net

Tags

Create

< Previous

Next >

Download a template for automation

Deployment creates the DNS pieces

Private endpoint, private DNS zone, VNet link and DNS zone group.

PrivateEndpoint-20261004171721 | Overview

×

«

 Delete

 Cancel

 Redeploy

 Download

 Refresh

Deployment is in progress



Deployment name : Microsoft.PrivateEndpoint-20261004171721

Subscription : [Azure subscription 1](#)

Resource group : [rg-hybrid-network-lab](#)

Start time : 10/4/2026, 5:24:50 PM

redacted

▼ Deployment details

Resource	Type	Status	Operation details
 DnsZoneGroup-20261004172623	 Deployment	OK	Operation details
 VirtualNetworkLink-20261004172623	 Deployment	Created	Operation details
 PrivateDns-20261004172623	 Deployment	OK	Operation details
 pe-storage-blob	 Private endpoint	OK	Operation details

STEP 7 / 18

Private DNS zone linked to the VNet

privatelink.blob.core.windows.net is linked to vnet-private-endpoint-lab (Completed).

Private DNS zone

privatelink.blob.core.windows.net | virtual network links

Search

+ Add

Refresh

Delete

Give feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

DNS Management

Recordsets

Virtual Network Links

Monitoring

Automation

Help

Search virtual network links

Fetches 1 virtual Network link(s).

0 Virtual Network links selected

Link Name	Link Status	Virtual Network	Auto-Registratio	Fallback to Interr
m3lekbfpngob2	Completed	vnet-private-endpoint-lab	Disabled	Disabled

wing 1 - 1 of 1. Display auto

STEP 8 / 18

DNS A record points to the private endpoint

stprivatelab2026 resolves to 10.50.1.5 inside the zone.

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Copilot

1

account redacted

Network foundation | Private DNS zones > privatelink.blob.core.windows.net

network foundation | Private DNS zo...<<

view

CreateManage view

Name ↑

privatelink.blob.core.windows.net

NS overview

NS private resolvers

Public DNS zones

Private DNS zones

Affix managers

NS security policies

D services

oring and management

Privatelink.blob.core.windows.net | Recordsets

Private DNS zone

Search

AddRefreshDeleteGive feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

DNS Management

Recordsets

Virtual Network Links

Monitoring

Automation

Help

A record set is a collection of records in a zone that have the same name and are the same type. Record Sets will be automatically fetched in batches of 100 as you scroll through the existing record sets. Learn more

Search

Fetches 2 record set(s).

0 record sets selected

Name	Type	TTL	Value	Auto registered
@	SOA	3600	Email: azureprivatedns-host.microsoft.com Host: azureprivatedns.net Refresh: 3600 Retry: 300 Expire: 2419200 Minimum TTL: 10 Serial number: 1	False
stprivatelab2026	A	10	10.50.1.5	False

Showing 1 - 1 of 1. Display auto count:

Add or remove favorites by pressing Ctrl+Shift+F

5:31 PM 10/4/2024

After: DNS resolves to a private IP

The same nslookup now follows the privatelink CNAME to 10.50.1.5.

```
Address: 127.0.0.53

azureuser@vm-private-test:~$ nslookup stprivatelab2026.blob.core.windows.net
Server:      127.0.0.53
Address:     127.0.0.53#53

Non-authoritative answer:
stprivatelab2026.blob.core.windows.net  canonical name = stprivatelab2026.privatelink.blob.core.windows.net.
Name:   stprivatelab2026.privatelink.blob.core.windows.net
Address: 10.50.1.5

azureuser@vm-private-test:~$
```

HTTPS reaches storage over the private endpoint

curl from the VM gets a response from the Blob service (HTTP 400 means the service answered).

```
azureuser@vm-private-test:~$ curl -I https://stprivatelab2026.blob.core.windows.net
HTTP/1.1 400 Value for one of the query parameters specified in the request URI is invalid.
Transfer-Encoding: chunked
Server: Microsoft-HTTPAPI/2.0
x-ms-request-id: 0708a55f-101e-0084-0b48-547775000000
Date: Sun, 04 Oct 2026 21:39:51 GMT

azureuser@vm-private-test:~$
```

Disable public network access

Storage networking set to Disable - the public endpoint no longer accepts inbound traffic.

The screenshot shows the Microsoft Azure portal interface. At the top, there's a navigation bar with the Microsoft Azure logo, an 'Upgrade' button, and a search bar. Below the navigation bar, the breadcrumb trail reads: Home > Storage center | Blob Storage > stprivatelab2026 | Networking. The main heading is 'Public network access' with a three-dot menu icon. Below this, a descriptive text says: 'Configure what inbound access is enabled through this resource's public endpoint. [Learn more](#)'. The 'Public network access' section has a label with an asterisk and an info icon. It contains three radio button options: 'Enable' (with a description: 'Allow inbound and outbound access with the option to restrict select inbound access using resource access configurations for this resource.'), 'Disable' (which is selected, with a description: 'Restrict inbound access while allowing outbound access.'), and 'Secured by perimeter (Most restricted)' (with a description: 'Restrict inbound and outbound access using a network security perimeter. Secure by perimeter offers the greatest level of inbound and outbound restriction to secure your resource.'). Below these options is a warning message with a triangle icon: 'Disabling public network access will make this resource not available publicly. [Learn more](#)'. The 'Public network access scope' section also has a label with an asterisk and an info icon, and it contains two radio button options: 'Enabled from all networks' and 'Enabled from selected networks'.

Microsoft Azure Upgrade

Search resources, services, and docs (G+)

Home > Storage center | Blob Storage > stprivatelab2026 | Networking

Public network access ...

Configure what inbound access is enabled through this resource's public endpoint. [Learn more](#)

Public network access * ⓘ

- ☐ Enable
Allow inbound and outbound access with the option to restrict select inbound access using resource access configurations for this resource.
- ☒ Disable
Restrict inbound access while allowing outbound access.
- ☐ Secured by perimeter (Most restricted)
Restrict inbound and outbound access using a network security perimeter. Secure by perimeter offers the greatest level of inbound and outbound restriction to secure your resource.

⚠ Disabling public network access will make this resource not available publicly. [Learn more](#)

Public network access scope * ⓘ

- ☐ Enabled from all networks
- ☐ Enabled from selected networks

From the VM: anonymous request rejected

409 PublicAccessNotPermitted - public access is off for this account.

```
azureuser@vm-private-test:~$ curl -i "https://stprivatelab2026.blob.core.windows.net/?comp=list"
HTTP/1.1 409 Public access is not permitted on this storage account.
Content-Length: 248
Content-Type: application/xml
Server: Blob Service Version 1.0 Microsoft-HTTPAPI/2.0
x-ms-request-id: 759dcd6b-001e-0031-7049-54e467000000
Date: Sun, 04 Oct 2026 21:44:43 GMT

<?xml version="1.0" encoding="utf-8"?><Error><Code>PublicAccessNotPermitted</Code><Message>Public access is not permitted on this storage account.
RequestId:759dcd6b-001e-0031-7049-54e467000000
azureuser@vm-private-test:~$ |
```

From my PC: request blocked

PowerShell curl against the public endpoint returns 403 AuthorizationFailure.

```
PS C:\windows\system32> curl.exe -I https://stprivatelab2026.blob.core.windows.net
HTTP/1.1 400 Value for one of the query parameters specified in the request URI is invalid.
Transfer-Encoding: chunked
Server: Microsoft-HTTPAPI/2.0
x-ms-request-id: 775a291a-701e-002b-3049-5485b8000000
Date: Sun, 04 Oct 2026 21:43:53 GMT


PS C:\windows\system32> curl.exe -i "https://stprivatelab2026.blob.core.windows.net/?comp=list"
HTTP/1.1 403 This request is not authorized to perform this operation.
Content-Length: 246
Content-Type: application/xml
Server: Microsoft-HTTPAPI/2.0
x-ms-request-id: 47c41c0c-601e-0055-2f49-5415ff000000
Date: Sun, 04 Oct 2026 21:45:27 GMT

<?xml version="1.0" encoding="utf-8"?><Error><Code>AuthorizationFailure</Code><Message>This request is not authorized to per
rm this operation.
RequestId:47c41c0c-601e-0055-2f49-5415ff000000
Time:2026-10-04T21:45:27.3928383Z</Message></Error>
PS C:\windows\system32> |
```

STEP 14 / 18

From my PC: Azure portal blocked too

Browsing the container from outside the VNet fails with a 403.



Generate a read-only SAS for one blob

Read permission only, HTTPS only, short expiry window.

private-test.txt

Blob

Save

Discard

Download

Refresh

Delete

Overview

Versions

Snapshots

Edit

Generate SAS

A shared access signature (SAS) is a URI that grants restricted access to an Azure Storage blob. Use it when you want to grant access to storage account resources for a specific time range without sharing your storage account key. [Learn more about creating an account SAS](#)

Signing method

☒ Account key

☐ User delegation key

Signing key ⓘ

Key 1

Stored access policy

None

Permissions * ⓘ

Read

Start and expiry date/time ⓘ

Start

10/4/2026

5:41:49 PM

(UTC-05:00) Eastern Time (US & Canada)

Expiry

10/5/2026

1:56:49 AM

(UTC-05:00) Eastern Time (US & Canada)

Allowed IP addresses ⓘ

for example, 168.1.5.65 or 168.1.5.65-168.1....

Allowed protocols ⓘ

☒ HTTPS only

☐ HTTPS and HTTP

Generate SAS token and URL

SAS URL works from inside the VNet

200 OK from the VM - the blob is reachable over the private endpoint.

```
az: command not found
azureuser@vm-private-test:~$ curl -i "https://stprivatelab2026.blob.core.windows.net/private-test/private-test.txt?sp=r&st=2026-10-04T21:41:49Z&se=2026-10-05T05:56:49Z&spr=https&sv=2026-02-06&sr=b&s[SAS signature redacted]
HTTP/1.1 200 OK
Content-Length: 8
Content-Type: text/plain
Content-MD5: JJeVZAy+L9SGwkZkVIowZw==
Last-Modified: Sun, 04 Oct 2026 21:52:56 GMT
Accept-Ranges: bytes
ETag: "0x8DF2261D9756E48"
Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0
x-ms-request-id: 4f6dc14b-301e-002a-1a4b-54da64000000
x-ms-version: 2026-02-06
x-ms-creation-time: Sun, 04 Oct 2026 21:52:56 GMT
x-ms-lease-status: unlocked
x-ms-lease-state: available
x-ms-blob-type: BlockBlob
x-ms-server-encrypted: true
x-ms-access-tier: Hot
x-ms-access-tier-inferred: true
Date: Sun, 04 Oct 2026 21:59:00 GMT

test labazureuser@vm-private-test:~$ |
```

Same SAS URL fails from my PC

403 AuthorizationFailure - a valid token is not enough without a private network path.

```
PS C:\windows\system32> curl.exe -i "https://stprivatelab2026.blob.core.windows.net/private-test/private-test.txt?sp=r&st=2026-10-04T21:41:49Z&se=2026-10-05T05:56:49Z&spr=https&sv=2026-02-06&sr=b&sig=SAS signature redacted"
HTTP/1.1 403 This request is not authorized to perform this operation.
Content-Length: 246
Content-Type: application/xml
Server: Microsoft-HTTPAPI/2.0
x-ms-request-id: 04b0aecf-a01e-0028-1a4b-5464dc000000
x-ms-error-code: AuthorizationFailure
Date: Sun, 04 Oct 2026 22:00:23 GMT

<?xml version="1.0" encoding="utf-8"?><Error><Code>AuthorizationFailure</Code><Message>This request is not authorized to perform this operation.
RequestId:04b0aecf-a01e-0028-1a4b-5464dc000000
Time:2026-10-04T22:00:23.8933223Z</Message></Error>
PS C:\windows\system32> |
```

Final test: VM allowed, public internet blocked

Left: Azure VM gets 200 OK. Right: personal device gets 403. (SAS signature redacted)

```
irectory (ipaddress:192.168.1.104)
azureuser@vm-private-test: ~ X + v
Date: Sun, 04 Oct 2026 21:44:43 GMT
<?xml version="1.0" encoding="utf-8"?><Error><Code>PublicAccessNotPermitted</Code><Message>Public access is not permitted for this storage account.
RequestId:759dcd6b-001e-0031-7049-54e467000000
azureuser@vm-private-test:~$ az login
az: command not found
azureuser@vm-private-test:~$ curl -i "https://stprivatelab2026.blob.core.windows.net/private-test/private-test-10-04T21:41:49Z&se=2026-10-05T05:56:49Z&spr=https&sv=2026-02-06&sr=b&si=SAS signature redacted"
HTTP/1.1 200 OK
Content-Length: 8
Content-Type: text/plain
Content-MD5: JJeVZAy+L9SGwkZkVIowZw==
Last-Modified: Sun, 04 Oct 2026 21:52:56 GMT
Accept-Ranges: bytes
ETag: "0x8DF2261D9756E48"
Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0
x-ms-request-id: 4f6dc14b-301e-002a-1a4b-54da64000000
x-ms-version: 2026-02-06
x-ms-creation-time: Sun, 04 Oct 2026 21:52:56 GMT
x-ms-lease-status: unlocked
x-ms-lease-state: available
x-ms-blob-type: BlockBlob
x-ms-server-encrypted: true
x-ms-access-tier: Hot
x-ms-access-tier-inferred: true
Date: Sun, 04 Oct 2026 21:59:00 GMT
test labazureuser@vm-private-test:~$

Windows PowerShell X + v
Time:2026-10-04T21:45:27.3928383Z</Message></Error>
PS C:\windows\system32> curl -i "https://stprivatelab2026.blob.core.windows.net/private-test/private-test-10-04T21:41:49Z&se=2026-10-05T05:56:49Z&spr=https&sv=2026-02-06&sr=b&si=SAS signature redacted"
cmdlet Invoke-WebRequest at command pipeline position 1
Supply values for the following parameters:
Uri:
curl : Cannot find drive. A drive with the name 'https' does not exist.
At line:1 char:2
+ curl -i "https://stprivatelab2026.blob.core.windows.net/private-test ...
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (https:String) [Invoke-WebRequest], DriveNotFoundException
+ FullyQualifiedErrorId : DriveNotFound,Microsoft.PowerShell.Commands.InvokeWebRequestCommand

PS C:\windows\system32> curl.exe -i "https://stprivatelab2026.blob.core.windows.net/private-test/private-test-10-04T21:41:49Z&se=2026-10-05T05:56:49Z&spr=https&sv=2026-02-06&sr=b&si=SAS signature redacted"
HTTP/1.1 403 This request is not authorized to perform this operation.
Content-Length: 246
Content-Type: application/xml
Server: Microsoft-HTTPAPI/2.0
x-ms-request-id: 04b0aecf-a01e-0028-1a4b-5464dc000000
x-ms-error-code: AuthorizationFailure
Date: Sun, 04 Oct 2026 22:00:23 GMT

<?xml version="1.0" encoding="utf-8"?><Error><Code>AuthorizationFailure</Code><Message>This request is not authorized to perform this operation.
RequestId:04b0aecf-a01e-0028-1a4b-5464dc000000
Time:2026-10-04T22:00:23.8933223Z</Message></Error>
PS C:\windows\system32> |
```