

Existing Azure Environment (Brownfield)

(Already Deployed in Azure)




Terraform Migration Workflow



Terraform Managed Environment

(Same Infrastructure, Now as Code)



Home > Network foundation | Virtual networks

Create virtual network

Basics Security Address space Tags Review + create

Starting address

Size

10.20.0.0

/16

10.20.0.0 - 10.20.255.255

65,536 addresses

Subnets

IP address range

Size

NAT gateway

web-subnet

10.20.1.0 - 10.20.1.255

/24 (256 addresses)

-

app-subnet

10.20.2.0 - 10.20.2.255

/24 (256 addresses)

-

db-subnet

10.20.3.0 - 10.20.3.255

/24 (256 addresses)

-

Add IPv4 address space |

Advertised address prefixes

Advertised gateway prefixes let you control route advertisements by specifying which IP address ranges Azure gateways advertise to on premises networks, instead of advertising all virtual network and spoke CIDRs.

[+ Add IPv4 address prefix](#) [+ Add IPv6 address prefix](#)

Previous

Next

Review + create

[Give feedback](#)

Home > brownfield-vnet-1789219794342 | Overview

brownfield-vnet

Virtual network

How do I optimize my virtual network performance?

Diagnose my virtual network

Evaluate routing for this virtual network

Search

Move Delete Refresh Give feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Monitoring

Automation

Help

Essentials

Resource group (move) : [1-ab3ea420-playground-sandbox](#)

Location (move) : West US 2

Subscription (move) : [P6-Real Hands-On Labs](#)

Subscription ID : 2213e8b1-dbc7-4d54-8aff-b5e315df5e5b

Address space : [10.20.0.0/16](#)

Advertised gateway pr... : -

Subnets : [3 subnets](#)

DNS servers : [Azure provided DNS service](#)

BGP community string : [Configure](#)

Virtual network ID : 8691aaf4-c8b5-48e6-8c87-54ce765eb833

Tags (edit) : [Add tags](#)

Topology Properties **Capabilities** Recommendations Tutorials



DDoS protection

Configure additional protection from distributed denial of service attacks.

● Not configured



Azure Firewall

Protect your network with a stateful L3-L7 firewall.

● Not configured



Peerings

Seamlessly connect two or more virtual networks.

● Not configured



Microsoft Defender for Cloud

Strengthen the security posture of your environment.



Private endpoints

Privately access Azure services without sending traffic across internet.

Home > brownfield-vnet-1789219794342 | Overview > brownfield-vnet

brownfield-vnet | Subnets

Virtual network

- Search
- Overview
 - Activity log
 - Access control (IAM)
 - Tags
 - Diagnose and solve problems
 - Resource visualizer
 - Settings
 - Address space
 - Connected devices
 - Subnets**
 - Bastion
 - DDoS protection
 - Firewall
 - Microsoft Defender for Cloud
 - Network manager
 - DNS
 - Peerings
 - Service endpoints
 - Private endpoints
 - Properties
- Add or remove favorites by pressing Ctrl+Shift+F

+ Subnet Refresh | Manage users Delete Export to CSV

Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resources into a subnet, Azure assigns the resource an IP address from the subnet.

Search subnets

☐	Name ↑	IPv4	IPv6	Available IPs	Delegated to	Security group	Route table		
☐	web-subnet	10.20.1.0/24	-	251	-	-	-		
☐	app-subnet	10.20.2.0/24	-	251	-	-	-		
☐	db-subnet	10.20.3.0/24	-	251	-	-	-		

Showing 3 subnets

Give feedback

Home > Network foundation

Network foundation | Network security groups

Check security rule conflicts across network security groups Suggest a firewall SKL

Deployment succeeded
Deployment 'CreateNetworkSecurityGroupBladeV2-20260912093349' to resource group '1-ab3ea420-playground-sandbox' was successful.

Go to resource Go to resource group

Search

Create Manage view Refresh Export to CSV Open query Assign tags Add to service group

Filter for any field... Subscription equals all Resource Group equals all Location equals all Add filter

Overview

Virtual network

Virtual Network overview

Virtual networks

NAT gateways

Public IP addresses

Network interfaces

Network security groups

Application security groups

Bastions

Route tables

Route servers

Private Link

DNS

Related services

Monitoring and management

Help

☐	Name ↑		Resource Group	Location	Subscription	Flow log
☐	app-nsg	...	1-ab3ea420-playground-s...	West US 2	P6-Real Hands-On Labs	
☐	db-nsg	...	1-ab3ea420-playground-s...	West US 2	P6-Real Hands-On Labs	
☐	web-nsg	...	1-ab3ea420-playground-s...	West US 2	P6-Real Hands-On Labs	

Showing 1 - 3 of 3. Display count: auto

Give feedback

Home > Network foundation | Virtual networks > brownfield-vnet

Network foundation | Virtual networks

Pluralsight Cloud

[+ Create](#) [Manage view](#) [Overview](#)[Virtual network](#)[Virtual Network overview](#)[Virtual networks](#)[NAT gateways](#)[Public IP addresses](#)[Network interfaces](#)[Network security groups](#)[Application security groups](#)[Bastions](#)[Route tables](#)[Route servers](#)[Private Link](#)[DNS](#)[Related services](#)[Monitoring and management](#)[Help](#)☐ Name ↑☐ brownfield-vnetShowing 1 - 1 of 1. Display [auto](#) count:

Edit subnet

After March 31, 2020, private subnet will be the default selection for new virtual networks. [Learn more](#)

Security

Simplify internet access for virtual machines by using a network address translation gateway. Filter subnet traffic using a network security group. [Learn more](#)

NAT gateway

None

i A NAT gateway is recommended for outbound internet access from subnets. Edit the subnet to add a NAT gateway. [Learn more](#)

Network security group

db-nsg

Route table

None

Service Endpoints

Create service endpoint policies to allow traffic to specific azure resources from your virtual network over service endpoints. [Learn more](#)

Services

[Remove service endpoint](#)

Select a service endpoint

Subnet Delegation

Delegate subnet to a service

None

Network Policy for Private Endpoints

The network policy affects the types of network policies that control traffic going to the private endpoints in this subnet. [Learn more](#)

Private endpoint network policy

Disabled

[Save](#)[Cancel](#)[Give feedback](#)

Home > Network foundation | Network security groups > web-nsg

Network foundation | Network secur... <<

Pluralsight Cloud

Search

+ Create Manage view ...

Overview

Virtual network

Virtual Network overview

Virtual networks

NAT gateways

Public IP addresses

Network interfaces

Network security groups

Application security groups

Bastions

Route tables

Route servers

> Private Link

> DNS

> Related services

> Monitoring and management

> Help

Name ↑

app-nsg

db-nsg

web-nsg

Showing 1 - 3 of 3. Display
count:

auto

web-nsg | Inbound sec <<

Network security group

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Inbound security rules

Outbound security rules

Network interfaces

Subnets

Properties

Locks

> Monitoring

> Automation

> Help

Add inbound security rule

web-nsg

Any

Service ⓘ

HTTP

Destination port ranges ⓘ

80

Protocol

☐ Any

☒ TCP

☐ UDP

☐ ICMPv4

☐ ICMPv6

Action

☒ Allow

☐ Deny

Priority * ⓘ

100

Name *

web-nsg-inbound ✓

Description

Add

Cancel

Give feedback

Home > Network foundation | Route tables

Create Route Table

Basics Tags Review + create

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ P6-Real Hands-On Labs

Resource group * ⓘ 1-ab3ea420-playground-sandbox
[Create new](#)

Instance details

Name * ⓘ brownfield-app-rt

Propagate gateway routes * ⓘ
☒ Yes
☐ No

Region * ⓘ (US) West US 2

[Previous](#)[Next](#)[Review + create](#)[Give feedback](#)

Home > Network foundation | Route tables > brownfield-app-rt

Network foundation | Route tables

Pluralsight Cloud

Search + Create Manage view ...

Overview

Virtual network

Virtual Network overview

Virtual networks

NAT gateways

Public IP addresses

Network interfaces

Network security groups

Application security groups

Bastions

Route tables

Route servers

> Private Link

> DNS

> Related services

> Monitoring and management

> Help

Name ↑

brownfield-app-rt

Showing 1 - 1 of 1. Display count: auto

brownfield-app-rt | Route table

Route table

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Configuration

Routes

Subnets

Properties

Locks

> Monitoring

> Automation

> Help

Add route

brownfield-app-rt

A user defined route (UDR) is a static route that overrides Azure's default system routes, or adds a route to a subnet's route table. [Learn more](#)

Route name *

route-to-db

Destination type * ⓘ

IP Addresses

Destination IP addresses/CIDR ranges * ⓘ

10.20.3.0/24

Next hop type * ⓘ

Virtual network

Next hop address ⓘ

Add

Give feedback

Home > Network foundation | Route tables > brownfield-app-rt

Network foundation | Route tables

Pluralsight Cloud

Search + Create Manage view ...

Overview

Virtual network

Virtual Network overview

Virtual networks

NAT gateways

Public IP addresses

Network interfaces

Network security groups

Application security groups

Bastions

Route tables

Route servers

> Private Link

> DNS

> Related services

> Monitoring and management

> Help

Name ↑

brownfield-app-rt

Showing 1 - 1 of 1. Display count: auto

brownfield-app-rt | Subnets

Route table

Search + Associate

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Configuration

Routes

Subnets

Properties

Locks

> Monitoring

> Automation

> Help

Search subnets

Name ↑↓	Address range ↑↓	Virtual network ↑↓	Security group ↑↓
app-subnet	10.20.2.0/24	brownfield-vnet	app-nsg



Home > brownfield-app-rt

 brownfield-app-rt | Routes ☆ ⋮

Route table

⌵ ⏪ + Add 🔄 Refresh 🗣 Give feedback

-  Overview
-  Activity log
-  Access control (IAM)
-  Tags
-  Diagnose and solve problems
-  Resource visualizer
- ⌵ Settings
 -  Configuration
 -  **Routes**
 -  Subnets
 -  Properties
 -  Locks
- > Monitoring
- > Automation
- > Help

Search routes			
Name ↑↓	Address prefix ↑↓	Next hop type ↑↓	Next hop IP address ↑↓
route-to-db	10.20.3.0/24	VnetLocal	...
Route-to-web	10.20.1.0/24	VnetLocal	...



Home > brownfield-app-rt

brownfield-app-rt | Subnets

Route table

+ Associate

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
 - Configuration
 - Routes
 - Subnets**
 - Properties
 - Locks
- > Monitoring
- > Automation
- > Help

Name ↑↓	Address range ↑↓	Virtual network ↑↓	Security group ↑↓	
app-subnet	10.20.2.0/24	brownfield-vnet	app-nsg	...

✓ Saved route table for subnet

Successfully saved route table for subnet 'app-subnet'.

✕

Home > Compute infrastructure | Virtual machines

Create a virtual machine

Basics Disks Networking Management Monitoring Advanced Tags Review + create

NIC network security group ⓘ

☐ None

☐ Basic

☒ Advanced

ⓘ The selected subnet 'web-subnet - 10.20.1.0/24' is already associated to a network security group 'web-nsg'. We recommend managing connectivity to this virtual machine via the existing network security group instead of creating a new one here.

Configure network security group *

web-nsg

[Create new](#)

Delete public IP and NIC when VM is deleted ⓘ



Enable accelerated networking ⓘ



Load balancing

You can place this virtual machine in the backend pool of an existing Azure load balancing solution. [Learn more](#)

Load balancing options ⓘ

☒ None

☐ Azure load balancer

Supports all TCP/UDP network traffic, port-forwarding, and outbound flows

☐ Application gateway

Previous

Next

Review + create

[Give feedback](#)



Home > Compute infrastructure | Virtual machines

Create a virtual machine

- Basics
- Disks
- Networking
- Management
- Monitoring
- Advanced
- Tags
- Review + create

Management

System assigned managed identity	Off
Login with Microsoft Entra ID	Off
Backup	Off
Site Recovery	Off
Enable periodic assessment	Off
Enable hotpatch	Off
Patch orchestration options	Image default
Auto-shutdown	Off
Enable hibernation	Off

Monitoring

Alerts	Off
Boot diagnostics	On
Enable OS guest diagnostics	Off
Enable application health monitoring	Off

Advanced

Extensions	None
VM applications	None
Cloud init	No
Capacity reservation group	None
Disk controller type	SCSI

❗ Error downloading private key

An error occurred while trying to download the private key. Please try again later.

🔧 Help me troubleshoot

Download Private Key

📘 An SSH key pair contains both a public and private key. **Azure doesn't store the private key.** After the SSH key resource is created, you won't be able to download the private key again. [Learn more](#)

Download private key and create resource

Return to create a virtual machine



Home > Compute infrastructure

Compute infrastructure | Virtual machines

Microsoft

Get workload templates for VMs View virtual machines with critical alerts Analyze alerts across virtual machines

Virtual machines Get started

Overview All resources Infrastructure Virtual machines Virtual Machine Scale Set (VMSS) Compute Fleet Arc Machines Disks + images Capacity + placement Related services Monitoring+Operations Help

+ Create Reservations Manage view Refresh Export to CSV Open query Assign tags Start Restart

Filter for any field... Subscription equals all Type equals all Resource Group equals all Location equals all Add filter

☐	Name ↑		Subscription	Resource Group	Location	Status	Operating syst...	Size	Public IP addre...	Disks
☐	brownfield-app-vm	...	P6-Real Hands-...	1-ab3ea420-pl...	West US 2	Running	Linux	Standard_D2s_v3	-	1
☐	brownfield-db-vm	...	P6-Real Hands-...	1-ab3ea420-pl...	West US 2	Creating	Linux	Standard_D2s_v3	-	1
☐	brownfield-web-vm	...	P6-Real Hands-...	1-ab3ea420-pl...	West US 2	Running	Linux	Standard_D2s_v3	4.154.170.140	1



Explorer

- ▼ Terraform for azure
 - > azure-lab-01
 - ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
 - ≡ day1

Outline

- > Timeline

Problems | Output | Debug Console | **Terminal** | Ports

nano - Lab2-Brownfield-Migration

```
GNU nano 8.7.1 versions.tf *
terraform {
  required_version = ">= 1.5.0"

  required_providers {
    azurerm = {
      source = "hashicorp/azurerm"
      version = "~> 4.0"
    }
  }
}
```

Terminal shortcuts:

^G Help	^O Write Out	^F Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-J To Bracket
^X Exit	^R Read File	^N Replace	^U Paste	^J Justify	^/_ Go To Line	M-E Redo	M-6 Copy	^B Where Was



Explorer

- ▼ Terraform for azure
 - > azure-lab-01
- ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
- ≡ day1



Outline

Timeline


```
GNU nano 8.7.1 providers.tf *
provider "azurerm" {
  features {}
}
```

^G Help	^O Write Out	^F Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-J To Bracket
^X Exit	^R Read File	^N Replace	^U Paste	^J Justify	^/_ Go To Line	M-E Redo	M-6 Copy	^B Where Was

nano - Lab2-Brownfield-Migration + ▾ [icon] [icon] ... [icon] [icon]

```
versions.tf *
```

^G Help	^O Write Out	^F Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-J To Bracket
^X Exit	^R Read File	^N Replace	^U Paste	^J Justify	^/ Go To Line	M-E Redo	M-6 Copy	^B Where Was



```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ az login
```

Select a subscription and tenant (Type a number or Enter for no changes):

Tenant: Pluralsight Cloud

Subscription: P6-Real Hands-On Labs (2213e8b1-dbc7-4d54-8aff-b5e315df5e5b)

[Announcements]

With the new Azure CLI login experience, you can select the subscription you want to use more easily. Learn more about it and its configuration at <https://go.microsoft.com/fwlink/?linkid=2271236>

If you encounter any problem, please open an issue at <https://aka.ms/azclibug>

[Warning] The login output has been updated. Please be aware that it no longer displays the full list of available subscriptions by default.

- o syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration\$
 - syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration\$ ls
 - syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration\$ terraform init
- Initializing the backend...

Successfully configured the backend "azurerm"! Terraform will automatically use this backend unless the backend configuration changes.

Initializing provider plugins...

- Finding hashicorp/azurerm versions matching "~> 4.0"...
- Installing hashicorp/azurerm v4.81.0...
- Installed hashicorp/azurerm v4.81.0 (signed by HashiCorp)

Terraform has created a lock file `.terraform.lock.hcl` to record the provider selections it made above. Include this file in your version control repository so that Terraform can guarantee to make the same selections by default when you run "terraform init" in the future.

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.

If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will detect it and remind you to do so if necessary.

- o syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration\$

Explorer

- ▼ Terraform for azure
 - > azure-lab-01
- ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
- ≡ day1

Problems Output Debug Console Terminal Ports


```
● syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ az resource list \
  --resource-group 1-ab3ea420-playground-sandbox \
  --query "[].{Name:name, Type:type, ID:id}" \
  -o table
```

Name	Type	ID
-----	-----	-----
brownfield-vnet	Microsoft.Network/virtualNetworks	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet
web-nsg	Microsoft.Network/networkSecurityGroups	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups/web-nsg
app-nsg	Microsoft.Network/networkSecurityGroups	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups/app-nsg
db-nsg	Microsoft.Network/networkSecurityGroups	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups/db-nsg
brownfield-app-rt	Microsoft.Network/routeTables	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/routeTables/brownfield-app-rt
brownfield-web-vm-ip	Microsoft.Network/publicIPAddresses	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/publicIPAddresses/brownfield-web-vm-ip
brownfield-web-vm596	Microsoft.Network/networkInterfaces	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/brownfield-web-vm596
brownfield-web-vm	Microsoft.Compute/virtualMachines	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/brownfield-web-vm
brownfield-web-vm_disk1_5102f3d99c9e461ba44558aebd5759ca	Microsoft.Compute/disks	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-AB3EA420-PLAYGROUND-SANDBOX/providers/Microsoft.Compute/disks/brownfield-web-vm_disk1_5102f3d99c9e461ba44558aebd5759ca
brownfield-app-vm704	Microsoft.Network/networkInterfaces	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/brownfield-app-vm704
brownfield-app-vm	Microsoft.Compute/virtualMachines	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/brownfield-app-vm
brownfield-app-vm_0sDisk_1_2a621c5a54ba46ce81cc10862a074648	Microsoft.Compute/disks	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-AB3EA420-PLAYGROUND-SANDBOX/providers/Microsoft.Compute/disks/brownfield-app-vm_0sDisk_1_2a621c5a54ba46ce81cc10862a074648
brownfield-db-vm330	Microsoft.Network/networkInterfaces	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/brownfield-db-vm330
brownfield-db-vm	Microsoft.Compute/virtualMachines	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/brownfield-db-vm
brownfield-db-vm_0sDisk_1_ecd63939fba14eb0a5ad2f83b35e692e	Microsoft.Compute/disks	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-AB3EA420-PLAYGROUND-SANDBOX/providers/Microsoft.Compute/disks/brownfield-db-vm_0sDisk_1_ecd63939fba14eb0a5ad2f83b35e692e
tfstatebrownfield2026	Microsoft.Storage/storageAccounts	/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfstatebrownfield2026

```
○ syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$
```

> Outline

> Timeline



 bash - Lab2-Brownfield-Migration ...

><  main   0  0



File Edit Selection View Go Run Terminal Help

Terraform for azure



Explorer

- ▼ Terraform for azure
 - > azure-lab-01
 - ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
- ≡ day1

Problems Output Debug Console Terminal Ports

bash - Lab2-Brownfield-Migration + v [icons] X

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ cat imports.tf
import {
  to = azurerm_network_security_group.db-nsg
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups/db-nsg"
}

# Route Table
import {
  to = azurerm_route_table.app
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/routeTables/brownfield-app-rt"
}

# Web Public IP
import {
  to = azurerm_public_ip.web
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/publicIPAddresses/brownfield-web-vm-ip"
}

# Web NIC
import {
  to = azurerm_network_interface.web
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/brownfield-web-vm596"
}

# App NIC
import {
  to = azurerm_network_interface.app
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/brownfield-app-vm704"
}

# DB NIC
import {
  to = azurerm_network_interface.db
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/brownfield-db-vm330"
}

# Web VM
```

File Edit Selection View Go Run Terminal Help

Terraform for azure



Explorer

- ▼ Terraform for azure
 - > azure-lab-01
 - ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
- ≡ day1

Problems Output Debug Console Terminal Ports

bash - Lab2-Brownfield-Migration + - ...

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ cat imports.tf
```

```
  to = azurerm_network_interface.web
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/
brownfield-web-vm596"
}
```

```
# App NIC
```

```
import {
  to = azurerm_network_interface.app
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/
brownfield-app-vm704"
}
```

```
# DB NIC
```

```
import {
  to = azurerm_network_interface.db
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/
brownfield-db-vm330"
}
```

```
# Web VM
```

```
import {
  to = azurerm_linux_virtual_machine.web
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/br
ownfield-web-vm"
}
```

```
# App VM
```

```
import {
  to = azurerm_linux_virtual_machine.app
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/br
ownfield-app-vm"
}
```

```
# DB VM
```

```
import {
  to = azurerm_linux_virtual_machine.db
  id = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/br
ownfield-db-vm"
}
```

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$
```

Explorer

- ▼ Terraform for azure
 - > azure-lab-01
 - ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
- ≡ day1

Problems Output Debug Console Terminal Ports

bash - Lab2-Brownfield-Migration +

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ terraform plan -generate-config-out=generated.tf
```

```
"os_disk.0.name": conflicts with os_managed_disk_id
```

Error: Conflicting configuration arguments

```
with azurerm_linux_virtual_machine.app,  
on generated.tf line 50:  
(source code not available)
```

```
"os_disk.0.name": conflicts with os_managed_disk_id
```

Error: Invalid combination of arguments

```
with azurerm_linux_virtual_machine.web,  
on generated.tf line 53:  
(source code not available)
```

```
"os_disk.0.storage_account_type": only one of `os_disk.0.storage_account_type,os_managed_disk_id` can be specified, but  
`os_disk.0.storage_account_type,os_managed_disk_id` were specified.
```

Error: Invalid combination of arguments

```
with azurerm_linux_virtual_machine.db,  
on generated.tf line 53:  
(source code not available)
```

```
"os_disk.0.storage_account_type": only one of `os_disk.0.storage_account_type,os_managed_disk_id` can be specified, but  
`os_disk.0.storage_account_type,os_managed_disk_id` were specified.
```

Error: Invalid combination of arguments

```
with azurerm_linux_virtual_machine.app,  
on generated.tf line 53:  
(source code not available)
```

```
"os_disk.0.storage_account_type": only one of `os_disk.0.storage_account_type,os_managed_disk_id` can be specified, but  
`os_disk.0.storage_account_type,os_managed_disk_id` were specified.
```

```
Releasing state lock. This may take a few moments...
```

```
❖ syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$
```

> Outline

> Timeline

Explorer

- ▼ Terraform for azure
 - > azure-lab-01
- ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
- ≡ day1

Problems Output Debug Console Terminal Ports

nano - Lab2-Brownfield-Migration + ▾

GNU nano 8.7.1

generated.tf

__generated__ by Terraform

```
resource "azurerm_linux_virtual_machine" "web" {  
  admin_password           = null # sensitive  
  admin_username           = "azureuser"  
  allow_extension_operations = true  
  availability_set_id       = null  
  bypass_platform_safety_checks_on_user_schedule_enabled = false  
  capacity_reservation_group_id = null  
  computer_name             = "brownfield-web-vm"  
  custom_data               = null # sensitive  
  dedicated_host_group_id   = null  
  dedicated_host_id         = null  
  disable_password_authentication = false  
  disk_controller_type      = "SCSI"  
  edge_zone                 = null  
  encryption_at_host_enabled = false  
  eviction_policy           = null  
  extensions_time_budget    = "PT1H30M"  
  license_type              = null  
  location                  = "westus2"  
  max_bid_price              = -1  
  name                      = "brownfield-web-vm"  
  network_interface_ids     = ["/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-s>  
  os_managed_disk_id        = "/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-s>  
  patch_assessment_mode     = "ImageDefault"  
  patch_mode                = "ImageDefault"  
  platform_fault_domain     = -1  
  priority                  = "Regular"  
  provision_vm_agent        = true  
  proximity_placement_group_id = null  
  reboot_setting            = null  
  resource_group_name       = "1-ab3ea420-playground-sandbox"  
  secure_boot_enabled       = true  
  size                      = "Standard_D2s_v3"  
  source_image_id           = null  
  tags                      = {}  
  user_data                 = null  
  virtual_machine_scale_set_id = null  
  vtpm_enabled              = true  
  zone                     = null
```

^G Help	^O Write Out	^F Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-J To Bracket
^X Exit	^R Read File	^\ Replace	^U Paste	^J Justify	^/_ Go To Line	M-E Redo	M-6 Copy	^B Where Was

> Outline

> Timeline

 nano - Lab2-Brownfield-Migration ... |

```
generated.tf
```

```
proximity_placement_group_id = null
reboot_setting = null
resource_group_name = "1-ab3ea420-playground-sandbox"
secure_boot_enabled = true
size = "Standard_D2s_v3"
source_image_id = null
tags = {}
user_data = null
virtual_machine_scale_set_id = null
vtpm_enabled = true
zone = null
additional_capabilities {
  hibernation_enabled = false
  ultra_ssd_enabled = false
}
boot_diagnostics {
  storage_account_uri = null
}
os_disk {
  caching = "ReadWrite"
  disk_encryption_set_id = null
  disk_size_gb = 30
  name = "brownfield-web-vm_disk1_5102f3d99c9e461ba44558aebd5759ca"
  secure_vm_disk_encryption_set_id = null
  security_encryption_type = null
  storage_account_type = "Premium_LRS"
  write_accelerator_enabled = false
}
source_image_reference {
  offer = "ubuntu-24_04-lts"
  publisher = "canonical"
  sku = "server"
  version = "latest"
}
```

```
# generated by Terraform
```

```
resource "azurerm_linux_virtual_machine" "db" {
  admin_password      = null # sensitive
  admin_username      = "azureuser"
  allow_extension_operations = true
}
```

```
^G Help
^X Exit
```

```
^O Write Out
^R Read File
```

^F Where Is
^\\ Replace

^K Cut
^U Paste

^T Execute
^J Justify

^C Location
^/ Go To Line

M-U Undo
M-E Redo

M-A Set Mark
M-6 Copy

M-] To Bracket
^B Where Was

 nano - Lab2-Brownfield-Migration ... |

```
generated.tf *
```

```
dedicated_host_id = null
disable_password_authentication = false
disk_controller_type = "SCSI"
edge_zone = null
encryption_at_host_enabled = false
eviction_policy = null
extensions_time_budget = "PT1H30M"
license_type = null
location = "westus2"
max_bid_price = -1
name = "brownfield-web-vm"
network_interface_ids = ["/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-vms/providers/Microsoft.Network/networkInterfaces/nic1"]

patch_assessment_mode = "ImageDefault"
patch_mode = "ImageDefault"
platform_fault_domain = -1
priority = "Regular"
provision_vm_agent = true
proximity_placement_group_id = null
reboot_setting = null
resource_group_name = "1-ab3ea420-playground-sandbox"
secure_boot_enabled = true
size = "Standard_D2s_v3"
source_image_id = null
tags = {}
user_data = null
virtual_machine_scale_set_id = null
vtpm_enabled = true
zone = null
additional_capabilities {
  hibernation_enabled = false
  ultra_ssd_enabled = false
}
boot_diagnostics {
  storage_account_uri = null
}
os_disk {
  caching = "ReadWrite"
  disk_encryption_set_id = null
  disk_size_gb = 30
  name = "brownfield-web-vm_disk1_5102f3d99c9e461ba44558aebd5759ca"
```

^G Help	^O Write Out	^F Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-J To Bracket
^X Exit	^R Read File	^N Replace	^U Paste	^J Justify	^/ Go To Line	M-E Redo	M-6 Copy	^B Where Was

Explorer

Terraform for azure

> azure-lab-01

Envoy gateway Lab

> Lab1

> Lab2-Brownfield-M...

day1

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ sudo apt-get update
sudo apt-get install aztfexport
Hit:3 http://us.archive.ubuntu.com/ubuntu resolute-backports InRelease
Get:4 https://apt.releases.hashicorp.com resolute InRelease [12.9 kB]
Err:4 https://apt.releases.hashicorp.com resolute InRelease
  The following signatures couldn't be verified because the public key is not available: NO_PUBKEY FC9CA96ACA026560
Hit:5 https://download.docker.com/linux/ubuntu resolute InRelease
Hit:6 http://security.ubuntu.com/ubuntu resolute-security InRelease
Hit:7 https://dl.google.com/linux/chrome-stable/deb stable InRelease
Hit:8 https://packages.microsoft.com/repos/azure-cli resolute InRelease
Hit:9 https://packages.microsoft.com/repos/code stable InRelease
Fetched 12.9 kB in 1s (24.1 kB/s)
Reading package lists... Done
W: An error occurred during the signature verification. The repository is not updated and the previous index files will be used. OpenPGP signature verification failed: https://apt.releases.hashicorp.com resolute InRelease: The following signatures couldn't be verified because the public key is not available: NO_PUBKEY FC9CA96ACA026560
W: Failed to fetch https://apt.releases.hashicorp.com/dists/resolute/InRelease The following signatures couldn't be verified because the public key is not available: NO_PUBKEY FC9CA96ACA026560
W: Some index files failed to download. They have been ignored, or old ones used instead.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
E: Unable to locate package aztfexport
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ ^C
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ lsb_release -rs
26.04
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ uname -m
x86_64
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ ^C
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ curl -L https://github.com/Azure/aztfexport/releases/latest/download/aztfexport_linux_amd64.zip -o aztfexport.zip
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left   Speed
  0     0    0     0    0     0      0      0      0     0
100  9100 100    9100    0     0   3800    0      0     0
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ unzip aztfexport.zip -d aztfexport
Archive:  aztfexport.zip
  End-of-central-directory signature not found. Either this file is not
  a zipfile, or it constitutes one disk of a multi-part archive.  In the
  latter case the central directory and zipfile comment will be found on
  the last disk(s) of this archive.
unzip:  cannot find zipfile directory in one of aztfexport.zip or
        aztfexport.zip.zip, and cannot find aztfexport.zip.ZIP, period.
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$
```



File Edit Selection View Go Run Terminal Help

Terraform for azure

Problems Output Debug Console Terminal Ports

bash - Lab2-Brownfield-Migration

Explorer

Terraform for azure

azure-lab-01

Envoy gateway Lab

Lab1

Lab2-Brownfield-M...

day1

Outline

Timeline

• syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration\$ curl -s https://api.github.com/repos/Azure/aztfexport/releases/latest \

| grep "browser_download_url.*linux_amd64" \

| cut -d '"' -f 4

https://github.com/Azure/aztfexport/releases/download/v0.20.0/aztfexport_v0.20.0_linux_amd64.zip

o syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration\$

Ln 1, Col 1

Spaces: 4

UTF-8

LF

{ } Plain Text

Explorer

Terraform for azure

> azure-lab-01

Envoy gateway Lab

> Lab1

> Lab2-Brownfield-M...

day1

Problems Output Debug Console Terminal Ports

```

syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ curl -L https://github.com/Azure/aztfexport/releases/download/v0.20.0/aztfexport_v0.20.0_linux_amd64.zip -o aztfexport.zip
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ sudo mv aztfexport/aztfexport /usr/local/bin/
Archive:  aztfexport.zip
  inflating: aztfexport/aztfexport
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ aztfexport --version
aztfexport version v0.20.0(d52e1c5)
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ ^C
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ mkdir export
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ ls
aztfexport  aztfexport.zip  export  providers.tf  versions.tf
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ aztfexport resource-group \
--resource-group 1-ab3ea420-playground-sandbox \
--output-dir ./export
Incorrect Usage: flag provided but not defined: -resource-group

NAME:
  aztfexport resource-group - Exporting a resource group and the nested resources resides within it.

USAGE:
  aztfexport resource-group [option] <resource group name>

COMMANDS:
  help, h  Shows a list of commands or help for one command

OPTIONS:
  --name-pattern value, -p value                The pattern of the resource name. The pattern supports an incremental ind
ex via '*' (same semantic as Go's os.CreateTemp()) and a set of placeholders expanded per resource: {type} (the last Azure resource type segment, snake
_cased, e.g. 'virtual_machines'), {rp} (the Azure resource provider namespace, snake_cased, e.g. 'microsoft_compute'), {name} (the last name segment of
the Azure resource id, snake_cased), {root_scope} (the root scope of the resource, snake_cased, e.g. the resource group name). E.g. '{type}*' may expa
nd to 'virtual_machines0'. (default: "res-") [AZTFEXPORT_NAME_PATTERN]
  --subscription-id value, -s value              The subscription id [AZTFEXPORT_SUBSCRIPTION_ID, $ARM_SUBSCRIPTION_ID]
  --output-dir value, -o value                  The output directory (will create the dir if it does not exist) (default:
"/home/syed/Terraform for azure/Lab2-Brownfield-Migration") [AZTFEXPORT_OUTPUT_DIR]
  --overwrite, -f                               Proceed with non-empty output directory, which is likely to pollute the d
irectory and cause errors (use with caution) (default: false) [AZTFEXPORT_OVERWRITE]
  --append                                     Imports to the existing state file if any and does not clean up the outpu
t directory (default: false) [AZTFEXPORT_APPEND]
  --dev-provider                               Use the local development provider, instead of the version pinned provide
r (default: false) [AZTFEXPORT_DEV_PROVIDER]
  --provider-version value                     The provider version to use for importing. Defaults to "4.80.0" for azure
rm, 2.10.0 for azapi [AZTFEXPORT_PROVIDER_VERSION]
  --provider-name value                       The provider name to use for importing. Possible values are "azurerm" and
"azapi". Defaults to "azurerm" (default: "azurerm") [AZTFEXPORT_PROVIDER_NAME]
  --backend-type value                         The Terraform backend used to store the state (default: local) [AZTFEXPOR








```

> Outline

> Timeline

Explorer

- ▼ Terraform for azure
 - > azure-lab-01
- ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
- ≡ day1



Problems Output Debug Console Terminal Ports

aztfexport - Lab2-Brownfield-Migration + ▾

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ aztfexport resource-group \
1-ab3ea420-playground-sandbox \
--output-dir ./export
```

The output directory is not empty. Please choose one of actions below:

- * Press "Y" to proceed that will likely pollute the existing files and cause errors
- * Press "N" to append new files and add to the existing state instead
- * Press other keys to quit

>



File Edit Selection View Go Run Terminal Help Terraform for azure

Explorer

Terraform for azure

azure-lab-01

Envoy gateway Lab

Lab1

Lab2-Brownfield-M...

day1

Outline

Timeline

Problems Output Debug Console Terminal Ports

Microsoft Azure Export for Terraform

:: Initializing...


aztfexport - Lab2-Brownfield-Migration

Ln 1, Col 1 Spaces: 4 UTF-8 LF { } Plain Text



File Edit Selection View Go Run Terminal Help

Terraform for azure



Explorer

- ▼ Terraform for azure
 - > azure-lab-01
 - ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
 - ≡ day1

Problems Output Debug Console Terminal Ports

aztfexport - Lab2-Brownfield-Migration + - ... | [X]

Microsoft Azure Export for Terraform

1-ab3ea420-playground-sandbox

31 items

💡 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brow
azurerm_subnet_network_security_group_association.res-22

💡 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brow
azurerm_subnet.res-23

💡 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brow
azurerm_subnet_network_security_group_association.res-24

💡 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfst
azurerm_storage_account.res-25

/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfst
(Skip)

💡 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfst
azurerm_storage_container.res-27

/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfst
(Skip)

💡 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfst
azurerm_storage_account_queue_properties.res-29

/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfst
(Skip)

...

↑/k up • ↓/j down • / filter • delete skip • e show error • r show recommendation • w import • s save • q quit • ? more



File Edit Selection View Go Run Terminal Help Terraform for azure

aztfexport - Lab2-Brownfield-Migration

Problems Output Debug Console Terminal Ports

Explorer

Terraform for azure

azure-lab-01

Envoy gateway Lab

Lab1

Lab2-Brownfield-M...

day1

Outline

Timeline

Microsoft Azure Export for Terraform

Importing /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox...

...

...

...

...

...

0%

Ln 1, Col 1 Spaces: 4 UTF-8 LF { } Plain Text

Explorer

- ▼ Terraform for azure
 - > azure-lab-01
 - ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
 - ≡ day1

Problems Output Debug Console Terminal Ports

aztfexport - Lab2-Brownfield-Migration + ▾

Microsoft Azure Export for Terraform

```
:: Importing /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSec

🐱 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/bro
🍦 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/bro
🐜 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups
🐱 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups
🐜 /subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups
```



Outline

Timeline



File Edit Selection View Go Run Terminal Help Terraform for azure

Explorer

Terraform for azure

azure-lab-01

Envoy gateway Lab

Lab1

Lab2-Brownfield-M...

day1

Outline

Timeline

Problems Output Debug Console Terminal Ports

Microsoft Azure Export for Terraform

Terraform state and the config are generated at: ./export

Press any key to quit

aztfexport - Lab2-Brownfield-Migration

Ln 1, Col 1 Spaces: 4 UTF-8 LF { } Plain Text

Explorer

▼ Terraform for azure
 > azure-lab-01
 ▼ Envoy gateway Lab
 > Lab1
 > Lab2-Brownfield-M...
 ≡ day1

Problems Output Debug Console Terminal Ports

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ aztfexport resource-group \
1-ab3ea420-playground-sandbox \
--output-dir ./export

The output directory is not empty. Please choose one of actions below:

* Press "Y" to proceed that will likely pollute the existing files and cause errors
* Press "N" to append new files and add to the existing state instead
* Press other keys to quit

> y
Error: More than one resource groups specified
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ aztfexport resource-group \
--output-dir ./export \
1-ab3ea420-playground-sandbox
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ ls
aztfexport  aztfexport.zip  export  providers.tf  versions.tf
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration$ cd export
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ ls
aztfexportResourceMapping.json  aztfexportSkippedResources.txt  main.tf  provider.tf  terraform.tf  terraform.tfstate
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ ls -la
total 132
drwxrwxr-x 3 syed syed 4096 Sep 12 12:15 .
drwxrwxr-x 5 syed syed 4096 Sep 12 12:07 ..
drwxr-xr-x 3 syed syed 4096 Sep 12 12:11 .terraform
-rw-r--r-- 1 syed syed 1185 Sep 12 12:11 .terraform.lock.hcl
-rw-r--r-- 1 syed syed 13287 Sep 12 12:15 aztfexportResourceMapping.json
-rw-r--r-- 1 syed syed 606 Sep 12 12:15 aztfexportSkippedResources.txt
-rw----- 1 syed syed 12297 Sep 12 12:15 main.tf
-rw-r--r-- 1 syed syed 328 Sep 12 12:10 provider.tf
-rw-r--r-- 1 syed syed 146 Sep 12 12:10 terraform.tf
-rw-rw-r-- 1 syed syed 70391 Sep 12 12:15 terraform.tfstate
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ cat provider.tf
provider "azurerm" {
  features {
  }
  environment                = "public"
  use_msi                    = false
  use_cli                    = true
  use_oidc                   = false
  resource_provider_registrations = "none"
  subscription_id            = "2213e8b1-dbc7-4d54-8aff-b5e315df5e5b"
}
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$
```

> Outline

> Timeline

Explorer

- ▼ Terraform for azure
 - > azure-lab-01
 - ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
- ≡ day1

Problems Output Debug Console Terminal Ports

bash - export + v

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ sed -i '/^[[[:space:]]*os_managed_disk_id[[[:space:]]]*=/d' main.tf
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ terraform validate

Error: "admin_password" has to fulfill 3 out of these 4 conditions: Has lower characters, Has upper characters, Has a digit, Has a special character other than "_", fullfiled only 2 conditions

with azurerm_linux_virtual_machine.res-1,
on main.tf line 6, in resource "azurerm_linux_virtual_machine" "res-1":
6:   admin_password      = "ignored-as-imported"

Error: "admin_password" has to fulfill 3 out of these 4 conditions: Has lower characters, Has upper characters, Has a digit, Has a special character other than "_", fullfiled only 2 conditions

with azurerm_linux_virtual_machine.res-2,
on main.tf line 31, in resource "azurerm_linux_virtual_machine" "res-2":
31:   admin_password      = "ignored-as-imported"

Error: "admin_password" has to fulfill 3 out of these 4 conditions: Has lower characters, Has upper characters, Has a digit, Has a special character other than "_", fullfiled only 2 conditions

with azurerm_linux_virtual_machine.res-3,
on main.tf line 56, in resource "azurerm_linux_virtual_machine" "res-3":
56:   admin_password      = "ignored-as-imported"

syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$
```

> Outline

> Timeline

terraform - export + ▾ [icon] [icon] ... | [icon] [icon]

Problems Output Debug Console **Terminal** Ports

Explorer

- ✓ Terraform for azure

```
> azure-lab-01
```

- ▼ Envoy gateway Lab

> Lab1

> Lab2-Brownfield-M...

≡ day1

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ terraform validate
```

```
| Error: "admin_password" has to fulfill 3 out of these 4 conditions: Has lower characters, Has upper characters, Has a digit, Has a special character
other than "_", fulfilled only 2 conditions
```

```
with azurerm_linux_virtual_machine.res-1,  
on main.tf line 6, in resource "azurerm_linux_virtual_machine" "res-1":  
6:   admin_password      = "ignored-as-imported"
```

```
| Error: "admin_password" has to fulfill 3 out of these 4 conditions: Has lower characters, Has upper characters, Has a digit, Has a special character
other than "_", fulfilled only 2 conditions
```

```
with azurerm_linux_virtual_machine.res-2,  
on main.tf line 31, in resource "azurerm_linux_virtual_machine" "res-2":  
31:   admin_password      = "ignored-as-imported"
```

```
| Error: "admin_password" has to fulfill 3 out of these 4 conditions: Has lower characters, Has upper characters, Has a digit, Has a special character
other than "_", fulfilled only 2 conditions
```

```
with azurerm_linux_virtual_machine.res-3,  
on main.tf line 56, in resource "azurerm_linux_virtual_machine" "res-3":  
56:   admin_password      = "ignored-as-imported"
```

```
● syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ sed -i '/^[[:space:]]*admin_password[[:space:]]*=d' main.tf
```

```
● syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ terraform validate
```

Success! The configuration is valid.

```
o syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ terraform plan
```


> Outline

> Timeline



File Edit Selection View Go Run Terminal Help

Terraform for azure



Explorer

- ▼ Terraform for azure
 - > azure-lab-01
- ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
- ≡ day1

Problems Output Debug Console Terminal Ports

bash - export + ▢ ▢ ... | [X]

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ terraform plan
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ terraform plan
azurerm_virtual_network.res-17: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet]
azurerm_storage_account.res-25: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfstatebrownfield2026]
azurerm_linux_virtual_machine.res-1: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/brownfield-app-vm]
azurerm_route.res-16: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/routeTables/brownfield-app-rt/routes/route-to-db]
azurerm_route.res-15: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/routeTables/brownfield-app-rt/routes/Route-to-web]
azurerm_network_security_rule.res-12: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups/web-nsg/securityRules/web-nsg-inbound]
azurerm_subnet.res-18: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/app-subnet]
azurerm_subnet.res-23: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/web-subnet]
azurerm_subnet.res-21: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/db-subnet]
azurerm_network_security_rule.res-10: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups/db-nsg/securityRules/allow-app-to-db]
azurerm_network_security_rule.res-8: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups/app-nsg/securityRules/allow-web-to-app]
azurerm_linux_virtual_machine.res-2: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/brownfield-db-vm]
azurerm_subnet_route_table_association.res-20: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/app-subnet]
azurerm_subnet_network_security_group_association.res-19: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/app-subnet]
azurerm_network_interface.res-6: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/brownfield-web-vm596]
azurerm_subnet_network_security_group_association.res-24: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/web-subnet]
azurerm_subnet_network_security_group_association.res-22: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/db-subnet]
azurerm_linux_virtual_machine.res-3: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/brownfield-web-vm]
azurerm_storage_account_queue_properties.res-29: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfstatebrownfield2026]
```

No changes. Your infrastructure matches the configuration.

Terraform has compared your real infrastructure against your configuration and found no differences, so no changes are needed.

o syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export\$



Explorer

- ▼ Terraform for azure
 - > azure-lab-01
 - ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
 - ≡ day1

```
GNU nano 8.7.1 terraform.tf *
terraform {
  backend "local" {}

  required_providers {
    azurerm = {
      source = "hashicorp/azurerm"
      version = "4.80.0"
    }
  }
}
```

[Read 11 lines]

^G Help ^O Write Out ^F Where Is ^K Cut ^T Execute ^C Location M-U Undo M-A Set Mark M-] To Bracket
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^B Where Was

```
terraform.tf *
```

^G Help	^O Write Out	^F Where Is	^K Cut	^T Execute	^C Location	M-U Undo	M-A Set Mark	M-J To Bracket
^X Exit	^R Read File	^\ Replace	^U Paste	^J Justify	^/ Go To Line	M-E Redo	M-6 Copy	^B Where Was





File Edit Selection View Go Run Terminal Help

Terraform for azure

Problems Output Debug Console Terminal Ports

terraform - export + -

Explorer

Terr...

- azure-lab-01
- Envoy gateway Lab
 - Lab1
 - Lab2-Brownfield-M...
- day1

~/Terraform for azure/day1

Outline

Timeline

syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export\$ nano terraform.tf

syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export\$ terraform init -migrate-state

Initializing the backend...

Terraform detected that the backend type changed from "local" to "azurerm".


Acquiring state lock. This may take a few moments...

Do you want to copy existing state to the new backend?

Pre-existing state was found while migrating the previous "local" backend to the newly configured "azurerm" backend. No existing state was found in the newly configured "azurerm" backend. Do you want to copy this state to the new "azurerm" backend? Enter "yes" to copy and "no" to start with an empty state.

Enter a value:

Ln 1, Col 1 Spaces: 4 UTF-8 LF { } Plain Text



```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ terraform init -migrate-state
```

Initializing provider plugins...

- Reusing previous version of hashicorp/azurerm from the dependency lock file
- Using previously-installed hashicorp/azurerm v4.80.0

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.

If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will detect it and remind you to do so if necessary.

```
• syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ terraform state list
```

```
azurerm_linux_virtual_machine.res-1
azurerm_linux_virtual_machine.res-2
azurerm_linux_virtual_machine.res-3
azurerm_network_interface.res-4
azurerm_network_interface.res-5
azurerm_network_interface.res-6
azurerm_network_security_group.res-11
azurerm_network_security_group.res-7
azurerm_network_security_group.res-9
azurerm_network_security_rule.res-10
azurerm_network_security_rule.res-12
azurerm_network_security_rule.res-8
azurerm_public_ip.res-13
azurerm_resource_group.res-0
azurerm_route.res-15
azurerm_route.res-16
azurerm_route_table.res-14
azurerm_storage_account.res-25
azurerm_storage_account_queue_properties.res-29
azurerm_storage_container.res-27
azurerm_subnet.res-18
azurerm_subnet.res-21
azurerm_subnet.res-23
azurerm_subnet_network_security_group_association.res-19
azurerm_subnet_network_security_group_association.res-22
azurerm_subnet_network_security_group_association.res-24
azurerm_subnet_route_table_association.res-20
azurerm_virtual_network.res-17
```

```
• syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$
```



Home > Storage center | Blob Storage > tfstatebrownfield2026 | Containers

tfstate

Container

Search Add Directory Upload Change access level Refresh Delete Copy Paste Rename Acquire lease Break lease Edit columns

Overview

- Diagnose and solve problems
- Access Control (IAM)
- Settings
 - Shared access tokens
 - Access policy
 - Properties
 - Metadata

tfstate

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive) Only show active blobs

Showing all 1 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state	
☐	brownfield-migration						...



Browser tabs: Online C x | in Feed | L x | M Inbox (3 x | S Conn x | 4 x | Free Clc x | sudo te x | +

Address bar: portal.azure.com/#view/Microsoft_Azure_Storage/... b1-dbc7-4d54-8aff-b5e315df5e5... | Download | Open in new tab | Star | School |

Microsoft Azure | Search | Pilot | 20+ | Settings | Help | cloud_user_p_266b509f... PLURALSIGHT CLOUD (REALHAN... | Profile |

Screen Capture Just now

Screenshot captured
You can paste the image from the clipboard

Home > Storage center | Blob Storage > tfstatebrownfield2026 | Containers

tfstate

Container

Search

+ Add Directory | ↑ Upload | ↻ Refresh | Delete | Copy | Paste | Rename | Acquire lease | Break lease | Edit columns

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Shared access tokens

Access policy

Properties

Metadata

tfstate > brownfield-migration

Authentication method: Access key ([Switch to Microsoft Entra user account](#))

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 1 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state	
☐	Folder [..]						...
☐	terraform.tfstate	9/12/2026, 12:29:35 PM	Hot (Inferred)	Block blob	68.74 KiB	Available	...

Explorer

- ▼ Terraform for azure
 - > azure-lab-01
 - ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfield-M...
 - ≡ day1

Problems Output Debug Console Terminal Ports

bash - export + v

```
syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ terraform apply
azurerm_storage_account.res-20: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfstatebrownfield2026]
azurerm_network_security_rule.res-8: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups/app-nsg/securityRules/allow-web-to-app]
azurerm_network_security_rule.res-12: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups/web-nsg/securityRules/web-nsg-inbound]
azurerm_network_security_rule.res-10: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkSecurityGroups/db-nsg/securityRules/allow-app-to-db]
azurerm_network_interface.res-6: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/networkInterfaces/brownfield-web-vm596]
azurerm_route.res-15: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/routeTables/brownfield-app-rt/routes/Route-to-web]
azurerm_route.res-16: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/routeTables/brownfield-app-rt/routes/route-to-db]
azurerm_linux_virtual_machine.res-2: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/brownfield-db-vm]
azurerm_linux_virtual_machine.res-1: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/brownfield-app-vm]
azurerm_subnet.res-21: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/db-subnet]
azurerm_subnet.res-23: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/web-subnet]
azurerm_subnet.res-18: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/app-subnet]
azurerm_linux_virtual_machine.res-3: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Compute/virtualMachines/brownfield-web-vm]
azurerm_subnet_network_security_group_association.res-22: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/db-subnet]
azurerm_subnet_route_table_association.res-20: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/app-subnet]
azurerm_subnet_network_security_group_association.res-19: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/app-subnet]
azurerm_subnet_network_security_group_association.res-24: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Network/virtualNetworks/brownfield-vnet/subnets/web-subnet]
azurerm_storage_account_queue_properties.res-29: Refreshing state... [id=/subscriptions/2213e8b1-dbc7-4d54-8aff-b5e315df5e5b/resourceGroups/1-ab3ea420-playground-sandbox/providers/Microsoft.Storage/storageAccounts/tfstatebrownfield2026]
```

No changes. Your infrastructure matches the configuration.

Terraform has compared your real infrastructure against your configuration and found no differences, so no changes are needed.
Releasing state lock. This may take a few moments...

Apply complete! Resources: 0 added, 0 changed, 0 destroyed.

syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export\$

Outline
Timeline

Explorer

- ▼ Terraform for azure
 - > azure-lab-01
 - ▼ Envoy gateway Lab
 - > Lab1
 - > Lab2-Brownfie... •
- ≡ day1

Problems Output Debug Console Terminal Ports

bash - export +

```
● syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ ls
aztfexportResourceMapping.json aztfexportSkippedResources.txt main.tf main.tf.bak provider.tf terraform.tf terraform.tfstate
● syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ nano .gitignore
● syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: will change to "main" in Git 3.0. To configure the initial branch name
hint: to use in all of your new repositories, which will suppress this warning,
hint: call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /home/syed/Terraform for azure/Lab2-Brownfield-Migration/export/.git/
● syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ git branch -M main
it: command not found
● syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ git branch -M main
● syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore
        .terraform.lock.hcl
        aztfexportResourceMapping.json
        aztfexportSkippedResources.txt
        main.tf
        provider.tf
        terraform.tf

nothing added to commit but untracked files present (use "git add" to track)
● syed@syed-ThinkPad-L13-Yoga-Gen-4:~/Terraform for azure/Lab2-Brownfield-Migration/export$
```

Outline

Timeline