

syedaftab04@SYEDBASIT26:~/terraform-demo\$ cat terraform.tfstate

```
    "tags": {},
    "tags_all": {}
  },
  "sensitive_attributes": [],
  "identity_schema_version": 0,
  "private": "eyJzY2h1bWFFdmVyc2lvdBI6IjEifQ=="
}
]
},
{
  "mode": "managed",
  "type": "aws_security_group",
  "name": "allow_ssh",
  "provider": "provider[\"registry.terraform.io/hashicorp/aws\"]",
  "instances": [
    {
      "schema_version": 1,
      "attributes": {
        "arn": "arn:aws:ec2:us-east-1:218908193290:security-group/sg-0baa150cdf8e42ded",
        "description": "Allow SSH inbound traffic",
        "egress": [
          {
            "cidr_blocks": [
              "0.0.0.0/0"
            ],
            "description": "",
            "from_port": 0,
            "ipv6_cidr_blocks": [],
            "prefix_list_ids": [],
            "protocol": "-1",
            "security_groups": [],
            "self": false,
            "to_port": 0
          }
        ],
        "id": "sg-0baa150cdf8e42ded",
        "ingress": [
          {
            "cidr_blocks": [
              "0.0.0.0/0"
            ],
            "description": "SSH from anywhere",
            "from_port": 22,
            "ipv6_cidr_blocks": [],
            "prefix_list_ids": [],
            "protocol": "tcp",
            "security_groups": [],
            "self": false,
            "to_port": 22
          }
        ],
        "name": "allow-ssh",
        "name_prefix": "",
        "owner_id": "218908193290",
        "revoke_rules_on_delete": false,
        "tags": {},
        "tags_all": {},
        "timeouts": null,
        "vpc_id": "vpc-0828d0c4a7216993c"
      },
      "sensitive_attributes": [],
      "identity_schema_version": 0,
      "private": "eyJ1MmJmYjczMC1lY2FhLTExZTYtOGY4OC0zNDM2M2JnN2M0YzAiOnsiY3JlYXRlIjo2MDAwMDAwMDAwMDAwImRlbGV0ZSI6OTAwMDAwMDAwMDAwfSwic2NoZW1hX3ZlcnNpb24iOiIxIn0="
    }
  ]
}
},
"check_results": null
}
```

syedaftab04@SYEDBASIT26:~/terraform-demo\$

main* 0 2 1

}

● syedaftab04@SYEDBASIT26:~/terraform-demo\$ ls

main.tf outputs.tf terraform.tfstate terraform.tfstate.backup variables.tf

● syedaftab04@SYEDBASIT26:~/terraform-demo\$ cat outputs.tf

```
output "instance_public_ip" {  
  description = "Public IP address of the EC2 instance"  
  value       = aws_instance.my_server[*].public_ip  
}
```

○ syedaftab04@SYEDBASIT26:~/terraform-demo\$

main*   0  2  1

• syedaftab04@SYEDBASIT26:~/terraform-demo\$ cat variables.tf

```
variable "instance_type" {  
    description = "The size of the EC2 instance"  
    type        = string  
    default     = "t2.micro"    # free-tier eligible  
}
```

```
variable "region" {  
    description = "AWS region to deploy into"  
    type        = string  
    default     = "us-east-1"  
}
```

• syedaftab04@SYEDBASIT26:~/terraform-demo\$

main.tf outputs.tf terraform.tfstate terraform.tfstate.backup variables.tf

● syedaftab04@SYEDBASIT26:~/terraform-demo\$ cat main.tf

```
terraform {
  required_providers {
    aws = {
      source  = "hashicorp/aws"
      version = "~> 5.0"
    }
  }

  backend "s3" {
    bucket     = "syed-aftab-tfstate-8823"
    key        = "terraform-demo/terraform.tfstate"
    region     = "us-east-1"
    dynamodb_table = "terraform-state-locks"
  }
}

provider "aws" {
  region = var.region # match whatever region you set in aws configure
}

resource "aws_key_pair" "my_key" {
  key_name   = "terraform-key"
  public_key = file("~/ssh/terraform-key.pub")
}

resource "aws_security_group" "allow_ssh" {
  name        = "allow-ssh"
  description = "Allow SSH inbound traffic"

  ingress {
    description = "SSH from anywhere"
    from_port   = 22
    to_port     = 22
    protocol    = "tcp"
    cidr_blocks = ["0.0.0.0/0"]
  }

  egress {
    from_port   = 0
    to_port     = 0
    protocol    = "-1"
    cidr_blocks = ["0.0.0.0/0"]
  }
}

resource "aws_instance" "my_server" {
  count          = 10
  ami           = "ami-01edba92f9036f76e" # Amazon Linux 2023, us-east-1 - free tier eligible
  instance_type = var.instance_type
  key_name      = aws_key_pair.my_key.key_name
  vpc_security_group_ids = [aws_security_group.allow_ssh.id]

  tags = {
    Name = "terraform-demo-server"
  }
}
```

○ syedaftab04@SYEDBASIT26:~/terraform-demo\$

main* 0 2 1



Search

aws CICO-new-project docker-labs Kubernetes-Lab snap

- syedaftab04@SYEDBASIT26:~\$ cd terraform-demo
- syedaftab04@SYEDBASIT26:~/terraform-demo\$ ls

main.tf outputs.tf terraform.tfstate terraform.tfstate.backup variables.tf

- syedaftab04@SYEDBASIT26:~/terraform-demo\$

main* ↻ (x) 0 (A) 2 (s) 1

```
main.tf terraform.tfstate terraform.tfstate.backup
● syedaftab04@SYEDBASIT26:~/terraform-backend-setup$ cat main.tf
terraform {
  required_providers {
    aws = {
      source  = "hashicorp/aws"
      version = "~> 5.0"
    }
  }
}

provider "aws" {
  region = "us-east-1"
}

resource "aws_s3_bucket" "terraform_state" {
  bucket = "syed-aftab-tfstate-8823"
}

resource "aws_s3_bucket_versioning" "state_versioning" {
  bucket = aws_s3_bucket.terraform_state.id
  versioning_configuration {
    status = "Enabled"
  }
}

resource "aws_dynamodb_table" "terraform_locks" {
  name         = "terraform-state-locks"
  billing_mode = "PAY_PER_REQUEST"
  hash_key     = "LockID"

  attribute {
    name = "LockID"
    type = "S"
  }
}

● syedaftab04@SYEDBASIT26:~/terraform-backend-setup$
```