




NDIGOTECH SOLUTIONS

— Garments CAD/CAM Service provider —



Easy to make



☎ +88 01770 082829, 01811 476101

✉ ndigotechsolutions@gmail.com

🌐 www.ndigotechsolutions.com



ABOUT US

Welcome to NDIGO Tech Solutions

NDIGO Tech Solutions established in year 2019, it's a rapid growing Company who Focus on Apparel Machinery, Machinery Spare Parts, CAD/CAM Software & Paper.

We are Focus on all kind of Apparel Machinery Like: Fabrics Auto Cutter Machine, Fabrics Spreader Machine, Apparel CAD/CAM Software 2D/3D, High Speed Inkjet Plotter Machine, Pattern Cutter Machine, Template Cutter Machine, Template Sewing Machine, Photo & Numeric Digitizer, Fabric Inspection Machine, Fabric Relaxing Machine, Fabric End Cutting Machine, Snap Button Machine Etc.

Our company provide high quality of spare parts and consumables that suitable for Fabric auto cutter of Gerber, Lectra, Kuris, Bullmer, Fk, Ima, Investronica Etc

NDIGO Tech Solutions will provide the whole-process tracking services, from getting your order until you get the goods. We are ensure you the top quality machinery & Spare Parts. Considering our customer's urgent Support for replace parts, we keep enough stock as to make it possible also we arrange the shipment from overseas within short time. Also, in order to help customers to solve technical problem, our professional engineer team will be as support when need.

Our mission is: Reduce your cost, Urgent Support, top quality goods & service. Your trust and support will be a good chance for us to be a loyal & trustworthy supplier.

OUR MISSION:


Our mission not only supplies machines also will provide Honest suggestion for machine selection and flexible for satisfying consumer. So, if we can work with your group, I hope we will be able to set up a modern sample section that solve your problems for production output.

OUR VISION:

Our vision is to deliver the excellent quality full products and promote services to be the trusted business partners for long run.

WHY YOU CHOOSE NDIGO Tech Solutions?

- > One of the Biggest CAD, CAM seller in Bangladesh.
- > High quality products and low price.
- > Quickest response from service and support team.
- > The main power is highly experience in software and hardware.
- > Hardware from UK, europe and china.
- > Ready stock spare parts and ink cartridges.
- > 24 hour's support by online.






G-MAC CAD SOFTWARE

Garments Making Auto CAD (G-MAC)


G-MAC PATTERN DESIGN

Very easy to use. On screen pattern making.
Easy to make curve and anytime editable.
Auto/manual sewing allowance.
Folding, mirroring, pattern-half, auto shrinkage.
Pattern rectifier, auto grading.
Easy digitizing.
Support Windows-7, Windows-10, Windows-11



G-MAC MARKER SYSTEM

Auto nesting: It can greatly improve the user's working efficiency.
Manual and interactive nesting is also possible after Auto Mark.
Mini marker can easily be printed by any printer. Auto reporting option in Excel format. Easy to calculate fabric consumption.
For Knit fabric, weight measuring software in Kg/Dzn format. Very easy to change fabric width any time.
After Marking pattern information can be updated.
You can flip, rotate, move and cut pattern due to your need.
Stripes match nesting: The pattern can be matched with all kinds of the stripes material.
Print/plot/cut: the system can connect with all kinds of pen plotter, ink-jet plotter and cut plotter




SUPER NESTING ++PRO

Super nesting ++, Super nesting ++2, Super nesting ++ Ultra-Core
Auto Compaction, Auto Group Marking Size, Bindle and Pieces Sequence.

REPORTING SYSTEM

Excel Report from Pattern Design.
Excel Report from Marker Making System.
PDF Report Generation from Pattern & Marker System.
Mini marker can easily print by any printer
Easy to calculate fabric consumption.
Very easy to change fabric width any time.



INTELENT IMPORT & EXPORT SYSTEM

IMPORT FORMAT


Lectra mdl, iba, Gerber zip, dxf,
aama, aama dxf.

EXPORT FORMAT

Lectra mdl, iba,
Gerber zip, dxf, aama, aama dxf. AI FILE.


PRINT GENERATOR SYSTEM

Hp-gl, hpgl-2, hpg, dmpl, Lectra iso, Gerber gbr and other compatible Plotter, pattern cutter and auto cutter print file.





G-MAC FOOTWEAR CAD SOFTWARE



G-MAC SMART DESIGN

FOR DESIGNERS, RANGE BUILDERS AND SAMPLE MAKERS :

A flexible 3D CAD system that allows creative designers to quickly develop new ideas and concepts. Providing design tools to build ranges, experiment with more ideas and to reduce the number of physical samples. Producing virtual prototypes, data for rapid prototyping and an accurate transfer of design ideas to production.



ILLUSTRATE WITH DIGITAL TOOLS :

Utilise additional hardware systems, such as digital drawing tablets, to enhance your creative concepts and development.

CREATE CONCEPT STYLES IN 3D :

Produce accurate technical data in both 2D and 3D ready for manufacturing within engineering systems.



CREATE VIRTUAL SHOE SAMPLES :

Build your ranges and experiment with materials, colors and textures.




BRING SKETCHES TO LIFE :

Visualise 2D sketches and images around a 3D last. Turn your sketches into concept realities.





G-MAC 3D CAD SYSTEM




REAL-TIME INTERACTIVITY

Instantly review changes as any modifications to 2D patterns, colors, textures and finishing details are immediately simulated. Improve quality of designs by checking silhouette and fit sooner in the development process, allowing sample time for refinement before finalization.

EASY TO USE

Visualize your designs with only a few clicks. Users at any skill level or specialty can easily become familiar with our simple and intuitive interface. Learn how to use 3D online with regularly updated tutorial videos and resources.



TRUST VIRTUAL SAMPLING



ACCURATE MATERIALS

3D can accurately emulate drape-sensitive fabrics such as lightweight wovens and jerseys with various material properties. Access 3D comprehensive library of commonly used fabrics to immediately see design ideas. Finishing techniques, such as facings, seam tape, and steam can be applied and removed as needed to fine-tune the fit of 3D garments.

NTS-SMART PLOTTER

PRODUCT DESCRIPTION

1. Internet multi-machine networking

Cloud printing technology :

A computer network control up to 50 inkjet machine printing at the same time, HPGLHPGPLTPRN and other files through the local area network or INTERNET free transmission, system free distribution printing, the establishment of your "global printing dream factory" immediately become a reality!



1. The first cloud configuration inkjet printer in the world. After replacing the computer or installing WINDOWS again, the automatic configuration inkjet printer can print normally without 1:1 scale and misalignment of the nozzle.

2. Adopt intelligent paper saving, perfect dynamic control acceleration function, compatible with WIN7, WIN8 and other ink-jet machine incompatible computer operating system.

4. Standard delivery paper motor, bearing 50KG paper roll, paper track and "slide sheet" in the printing platform to prevent paper jam, single, double and four spray free choice, as needed to upgrade the printing capacity.

Intelligent artificial intelligence :

The machine is equipped with powerful artificial intelligence technology, intelligent memory after power failure, and printing on demand after power on, which can coordinate other brands of inkjet machine to print together.



TECHNICAL PARAMITERS

Model	: NTS-JW4-185	NTS-JW4-205	NTS-JW4-225
	: NTS-UPS4-185	NTS-UPS4-205	NTS-UPS4-225
Printing width	: 185 cm	205 cm	225cm
High printing speed	: 120 / 180 m ² / h	120 / 195 m ² / h	120 / 200 m ² / h
Low printing speed	: 70 / 130 m ² / h	85 / 140 m ² / h	90 / 150 m ² / h
Dimensions	: 260 x 57 x 117 cm	300 x 57 x 117 cm	350 x 57 x 117 cm
Weight	: 160 kg	200 Kg	240 Kg
Printing resolution	: 300-600 dpi Hp inkjet compatible		
Cartridge Number	: 2/4		
Port Interface	: Super LAN Port		
Power supply	: 115 v – 220 v		
Power consumption	: < 300 w		
Paper grammage	: from 20 to 70 g/m ²		
Max paper roll weight	: 35 kg		
Max paper roll diameter	: 20 cm		
Format file	: HPGL / HPGL2 / PLT		
Software requirements	: Windows 8.1, Windows 10, Windows 11		

NTS-SMART PATTERN CUTTER

PATTERN CUTTER



Main Advantage:

- › Hp-45 Inkjet Flatbed Cutter Technology.
- › Ultra Lighter Hi-Tech Table.
- › Closed-Loop and Vervo Control System.
- › Humanized Operation, Low Noise, Low Energy Consumption.

Feature :

- › Real-time precise speed regulation and pressure regulation.
- › No ink stop prompt.
- › Inverted drawing and cutting function.
- › Full electronic closed-loop position memory.
- › Differential data channel, real-time two-way control.
- › High-end differential docking positioning technology.



Description:

Max cutting thickness reach to 2mm Support GERBER, LECTRA and all other garment CAD system. Standard two HP45 cartridges. Reach to the max plotting speed of 120 square meters per Hour. And the max cutting speed of 1200 mm/s. High speed plotting and cutting, stable structure High speed servo control, full closed-loop position. Excellent Quality with CE.

TECHNICAL PARAMITERS

Model	FG1509	FG1512
	LH1509-C	LH1512-C
	ST9015FPQ	ST1215FPQ
Max Printing & Cutting width	150 cm x 90 cm	150 cm x 120 cm
High printing speed	1200mm/s	1200mm/s
Assignment Style	Printing & Cutting	
Table/ Repeat Accuracy	Ultra Lighter Hi-Tech Table/< 0.1mm	
Control System:	Closed Loop, Steper and Servo Control System	
Printing resolution	Bitmap 300-600 dpi and Vector 0.04mm	
Cartridge Number	2	
Plotting & Cutting Device	Hp-45A Cartridge & Alloy Knife	
Material Thickness	All Kind of Karft Paper 0.1mm-1.1mm	
Material Fixing	Vacuum Adsorption	
Alarm System	Ultra wide alarm, Overload Alarm, Obostruction Alarm	
Port Interface	Super LAN Port / USB Port	
Power supply	115 v – 220 v	
Power consumption	< 150w- 300 w	
Paper Types	80gm-500gm	
Max paper roll weight	35 kg	
Format file	HPGL / HPGL2 / PLT	
Software requirements	Windows 8.1, Windows 10, Windows 11	



NTS-SMART CUTTING PLOTTER

VERTICAL PATTERN CUTTER



Main Feature :

- › Real-time precise speed regulation and pressure Regulation.
- › No ink stop prompt.
- › Inverted drawing and cutting function.
- › Full electronic closed-loop position memory.
- › Differential data channel, real-time error correction,
- › Real-time two-way control.
- › High-end differential docking positioning technology.

NTS-CUT Model Description :

Due to export CE certification requirements, the model is the actual plot print size) *The worlds first front double feed system *Internet multi-machine simultaneous display/printing *Perfectly cut 300g Kraft paper *One-click online setup.

Top Feature :

1. Automatically identify the cut lines and pen lines of setting in the CAD; 2. Real-time display cutting and inkjet status, can be queued for cutting; 3. You can select the inner knife line, the outer knife line and the drawing line, as well display them in different colors and you can also set the half cut line separately; 4. Each of the above line shapes can be called again after being saved.



TECHNICAL PARAMITERS

Model	: NTS-165C	NTS-185C	NTS-195C
	: NTS-UPC2-160F	NTS-UPC2-185F	NTS-UPC2-200F
Max Printing & Cutting width	: 160 cm	180 cm	200cm
High printing speed	: 70 / 80 m2 / h	80 / 90 m2 / h	90 / 100 m2 / h
Assignment Style	: Printing & Cutting		
Control Model	: Control panel is durable & easy to use		
Paper Feeding	: Continuous Paper Feed 1200m without Deviation		
Printing resolution	: 300-600 dpi Hp inkjet compatible		
Cartridge Number	: 2		
Port Interface	: Super LAN Port / USB Port		
Power supply	: 115 v – 220 v		
Power consumption	: < 150w- 300 w		
Paper Types	: 80gm-500gm		
Max paper roll weight	: 35 kg		
Max paper roll diameter	: 20 cm		
Format file	: HPGL / HPGL2 / PLT		
Software requirements	: Windows 8.1, Windows 10, Windows 11		

G-MAC INKJET PLOTTER

INKJET PLOTTER



High torque
paper feeding
motor



Adjustable
pressure
wheel set



Precision
steel take-up
roller



Double
spray/four
spray optional

Features:

- With stable high-speed printing, 2-cartridge with maximum printing speed at 90m²/h. 4-cartridge with maximum printing speed at 160m²/h.
- Use HP45A ink cartridge, easy to replace and stable printing quality.
- Continuous and uninterrupted work, suitable for long-term large-scale drawing.
- Servo motor control system, improves printing precision.
- The perfect paper transmission system ensures 100-meters paper docking perfectly
- Optional choice with dual feeding version. Suitable for various type of drawing material, thickness from 40g to 120g.

Parameter

Model	G-MAC-170B	G-MAC-190B	G-MAC-210B	G-MAC-230B	G-MAC-250B
Paper Width	175cm	195cm	215cm	235cm	255cm
Print width (2heads)	170cm	190cm	210cm	230cm	250cm
Print width (4heads)	/	165cm	185cm	205cm	225cm
Number of Cartridge	2 or 4				
Cartridge Type	NTS 45A				
Plotting Speed	90m ² /h(two cartridge) 160m ² /h(four cartridges)				
Paper Feeding System	Automatic feeding, dual feeding optional				
Paper Weight	50kg maximum				
Hardware Interface	USB/Network Cable				
Plotting Resolution	150-600DPI, 1-8 pixels optional				
Compatible Software	Compatible with most Garment CAD				
File Format	HPGL/PLT				
Working Environment	0-40°C				
Power Supply	AC220V/110V± 10%50/60Hz				
Machine Size	L225*W45*H103cm	L245*W45*H103cm	L265*W45*H103cm	L285*W45*H103cm	L305*W45*H103cm
Packing Size	L250*W49*H56cm	L270*W49*H56cm	L290*W49*H56cm	L310*W49*H56cm	L330*W49*H56cm



G-MAC SMART PLOTTER GEN-04



PRODUCT DESCRIPTION

G-MAC Smart series plotter of new design, the newest with the proven HP technology, becomes popular in Garment CAD Systems in the worldwide. Its performance is reliable and stable and the plot resolution reaches 600x300dpi. In addition, it can have two ways for taking up paper and it also supply ink level and cartridge automatic checking to save your time and cost. Contracted but not Simple. Cartridge and Ink Level Auto Inspection Two ways for taking up paper (free on floor / take up bar) Encoder Strip to ensure the Accuracy Upgrade from 2 cartridges to 4 cartridges Cartridge clean (basic but efficiently) No longer sensitive to the cartridge anymore

- › Cartridge and ink level auto Inspection.
- › Two ways for taking up paper (free on floor/ take up bar).
- › Encoder strip to ensure the accuracy.
- › Upgrade from 2 cartridges to 4 cartridges.
- › Non- sensitive cartridge.
- › Working quiet with higher speed.
- › Cartridge cleaning by Electric.

FEATURES

TECHNICAL PARAMETERS

Model	G-MAC 240-2	G-MAC 260-3	G-MAC 280-4
Printing width	: 185 cm	205 cm	225cm
High printing speed	: 120 / 180 m ² / h	120 / 195 m ² / h	120 / 200 m ² / h
Low printing speed	: 70 / 130 m ² / h	85 / 140 m ² / h	90 / 150 m ² / h
Dimensions	: 260 x 57 x 117 cm	300 x 57 x 117 cm	350 x 57 x 117 cm
Weight	: 116 kg	130 Kg	160 Kg
Printing resolution	: 300-600 dpi Hp inkjet compatible		
Cartridge Number	: 2/4		
Port Interface	: USB		
Power supply	: 115 v – 220 v		
Power consumption	: < 200 w		
Paper grammage	: from 20 to 70 g/m ²		
Max paper roll weight	: 35 kg		
Max paper roll diameter	: 20 cm		
Format file	: HPGL / HPGL2 / PLT		
Software requirements	: Windows 8.1, Windows 10, Windows 11		

TKT Brain Power Plotter

TDOT TKT Brain Power Plotter

POWERFULLY REIMAGINED

Great things happen when thinking outside the box. More brain. More power happens when thinking beyond. That is exactly what our engineers and designers do, working with passion in creative development.


Going further than conceived, better than permitted and wider than imagined, allowing their senses to feel and their creativity to rise.

We have developed a disruptive concept of plotter focusing our attention and efforts on creating value, bringing it to the next level, adding innovative concepts and more to come, breaking the establishment.

That way of braining confers an added value and a personal touch to everything we develop and create, making it distinctively special for everyone we work with.

Only by mixing these elements the TDOT comes to live and only then you realize the bigness of the TDOT and its innovative future that will change the paradigm of plotting.

TDOT, value beyond printing.



MAIN FUNCTIONS

- Contactless built-in functions** Install the new options on a simple way simply by fleeting the relevant card through the reader, skipping difficult upgrades and complex uploads and start using the new features in a fraction of time.
- Software** Adapting the new features to the new era modernizing operatives and improving the customer experience. Get to know the multiuse and IngiAgigera functions as well as the total control over the printing prevision list.
- Paper End Manage** paper rolls at its best. Optimize media and time smartly.
- Speed Pads** Optimize printing output in any media. The easiest way to increase throughput.
- User Interface** User-friendly visual menu, easy to use, visual instructions and notifications. Interact easily with all the menus and functions, select the modes and upgrade the new options and functions by a simple tap.
- Inverter Mode** Gives the chance to invert the spinning direction of the collector bar allowing to decide where to roll the print, on the visible side or on the contrary facing the inner side of the paper roll protecting the pattern.
- Print-to-print** in seconds. Remove the printed roll in two simple steps without fully removing the collector bar from the TDOT, save time and moves with this innovative mechanism and start printing again within a few seconds.
- DPM (Direct Print Modes)** Print as you wish. Several choices; resolution, speed and much more according to your needs.

TECHNICAL DATASHEET



+ OPTIONS

- Optink** Inkjet trouble-free. Change and manage all inks optimizing its usage and application. Eliminate downtimes and service, boosting productivity and efficiency for the cutting room operators.
- Advanced Top Cover** Cut & Go. Automatic cut controlled by a Dynamic Keypad permitting to organize your tasks better than ever.
- Roll-to-Roll** For long-lasting printing makers and over-night printing works. Nonstop printing for longer printouts.
- 4 Printheads** Printing unlimited. Productivity, quality and flexibility beyond standards. Pure more brain, more power.
- Service Zone** All-in-one station. Technician-free HP stand-alone inkjet technology that keeps your production going. Unique world wide industrial solution for trouble-free printing heads. Patented solution for easy & durable service.
- Connectivity** Integrate TDOT on your network. Multiple Connectivity modes for easier and faster setup.
- Print Fit** Avoid failed printouts. Optimizing media, ink and time. Setting up multiple media managed at its best.
- Dual Roll** Keep different widths or paper types on hold to be used for future production while UWP is already printing from the main bar. Use it as a safe palace or storage for paper rolls or as a second printing media type.

Ask TKT team for more information.
Compatible with most popular cad.



NTS-SMART TEMPLATE CUTTER

TEMPLATE CUTTER

Main Advantage:

- › Kraft Paper & Template Cutting Two Function.
- › Ultra Lighter Hi-Tech Table.
- › Closed-Loop and Vervo Control System
- › Humanized Operation, Low Noise, Low Energy Consumption.



TECHNICAL PARAMETERS

Model	FT-1509	FT-1512
Max Printing & Cutting width	NTS-1509	NTS-1512
High printing speed	150 cm x 90 cm	150 cm x 120 cm
Working Character	800mm/s	
Control System	Working with Computer Synchronously, Transmit Speedy, Working Consecutively.	
Milling Cutting Rotation Speed	Closed loop and servo Control System	
Cutting Depth	24000RPM	
Cutting Material	Acrylic / PVC Board 1-3 mm and Draft Paper / Cardboard Paper 0.1-1 mm	
Plotting Device	Acrylic/PVC Board, All Kind of Kraft Paper/Cardboard Paper 0.1 mm to 1mm	
Material Fixing	Water-based pen/Ball Pen	
Mechanical Resolutions	Vacuum Adsorption	
Machine Dimensions(WxDxH)	<0.1mm	
Packing Weight	2460x460x960mm	
Noise Level	1000KG	
Alarm System	<40dB	
Port Interface	Ultra wide alarm, Overload Alarm, Obstruction Alarm	
Power supply	LAN Port	
Power consumption	220V/50 –60Hz	
Paper Types	< 1200W	
Format file	80gsm-600gsm	
Software requirements	HPGL / HPGL2 / PLT	
	Windows 8.1, Windows 10, Windows 11	



CAD DIGITIZER

NDIGO Shot Digitizer



Patterns in one Camera shot

Capture

The N-Shot consists of a camera suspended from the ceiling, mounted to a table, on a magnetic board or attached to a free standing boom. A simple Automatic calibration step ensures that the picture is always precise.

Place multiple pattern pieces on a table or board. With one mouse click the camera shoots a picture and the N-Shot automatically digitizes!

For maximum efficiency, new pieces can be immediately placed on table/board, while another user makes edits on the NShot software.

Edit

The digitized pattern automatically appears on the screen. A live window on the sidebar shows the real-time camera view of the table. Simple tools are provided for editing including: combining pieces, smoothing lines, mirroring pieces, adding notches, drill holes, seam lines and more. Other options include grading tools, internal lines detection and marker mode.

The N-Shot saves both the pattern image and the digitized lines. Interface is user friendly. Takes minutes to learn!


Export

The N-Shot is compatible with all major CAD/CAM systems, including AccuMark Gerber, Micromark, Polygon, ASTM, Audaces, Lectra (IBA), Lectra (MDL), Investronica, Tukatech, IMA Genius, Optitex, Assyst, FK, Moda01, DXF, Solidworks, Rhino, Cutworks, PatternSmith, Browzwear, Clo3d and AutoCad. The NShot can also export HPGL/Plot, PDF and JPEG files.

After you are done digitizing, your patterns are saved to disk or on your network. The files can then easily be opened in your existing CAD / CAM software.

Advantages:

- › With one camera click users can automatically digitize multiple pattern pieces.
- › N-Shot is flexible being perfect for thick pattern materials, paper, metal, fabric, plastic, leather and cardboard.
- › Guarantee Accuracy.
- › Affordable digitizing.
- › Flexible Background Sizes.



FABRIC RELAXING MACHINE



Fabrics Relaxation before Cutting

Fabrics Unrolling through Machine:

Opening fabrics roll form using a relaxation machine is very handy.

Keeping Fabrics in Relaxation Rack in a certain period:

Different fabrics have different requirements about fabrics relaxation time. generally, stretch fabrics need to relax 24-48 hours, 100% cotton fabrics need less or no relaxation.

Fabrics spread/ Lay for cutting:

After completing relaxation, fabrics lay/ spread in cutting table.

Relax Fabrics for two hours:

After spreading, there also need to relax fabrics to ensure if spreading is done pulling fabrics to high so that it can fix in its own dimension.

Start Cutting:

Now you can cut fabrics as per the procedure.




TECHNICAL PARAMITERS

Model	:	DM-2100-II / DM-2100E-II
Max Fabric Roll Diameter	:	350-400mm
Working Width	:	2100mm
Speed	:	0-35/mm, Adjustable
Automatic Edge width	:	Width
Input Fabric Type	:	Folding Or Rolling Fabric
Output Type	:	Folding Fabric
Measurement	:	Without
Voltage	:	AC 200V/50-60Hz
Power	:	0.55KW



CAD/ CAM MACHINERIES SPARE PARTS





About Us

Welcome to NDIGO Tech Solutions

We provide customer's intelligent garments CAD software, digitizing, printing, cutting and finishing equipment, and innovative service. It was established in 2019.

Our Mission:

Our mission not only supplies machines also will provide honest suggestion for machine selection and flexible for satisfying consumer. So, if we can work with your group, I hope we will be able to set up a modern sample section that solve your problems for production output.

Our vision:

Our vision is to deliver the excellent quality full products and promote services to be the trusted business partners for long run.

Why you Choose NDIGO Tech Solutions?

- > One of the biggest CAD, CAM seller in Bangladesh.
- > High quality products and low price.
- > Quickest response from service and support team.
- > The main power is highly experience in software and hardware.
- > Hardware from UK, europe and china.
- > Ready stock spare parts and ink cartridges.
- > 24 hour's support by online.



Uttara Office:

House-63, Road-13, Section-11,
Uttara, Dhaka-1230
Cell: +88 01770 082829, 01811 476101
ndigotechsolutions@gmail.com
www.ndigotechsolutions.com



Savar Office:

House-07, Road-11, Alamnagar,
Hemayetpur, Savar, Dhaka
Cell: +88 01770 082829, 01811 476101
ndigotechsolutions@gmail.com
www.ndigotechsolutions.com