

TRUMAN®
your life partner

Table of Contents

01.Introduction

Who We Are	02
Our Mission	02
Our Vision	02

02.Entertainment

LED TVs	06-08
Receivers	11-19

03.Kitchen Appliances

Gas Stoves	23-25
Kettles	27-30

04.Satellite TV Systems

Hybrid Systems	32-33
----------------	-------

05.Accessories

TV Wall Mounts	35-41
Multi switch	42-45
Satellite finder	46
LNB	47-50
Diseq	51

06.Cables

Co axial cables	53-55
Cat-6 cables	56
HDMI cables	57-59

01. Introduction

Since 1987, Truman Electronics has led Egypt's electronics and satellite systems industry, delivering high-quality products by combining advanced German technology with decades of expertise and a commitment to excellence.

- Truman's product range now includes household appliances, surveillance systems, air conditioners, TVs, and its flagship satellite receivers. Supported by a state-of-the-art manufacturing facility and a robust distribution network, the company ensures fast delivery and reliable after-sales service across Egypt, backed by skilled engineers and technicians.
- Driven by a forward-looking vision, Truman has solidified its local market presence and expanded across the Middle East, North Africa, and Russia via its Dubai export hub. Supported by trusted supplier partnerships and a focus on sustainable growth, the company continues to grow globally.

- Despite global economic challenges, Truman remains unwavering in its commitment to creating job opportunities and contributing to the Egyptian economy. The company's focus on innovation, customer loyalty, and community service underpins its mission to exceed customer expectations and secure their trust.
- Truman Electronics is committed to advancing satellite systems and household technology. By leveraging the Internet of Things and staying ahead of industry trends, the company aims to become a global leader, delivering innovative products that improve modern living and foster lasting customer and partner relationships.

Our Vision

- To become a global leader in satellite systems and household technology, delivering innovative products that enhance modern living and build lasting relationships with customers and partners.

Performance

- Truman Electronics has established a market-leading position through advanced German technology, a state-of-the-art manufacturing facility, and an extensive distribution network. The company ensures efficient delivery and superior after-sales service, supported by a skilled team of engineers and technicians.

Integrity

- Truman Electronics is committed to maintaining trusted partnerships, fostering customer loyalty, and upholding its responsibility to the community by delivering dependable products and services that contribute positively to society.

Our Mission

- To exceed customer expectations by providing reliable, high-quality electronics and satellite systems while fostering sustainable growth, creating job opportunities, and contributing to the Egyptian economy.

Innovation

- Embracing the potential of the Internet of Things and staying ahead of industry trends, Truman Electronics continuously expands its product portfolio to meet evolving customer needs and ensure sustainable growth across local and international markets.

Entertainment

TVs

Receivers

Our range offers reliable performance and modern features for all your entertainment needs. From vibrant displays to versatile receivers, our products ensure clear visuals, smooth connectivity, and compatibility with various devices. Perfect for home or commercial use, they deliver a consistent and enjoyable viewing experience.



TM-32" FHD

The ATV 32" HD LED TV (Model: TM-3201K) delivers sharp visuals and a versatile range of connectivity options for an engaging viewing experience. Its compact size and efficient features make it suitable for various settings, from home entertainment to business use.

Key Features:

-  Screen Size: 32 inches
-  Resolution: 1366 × 768
-  Aspect Ratio: 16:9
-  Brightness: 180 cd/m²

Connectivity ports:

- USB: 2
- HDMI: 2
- COAX: 1
- RF: 1
- AV: 1
- EARPHONE: 1

Details:

Width	72 cm (28.3 inches)
Height (without stand)	43 cm (16.9 inches)
Depth (without stand)	8 cm (3.1 inches)
Height (with stand)	47 cm (18.5 inches)
Depth (with stand)	18 cm (7.1 inches)
Power Consumption	48W
Power Source	AC 100–240V, 50/60Hz



TM-43" FHD

The FHD LED TV (Model: TM-4301SK) delivers superior picture quality, a wide range of connectivity options, and a sleek design, making it perfect for home entertainment or professional use.

Key Features:

- Screen Size: 43 inches
- Resolution: 1920 × 1080
- Aspect Ratio: 16:9
- Brightness: 220 cd/m²

Connectivity ports:

- USB: 2
- HDMI: 2
- COAX: 1
- RF: 1
- AV: 1
- EARPHONE: 1
- RJ45: 1

Details:

Width	97 cm (38.2 inches)
Height (without stand)	57 cm (22.4 inches)
Depth (without stand)	8.5 cm (3.3 inches)
Height (with stand)	63 cm (24.8 inches)
Depth (with stand)	22 cm (8.7 inches)
Power Consumption	65W
Power Source	AC 100–240V, 50/60Hz



TM-43" FHD Smart TV

The ATV 43" FHD LED TV (Model: TM-4301K) offers a premium viewing experience with Full HD resolution and versatile connectivity options. Designed for modern entertainment needs, it combines vibrant visuals with user-friendly features.

Key Features:

-  Screen Size: 43 inches
-  Resolution: 1920 × 1080
-  Aspect Ratio: 16:9
-  Brightness: 220 cd/m²

Connectivity ports:

- USB: 1
- HDMI: 3
- COAX: 1
- RF: 1
- AV: 2
- EARPHONE: 1

Details:

Width	97 cm (38.2 inches)
Height (without stand)	57 cm (22.4 inches)
Depth (without stand)	8.5 cm (3.3 inches)
Height (with stand)	63 cm (24.8 inches)
Depth (with stand)	22 cm (8.7 inches)
Power Consumption	65W
Power Source	AC 100–240V, 50/60Hz



TM-50" UHD Smart TV

The UHD LED TV (Model: TM-5001SK) provides stunning 4K visuals, high brightness, and versatile connectivity, offering an exceptional viewing experience for both entertainment and professional use.

Key Features:

-  Screen Size: 50 inches
-  Resolution: 3840 × 2160 UHD
-  Aspect Ratio: 16:9
-  Brightness: 250 cd/m²

Connectivity ports:

- USB: 2
- HDMI: 3
- COAX: 1
- RF: 1
- AV: 1
- EARPHONE: 1
- RJ45: 1

Details:

Power Consumption	97 cm (38.2 inches)
Power Source	57 cm (22.4 inches)






➤ Getting Ready

Experience crystal-clear 4K entertainment with Truman Receivers

With Truman Receivers, enjoy a superior viewing experience in stunning 4K resolution, bringing every detail to life on your screen.



TM I WORLD Pro - Black



Hardware Features:

Internal and external digital lens

Internal WiFi antenna

Regular remote and Bluetooth remote

USB 2.0 port for PVR and multimedia playback

HDMI output for HD connection

Frequency range: 950–2,150 MHz

Supports SCPC & MCPC from C/Ku band satellites



Hardware:

Processor	Sunplus 2517da
Memory	RAM: 2 GB
Flash	16 MB

Software Features:

Fully DVB-S/DVB-S2/MPEG-2/MPEG-4/H.264 compliant

Supports up to 2500 transponders

Multi-language OSD support

Supports up to 64 satellites

Auto/manual program search

Electronic Program Guide (EPG)

Full HD 1080P resolution, HDMI 1.4 support

TM I visionPro - GOLD



Hardware Features:

Internal WiFi antenna

USB 2.0 port for PVR and multimedia playback

HDMI output for HD connection

Frequency range: 950–2,150 MHz

Supports SCPC & MCPC from C/Ku band satellites



Hardware:

Processor	SunPlus 1506
Memory	RAM: 512 MB DDR2
Flash	4 MB

Software Features:

Fully DVB-S/DVB-S2/MPEG-2/MPEG-4/H.264 compliant

E-cast for mobile connectivity

Supports up to 8000 channels

Multi-language OSD support

Supports up to 64 satellites

Auto/manual program search

Full HD 1080P resolution, HDMI 1.4 support

TM G200



Hardware Features:

- Internal WiFi antenna
- Regular remote and Bluetooth remote
- USB 2.0 port for PVR and multimedia playback
- HDMI output for HD connection
- Frequency range: 950–2,150 MHz
- Supports SCPC & MCPC from C/Ku band satellites



Hardware:

Processor	SunPlus 1506
Memory	RAM: 512 MB DDR2
Flash	4 MB

Software Features:

- Fully DVB-S/DVB-S2/MPEG-2/MPEG-4/H.264 compliant
- U-cast for mobile connectivity
- Online video library
- Supports up to 2500 transponders
- Multi-language OSD support
- Full HD 1080P resolution, HDMI 1.4 support

TM V55 Ultra



Hardware Features:

USB 2.0 port for PVR and multimedia playback

HDMI output for HD connection

CVBS for analog video connection

Frequency range: 950–2,150 MHz

Supports SCPC & MCPC from C/Ku band satellites



Hardware:

Processor	SunPlus 1506
Memory	RAM: 512 MB DDR2
Flash	4 MB

Software Features:

Fully DVB-S/DVB-S2/MPEG-2/MPEG-4/H.264 compliant

Supports up to 8000 channels

Multi-language OSD support

Full HD 1080P and 4K resolution support

TM 1010



Hardware Features:

- Internal WiFi antenna
- Regular remote and Bluetooth remote
- USB 2.0 port for PVR and multimedia playback
- HDMI output for HD connection
- Frequency range: 950–2,150 MHz
- Supports SCPC & MCPC from C/Ku band satellites



Hardware:

Processor	SunPlus family
Memory	RAM: 512 MB DDR2
Flash	4 MB

Software Features:

- Fully DVB-S/DVB-S2/MPEG-2/MPEG-4/H.264 compliant
- Supports up to 8000 channels
- Multi-language OSD support
- Full HD 1080P and 4K resolution support

TM-SKG 25



Hardware Features:

USB Ports: Equipped with two USB ports for external connectivity.

Channel Capacity: Supports up to 8,000 channels.

Resolution: High-definition (HD) capability for a better viewing experience.

Hardware:

Processor	SunPlus 1506
Memory	RAM: 512 MB DDR2
Flash	4 MB



Software Features:

Compatibility: Works with any remote control receiver without the need for conversion or additional software.

EPG Support: Includes Electronic Program Guide (EPG) functionality.

Timer Functions: Built-in timer support.

TM 7K



Hardware Features:

USB 2.0 ports for PVR and multimedia playback

HDMI output for 4K Ultra HD connection

E-cast for mobile connectivity

Frequency range: 950–2,150 MHz

Supports SCPC & MCPC from C/Ku band satellites



Hardware:

Processor	SunPlus 1506
Memory	RAM: 512 MB DDR2
Flash	4 MB

Software Features:

Fully DVB-S/DVB-S2/MPEG-2/MPEG-4/H.264 compliant

Supports up to 8000 channels

Multi-language OSD support

Full HD 1080P and 4K resolution support

TM AN 38



Hardware Features:

USB 2.0 port for PVR and multimedia playback

HDMI output for HD connection

CVBS for analog video connection

Holy Qur'an library and YouTube access

Frequency range: 950–2,150 MHz

Supports SCPC & MCPC from C/Ku band satellites



Hardware:

Processor	SunPlus 1506
Memory	RAM: 512 MB DDR2
Flash	4 MB

Software Features:

Fully DVB-S/DVB-S2/MPEG-2/MPEG-4/H.264 compliant

Supports up to 5000 channels

Multi-language OSD support

Full HD 1080P resolution, HDMI 1.4 support

TM 4K



Hardware Features:

USB 2.0 ports for PVR and multimedia playback

HDMI output for 4K Ultra HD connection

E-cast for mobile connectivity

Frequency range: 950–2,150 MHz

Supports SCPC & MCPC from C/Ku band satellites



Hardware:

Processor	SunPlus 1506
Memory	RAM: 512 MB DDR2
Flash	4 MB

Software Features:

Fully DVB-S/DVB-S2/MPEG-2/MPEG-4/H.264 compliant

Supports up to 8000 channels

Multi-language OSD support

Full HD 1080P and 4K resolution support



Kitchen Appliances

Gas Stoves ————— 23-25

Kettles ————— 27-30

Our gas stoves deliver reliable heat control for efficient cooking, and our kettles provide quick boiling with safety features. Built for durability and ease of use, these appliances are perfect for simplifying your kitchen tasks.

Gas Stoves

Truman gas stoves are designed to meet everyday cooking needs with ease and reliable performance. They ensure balanced heat distribution for precise cooking results. With high-quality materials and attention to detail, Truman offers a practical and durable choice while prioritizing safety and convenience.



TM- G2501 Shining SS Finish

A practical and efficient gas burner designed to meet your cooking needs with precision and ease. Ideal for residential kitchens, this burner features durable cast iron construction and convenient auto ignition for reliable performance.

Body & Color

Marble Surface Treatment Top Panel

Both Side & Back Painted Black



Specifications:

Dimensions	71 x 37 x 8.5 cm
------------	------------------

Package Dimensions	72 x 39 x 10 cm
--------------------	-----------------

Net Weight	3.77 kg
------------	---------

Gross Weight	3.27 kg
--------------	---------

Gas Type	LPG
----------	-----

Gas Pipe Size	11.5 mm
---------------	---------

Power Rate	3.1 kW
------------	--------

Burner Type: 2 x 90mm Cast Iron Honeycomb Burners +
1 x 30mm Middle Mushroom Burner

Knob Material: PP (Polypropylene) for durability

Ignition: Auto Ignition for quick startup

Flame Control: Precise flame adjustment
for consistent cooking

TM- G2502 Matt SS Finish

A practical and efficient gas burner designed to meet your cooking needs with precision and ease. Ideal for residential kitchens, this burner features durable cast iron construction and convenient auto ignition for reliable performance.

Body & Color
Shining Body S/S



Specifications:

Dimensions	71 x 37 x 8.5 cm
Package Dimensions	72 x 39 x 10 cm
Net Weight	3.77 kg
Gross Weight	3.27 kg
Gas Type	LPG
Gas Pipe Size	11.5 mm
Power Rate	3.1 kW

Burner Type: 2 x 90mm Cast Iron Honeycomb Burners + 1 x 30mm Middle Mushroom Burner

Knob Material: PP (Polypropylene) for durability

Ignition: Auto Ignition for quick startup

Flame Control: Precise flame adjustment for consistent cooking

compliant

Supports up to 8000 channels

Multi-language OSD support

Full HD 1080P and 4K resolution support

TM- G2503 Marble Surface Finish

A practical and efficient gas burner designed to meet your cooking needs with precision and ease. Ideal for residential kitchens, this burner features durable cast iron construction and convenient auto ignition for reliable performance.

Body & Color

Shining Body S/S

Specifications:

Dimensions	71 x 37 x 8.5 cm
------------	------------------

Package Dimensions	72 x 39 x 10 cm
--------------------	-----------------

Net Weight	3.77 kg
------------	---------

Gross Weight	3.27 kg
--------------	---------

Gas Type	LPG
----------	-----

Gas Pipe Size	11.5 mm
---------------	---------

Power Rate	3.1 kW
------------	--------

Burner Type: 2 x 90mm Cast Iron Honeycomb Burners +
1 x 30mm Middle Mushroom Burner

Knob Material: PP (Polypropylene) for durability

Ignition: Auto Ignition for quick startup

Flame Control: Precise flame adjustment
for consistent cooking



Electric Glass Kettle

Truman kettles are built to deliver efficiency and convenience for your daily needs. Designed with user-friendly features, they provide quick and consistent heating. Combining durable materials and modern technology, Truman kettles are a reliable choice for both functionality and long-lasting use.



TM- k2501

A practical and efficient electric kettle designed for quick boiling with a sleek and modern look. Ideal for homes and offices, it combines ease of use with safety features for everyday convenience.

- **Color:** black
- **Element:** Concealed, 304 Stainless Steel
- **Unit Weight:** 1 kg
- **Package Weight:** 1.08 kg
- **Package Dimensions:** 189 x 189 x 232 mm (Color Box)
- **Master Carton Dimensions:** 580 x 3390 x 485 mm (12 units per carton)
- **Plug Type:** VDE Plug
- **Power Cord Length:** 75 cm
- **Internal Wiring:** 0.4 mm
- **Thermostat:** Chinese Metal Thermostat
- **Base:** Cordless, Plastic

Key Features:

- **Power:** 1500W for fast boiling
- **Voltage:** 220-240V, 50Hz
- **Cordless Design:** Easy to use and move
- **Auto Shut-Off:** For added safety
- **Indicator Light:** Shows when kettle is in use
- **Tempered Glass & 304 Stainless Steel Construction:**
Durable and easy to clean





TM- k2502

A practical and efficient electric kettle designed for quick boiling with a sleek and modern look. Ideal for homes and offices, it combines ease of use with safety features for everyday convenience.

- **Color:** blue
- **Element:** Concealed, 304 Stainless Steel
- **Unit Weight:** 1 kg
- **Package Weight:** 1.08 kg
- **Package Dimensions:** 189 x 189 x 232 mm (Color Box)
- **Master Carton Dimensions:** 580 x 3390 x 485 mm (12 units per carton)
- **Plug Type:** VDE Plug
- **Power Cord Length:** 75 cm
- **Internal Wiring:** 0.4 mm
- **Thermostat:** Chinese Metal Thermostat
- **Base:** Cordless, Plastic

Key Features:

- **Power:** 1500W for fast boiling
- **Voltage:** 220-240V, 50Hz
- **Cordless Design:** Easy to use and move
- **Auto Shut-Off:** For added safety
- **Indicator Light:** Shows when kettle is in use
- **Tempered Glass & 304 Stainless Steel Construction:**
Durable and easy to clean



TM- k2503

A practical and efficient electric kettle designed for quick boiling with a sleek and modern look. Ideal for homes and offices, it combines ease of use with safety features for everyday convenience.

- **Color:** pink
- **Element:** Concealed, 304 Stainless Steel
- **Unit Weight:** 1 kg
- **Package Weight:** 1.08 kg
- **Package Dimensions:** 189 x 189 x 232 mm (Color Box)
- **Master Carton Dimensions:** 580 x 3390 x 485 mm (12 units per carton)
- **Plug Type:** VDE Plug
- **Power Cord Length:** 75 cm
- **Internal Wiring:** 0.4 mm
- **Thermostat:** Chinese Metal Thermostat
- **Base:** Cordless, Plastic

Key Features:

- **Power:** 1500W for fast boiling
- **Voltage:** 220-240V, 50Hz
- **Cordless Design:** Easy to use and move
- **Auto Shut-Off:** For added safety
- **Indicator Light:** Shows when kettle is in use
- **Tempered Glass & 304 Stainless Steel Construction:**
Durable and easy to clean



Satellite TV Systems


Co-axial distribution systems

IPTV over satellite

Hybrid Systems

Reliable and easy to use, our satellite TV systems deliver clear signal reception and access to a wide range of channels. Perfect for home or commercial use, they keep you connected to your favorite content.







TV Distribution Systems Designed for Modern Spaces

Our TV distribution system provides reliable and high-quality access to a wide range of channels and digital content. Designed for hotels, hospitals, and residential compounds, it delivers tailored solutions using satellite, fiber, and internet technologies to meet the needs of guests, patients, and residents.



Accessories

TV Wall Mounts	35-41
Multi Switch	42-45
Satellite Finder	46
LNB	47-50
Diseq	51

Our TV accessories offer practical solutions for your entertainment setup. From mounts and stands to cables and remotes, they ensure compatibility and ease of use, making your viewing experience more organized and efficient.



Truman TV Wall Mount P6 Movable

Details:

- Suitable for: 45–75 inch screens
- Material: Hardened Metal
- Color: Black

Features:

- Full motion cantilever mount for LED
- and LCD TVs
- Unique design



Truman TV Wall Mount P4 Movable

Details:

- Suitable for: 32–60 inch screens
- Material: Hardened Metal
- Color: Black

Features:

- Full motion cantilever mount for LED and LCD TVs
- Unique design



Truman TV Wall Mount P65 Movable

Details:

- Suitable for: 55–85 inch screens
- Material: Hardened Metal
- Color: Black

Features:

- Movable mount for large screens
- Dimensions: 59.5 × 45.6 × 8.4 cm
- Weight: 7 kilograms



Truman YT 1442 Fixed TV Wall Mount

Details:

- Suitable for: 14–42 inch screens
- Material: Hardened Metal
- Color: Black

Features:

- Fixed stand for TVs
- Dimensions: 33.2 × 19.2 × 2.6 cm
- Weight: 480 grams

Truman YT 2663 Fixed TV Wall Mount

Details:

- Suitable for: 26–63 inch screens
- Material: Hardened Metal
- Color: Black

Features:

- Fixed stand for TVs
- Dimensions: 59.5 × 49 × 19.6 × 2.4 cm
- Weight: 850 grams



TM Bracket 12-47 Fixed Wall Mount

Details:

- Suitable for: 12–47 inch screens
- Material: Hardened Metal
- Color: Black

Features:

- Easy installation with included fixing accessories
- Installation and safety manual attached
- Dimensions: 54 × 26 × 19 cm
- Weight: 650 grams

TM Bracket 32-73 Fixed Wall Mount

Details:

- Suitable for: 32–73 inch screens
- Material: Hardened Metal
- Color: Black

Features:

- Fully fixed
- Installation and safety manual included
- Dimensions: 66 × 2.3 × 0.3 cm

• Weight: 1 kilogram



TM TV Wall Mount TM-K40 Moving

Details:

- Suitable for: 26–55 inch screens
- Material: Reinforced Metal
- Color: Black

Features:

- Fully movable
- Medium size

Truman Tv Bracket TM - AN55T Fixed

Details:

- Suitable for: 26 - 55 inch screens
- Material: Hardened Metal
- Color: Black

Features:

- Fully fixed
- Installation and safety manual included
- Strong and Durable: Constructed from high-quality materials



Truman Tv Bracket TM - AN32T Fixed

Details:

- Suitable for: 12 - 32 inch screens
- Material: Reinforced Metal
- Color: Black

Features:

- Fully movable
- Medium size

Truman TV Bracket 502 PLUS Moving Wall Mount


Details:

- Suitable for: 32–70 inch screens
- Material: Reinforced Metal
- Color: Black

Specifications:

- Full motion
- Large size
- Dimensions: 60 × 19 × 9 cm
- Weight: 5 kilograms





TM – 9924CC

Specifications:

Input	9 (SAT & ANT)
Outputs	24
Dimensions	44.5 x 37.6 x 25.2 cm
Supports	Full HD (1080p), 4K UHD, DVB, and HDTV

Insertion Loss:

- ANT Input: 40–860 MHz
- SAT Input: 950–2150 MHz

Frequency Range:


- ANT Input: 40–860 MHz
- SAT Input: 950–2150 MHz

Output Levels:

- ANT: Up to 80 dBμV
- SAT: Up to 92 dBμV

Description:

The Truman Satellite Multiswitch 9/24 is designed to distribute satellite and terrestrial signals across up to 24 outputs. Ideal for large or expanding satellite systems, it supports both HD and 4K content, ensuring reliable performance in various environments.



TM – 9916CC

Specifications:

Input	9
Outputs	16
Dimensions	44.5 x 37.6 x 25.2 cm
Supports	Full HD (1080p), 4K HDR, 3D

Insertion Loss:

- 3 dB (ANT/SAT) on trunk
- 5 dB (ANT), 2 dB (SAT) on outputs

Frequency Range:


- 5–860 MHz (ANT)
- 950–2150 MHz (SAT)

Output Levels:

- 80 dBμV (ANT)
- 92 dBμV (SAT)

Description:

The Truman 9/16 Multiswitch (Model: 9916CC) is a powerful and versatile device designed for efficient signal distribution in satellite and terrestrial setups. With the capacity to serve up to 16 subscribers, it ensures optimal performance and reliability in a compact and durable design.



TM – 9932CC

Specifications:

Input	9
Outputs	32
Dimensions	44.7 x 44.5 x 25.2 cm
Supports	Full HD (1080p), 4K HDR, 3D signals

Insertion Loss:

- 3 dB (ANT), 6 dB (SAT) on trunk
- 4 dB (ANT), 3 dB (SAT) on outputs

Frequency Range:

- 5–860 MHz (ANT)
- 950–2150 MHz (SAT)

Output Levels:

- 80 dBμV (ANT)
- 92 dBμV (SAT)

Description:

The Truman MS-9932CC-HM Satellite Multiswitch is a robust and efficient solution for distributing satellite and terrestrial signals across large-scale installations. Designed for high-capacity systems, it supports up to 32 subscribers while maintaining excellent signal quality and reliable performance.



TM – 9908CC

Specifications:

Input	9
Outputs	8
Dimensions	44.5 × 38.4 × 26.3 cm
Supports	Full HD (1080p), 4K HDR, 3D signals

Insertion Loss:

- 3 dB (ANT/SAT) on trunk
- 5 dB (ANT), 2 dB (SAT) on outputs

Frequency Range:

- 40–860 MHz (ANT)
- 950–2150 MHz (SAT)

Output Levels:

- ANT: Up to 80 dBμV
- SAT: Up to 92 dBμV

Description:

The Truman 9/8 Multiswitch is designed to distribute satellite and terrestrial signals to up to 8 subscribers. It is suitable for residential and commercial setups, providing reliable signal quality in a compact and durable unit.

Truman HD SAT FINDER 3700 GC

Key Features:

- **3.5" TFT LCD Screen:** Provides a clear and detailed display for real-time monitoring and adjustments.
- **DVB-S/S2 Compatibility:** Supports both DVB-S and DVB-S2 standards, ensuring compatibility with modern satellite systems.
- **CCTV Camera Testing:** Includes functionality for testing CCTV cameras, enhancing its versatility.
- **USB Wi-Fi Connectivity:** Enables internet access by connecting a USB Wi-Fi dongle, allowing for firmware updates and additional features.
- **AHD Support (8MP Optional):** Compatible with AHD technology, supporting high-resolution cameras up to 8MP.
- **Spectrum Analyzer:** Facilitates precise signal analysis and troubleshooting with built-in spectrum analysis.
- **Multi-lingual OSD:** Offers a user-friendly interface with support for multiple languages, ensuring accessibility for a diverse range of users.



Software Features:

The Truman HD SAT FINDER 3700 GC is a precise, user-friendly tool for satellite professionals and enthusiasts. Perfect for dish alignment, signal analysis, and CCTV testing, it combines advanced features with ease of use, making it essential for any satellite toolkit.



Truman LNB 1 PORT TM-121 NEW

Specifications:

Input	10.7–12.75 GHz
Output	950–2150 MHz
LO	9.75 / 10.60 GHz
Noise	0.1 dB

Details:

- Universal KU-Band Single LNB
- Easy to install

Description:

This single-port Universal KU-Band LNB is easy to install and offers reliable satellite signal reception. It operates within a 10.7–12.75 GHz input range and has a low noise figure of 0.1 dB.



Truman LNB 2 PORT TM-221 NEW

Specifications:

Input	10.7–12.75 GHz
Output	950–2150 MHz
LO	9.75 / 10.60 GHz
Noise	0.1 dB

Details:

- Universal KU-Band Twin LNB
- Easy to install

Description:

This twin-port KU-Band LNB allows connection to two satellite receivers, offering the same reliable performance as the single-port version, with a 0.1 dB noise figure for optimal signal reception.



Truman LNB 4 PORT TM-421 NEW

Specifications:

Input	10.7–12.75 GHz
Output	950–2150 MHz
LO	9.75 / 10.60 GHz
Noise	0.1 dB

Details:

- Universal KU-Band Quad LNB
- Easy to install

Description:

A Universal KU-Band quad LNB, this model is designed for connecting up to four receivers. It offers easy installation and operates efficiently within the specified frequency range.



Truman LNB 8 PORT TM-821 NEW

Specifications:

Input	10.7–12.75 GHz
Output	950–2150 MHz
LO	9.75 / 10.60 GHz
Noise	0.1 dB

Details:

- Universal KU-Band Octo LNB
- Easy to install

Description:

This octo LNB provides support for up to eight receivers, making it ideal for larger installations. It operates within the standard frequency range and provides clear and consistent satellite signals.

DISECQ CONNECT 4 SINGLE PERSEVER SATELLITES

Description:

The TR-801 Diseqc Switch connects up to four satellites to a single receiver. Its sleek, compact design makes it a convenient solution for satellite setups requiring multiple connections.

Details:

- Brand: Truman
- TR-801 Diseqc Switch – 4 Ports
- Sleek design and compact construction
- Packed with features for efficient satellite connections



DISECQ CONNECT 8 SINGLE PERSEVER SATELLITES

Description:

Similar to the 4-port version, this TR-801 Diseqc Switch supports up to eight satellites. Its compact construction offers the same efficiency and ease of use for larger satellite systems.

Details:

- Brand: Truman
- TR-801 Diseqc Switch – 8 Ports
- Sleek design and compact construction
- Packed with features for efficient satellite connections



Cables

Co axial Cables _____ 53-55

Cat-6 Cables _____ 56

HDMI Cables _____ 57-59

Designed for reliability and durability, Truman Cables deliver stable connections and efficient power or data transfer. Ideal for both home and professional setups, they provide a practical solution for your connectivity needs.



Coaxial Cables

Coaxial CABLE 30 YARD

Specifications:

RG6 coaxial cable

Inner conductor: 0.80 mm CCS

Dielectric: 4 ± 0.01 FPE

Foil Coverage: 100% Aluminum Foil

Braiding: 48/12 mm AL Wires

Impedance: 75 ohms

Details:

- Resistant to weather and heat
- Copper internal components
- Sufficient for distances up to 50 yards

Description:

This dish cable is built to withstand weather and heat while providing reliable signal transmission. It features copper internal components and offers RG6 coaxial connectivity, perfect for installations up to 30 yards.



Coaxial CABLE 30 YARD

Specifications:

RG6 coaxial cable

Inner conductor: 0.80 mm CCS

Dielectric: 4 ± 0.01 FPE

Foil Coverage: 100% Aluminum Foil

Braiding: 48/12 mm AL Wires

Impedance: 75 ohms

Details:

- Resistant to weather and heat
- Copper internal components
- Sufficient for distances up to 30 yards

Description:

Ideal for shorter distances, this dish cable provides the same weather-resistant and heat-resistant properties, with copper internal components and RG6 coaxial connection, suitable for installations up to 30 yards.



Coaxial CABLE 250 YARD

Specifications:

RG6 coaxial cable

Inner conductor: 0.80 mm CCS

Dielectric: 4 ± 0.01 FPE

Foil Coverage: 100% Aluminum Foil

Braiding: 48/12 mm AL Wires

Impedance: 75 ohms

Details:

- Resistant to weather and heat
- Copper internal components
- Sufficient for distances up to 30 yards

Description:

Ideal for shorter distances, this dish cable provides the same weather-resistant and heat-resistant properties, with copper internal components and RG6 coaxial connection, suitable for installations up to 250 yards.

Cat 6 Cable

Description:

Cat6 Ethernet Cable is perfect for home/office networks, routers, printers, VoIP phones, IP cameras, gaming consoles, Ethernet extenders, switches, PoE devices, and more.

Specifications:

- Cable Type: lan
- Speed: 10/100/1000 Mbps
- Connectors' Material: Plastic



4K HDMI Cables - CABLE 4K 1.5M

Description:

This 1.5-meter high-speed HDMI cable ensures a stable and clear 4K signal, resistant to vibration and cuts. It supports the HD TV 2.0 standard transmission for reliable performance.

Specifications:

- High-speed 4K HDMI cable
- Resistant to vibration and cuts
- Supports HD TV 2.0 standard transmission



CABLE 4K 3M

Description:

The 3-meter version of this high-speed HDMI cable provides the same high-quality 4K transmission and durability, suitable for setups that require more reach without compromising signal quality.

Specifications:

- High-speed 4K HDMI cable
- Resistant to vibration and cuts
- Supports HD TV 2.0 standard transmission



CABLE 4K 5M

Description:

At 5 meters, this high-speed HDMI cable delivers a stable 4K connection, designed to withstand vibrations and cuts, ideal for setups needing longer cable lengths.

Specifications:

- High-speed 4K HDMI cable
- Resistant to vibration and cuts
- Supports HD TV 2.0 standard transmission



CABLE 4K 10M

Description:

This 10-meter HDMI cable offers high-speed 4K signal transmission, with a robust design that resists vibrations and cuts for long-term use.

Specifications:

- High-speed 4K HDMI cable
- Resistant to vibration and cuts
- Supports HD TV 2.0 standard transmission

CABLE 4K 20M

Description:

The 20-meter version of this high-speed HDMI cable is perfect for long-distance setups, providing reliable 4K video transmission with resistance to vibrations and cuts.

Specifications:

- High-speed 4K HDMI cable
- Resistant to vibration and cuts
- Supports HD TV 2.0 standard transmission



CABLE 4K 5M

Description:

At 5 meters, this high-speed HDMI cable delivers a stable 4K connection, designed to withstand vibrations and cuts, ideal for setups needing longer cable lengths.

Specifications:

- High-speed 4K HDMI cable
- Resistant to vibration and cuts
- Supports HD TV 2.0 standard transmission



CABLE 4K 10M


Description:

This 10-meter HDMI cable offers high-speed 4K signal transmission, with a robust design that resists vibrations and cuts for long-term use.

Specifications:

- High-speed 4K HDMI cable
- Resistant to vibration and cuts
- Supports HD TV 2.0 standard transmission





Contact Us

EGYPT BRANCH

📍 174 Tahrir St., Babellouk , Cairo , Egypt.
Factory: 76 Abu Rawash Industrial City

✉ info@trumanelectronics.com

☎ (+202) 23956003 - (+202) 23956004

UAE BRANCH

📍 Al Nakheel St., Naif Deira, Dubai ,U.A.E.

Office 091-120 AL ROSTAMANI REAL ESTATE CO. (L.L.C)
Airport Road - DEIRA- DUBAI -United Arab Emirates.
P.O. Box 86567

✉ info@trumanelectronics.com

☎ (+202) 23956003 - (+202) 23956004