

Sagar kandari
T010

Laxmi Charitable Trust's

Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce

Department of Information Technology (B.Sc.I.T Semester V)

Dot .Net Core and Progressive Web Application Practical

Practical – X

Roll No.: T010	Name: Sagar Kandari
Class: TYIT	Batch: 01
Date of Assignment: 22/09/2026	Date/Time of Submission: 22/09/2026

10. a. Create a PWA with a Web App Manifest file including:

App name

Icons

Start URL

Display mode

Implement Push Notifications in a PWA. Steps:

1. Create an **ASP.NET Core Empty Web App** named PushNotification.
2. Create a wwwroot folder.
3. Add manifest.json with app name, icons, start URL and display mode.
4. Create icons folder and add icon1.png and icon2.png.
5. Add index.html and link manifest.json.
6. Add app.js for service worker registration and notifications.
7. Add service-worker.js for service worker events.
8. Configure Program.cs with UseDefaultFiles() and UseStaticFiles().
9. Run the project, install the PWA and test the notification.

Code:

manifest.json :

```
{
  "name": "My PWA Application (Sagar Kandari (T010))",
  "short_name": "MyPWA", "start_url":
  "/index.html",
  "display": "standalone",
  "background_color": "#ffffff",
  "theme_color": "#0d6efd",
  "icons": [
    {
      "src": "icons/icon1.png",
      "sizes": "192x192",
      "type": "image/png"
    },
    {
      "src": "icons/icon2.png",
      "sizes": "447x447",
      "type": "image/png"
    }
  ]
}
```

index.html :

```
<!DOCTYPE html>
<html>
<head>
  <title>My PWA</title>
```

Sagar kandari

T010

```
<link rel="manifest" href="manifest.json">
<meta name="theme-color" content="#0d6efd">
</head>
<body>
  <h1>My Progressive Web App (Sagar Kandari (T010)</h1>
  <button onclick="showNotification()"> Show
    Notification
  </button>
  <script src="app.js"></script>
</body>
</html> app.js
```

```
:
if ('serviceWorker' in navigator) {
  navigator.serviceWorker.register('service-worker.js')
    .then(() => console.log('Service Worker Registered'));
}
function showNotification() {
  Notification.requestPermission().then(permission => { if
    (permission === 'granted') {
      navigator.serviceWorker.ready.then(registration => {
        registration.showNotification('PWA Notification', {
          body: 'Push Notification Working Successfully!', icon:
            'icons/icon1.png'
        });
      });
    }
  });
}
```


service-worker.js :


```
self.addEventListener('install', event => {
  console.log('Service Worker Installed');
});

self.addEventListener('activate', event => {
  console.log('Service Worker Activated');
});
```

Program.cs :

```
var builder = WebApplication.CreateBuilder(args);
var app = builder.Build();
app.UseDefaultFiles();
app.UseStaticFiles();
app.Run(); Output:
```





10.b. Develop an E-Commerce PWA with Product Listing and Offline Cart Functionality Steps:

1. Create an **ASP.NET Core Empty Web App** named ECommercePWA.
2. Configure Program.cs using UseDefaultFiles() and UseStaticFiles().
3. Create manifest.json inside the wwwroot folder.
4. Create an icons folder and add icon1.png and icon2.png.
5. Create index.html with product listing and cart section.
6. Create app.js for service worker registration and offline cart functionality.
7. Create service-worker.js for caching application files.
8. Run the project and open the application in the browser.
9. Add products to the cart and test offline functionality using **Chrome DevTools** → **Network** → **Offline**.

Code:

Program.cs:

```
var builder = WebApplication.CreateBuilder(args);  
var app = builder.Build();  
app.UseDefaultFiles();  
app.UseStaticFiles();  
app.Run();
```

manifest.json:

```
{  
  "name": "E-Commerce PWA",  
  "short_name": "ShopPWA",  
  "start_url": "/index.html",  
  "display": "standalone",  
  "background_color": "#ffffff",  
  "theme_color": "#0d6efd",  
  "icons": [  
    {  
      "src": "icons/icon1.png",  
      "sizes": "192x192",  
      "type": "image/png"  
    },  
    {  
      "src": "icons/icon2.png",  
      "sizes": "512x512",  
      "type": "image/png"  
    }  
  ]  
}
```

index.html:

```
<!DOCTYPE html>  
<html>
```

Sagar kandari

T010

```
<head>
  <title>E-Commerce PWA</title>
  <link rel="manifest" href="manifest.json">
  <meta name="theme-color" content="#0d6efd">
  <style>
    body {
      font-family: Arial;
      margin: 20px;
    }
    .container {
      display: flex;
      gap: 30px;
    }
    .cart-section { width:
      30%; border: 1px
      solid gray; padding:
      15px;
      min-height: 300px;
    }
    .product-section {
      width: 70%;
    }
    .products {
      display: flex;
      flex-wrap: wrap;
      gap: 15px;
    }
    .product { border: 1px
      solid gray; padding:
      10px; width: 200px;
    }

    button {
      padding: 5px 10px;
      cursor: pointer;
    }
  </style>
</head>
<body>
  <h1>E-Commerce PWA (Siddhesh K (T009))</h1>
  <div class="container">
    <!-- Cart Section -->
    <div class="cart-section">
      <h2>Cart Items</h2>
      <ul id="cartList"></ul>
    </div>
    <!-- Product Section -->
    <div class="product-section">
      <h2>Products</h2>
      <div class="products">
        <div class="product">
          <h3>Laptop</h3>
```


Sagar kandari
T010

```
<p>Price: ₹50000</p>
<button onclick="addToCart('Laptop')"> Add
  to Cart
</button>
</div>
<div class="product">
  <h3>Mobile</h3>
  <p>Price: ₹20000</p>
  <button onclick="addToCart('Mobile')">
    Add to Cart
  </button>
</div>
<div class="product">
  <h3>Headphones</h3>
  <p>Price: ₹3000</p>
  <button onclick="addToCart('Headphones')"> Add
    to Cart
  </button>
</div>
</div>
</div>
<script src="app.js"></script>
</body>
</html>
app.js:
if ('serviceWorker' in navigator) {
  navigator.serviceWorker.register('service-worker.js')
    .then(() => console.log('Service Worker Registered'));
}
let cart = JSON.parse(localStorage.getItem('cart')) || [];
displayCart(); function addToCart(product) {
  cart.push(product);
  localStorage.setItem('cart', JSON.stringify(cart));
  displayCart();
}
function displayCart() { let cartList =
  document.getElementById('cartList');
  cartList.innerHTML = ""; cart.forEach(item => { let
  li = document.createElement('li'); li.textContent =
  item;
  cartList.appendChild(li);
  });
}
service-worker.js:
const CACHE_NAME = 'ecommerce-cache-v1';
const urlsToCache = [
  '/',
  '/index.html',
  '/app.js',
  '/manifest.json'
];
```

Sagar kandari
T010

```
self.addEventListener('install', event => {
  event.waitUntil(
    caches.open(CACHE_NAME)
      .then(cache => { return
        cache.addAll(urlsToCache);
      })
  );
});
self.addEventListener('fetch', event => {
  event.respondWith(
    caches.match(event.request)
      .then(response => { return response ||
        fetch(event.request);
      })
  );
});
```

Output:



Test Offline Functionality

