

Status	Finished
Started	Sunday, 2 November 2025, 11:05 PM
Completed	Sunday, 2 November 2025, 11:41 PM
Duration	35 mins 15 secs

Question **1**

Correct

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.

The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

2
3
5

Output:

WBW
BWB
WBW
WBWBW
BWBWB
WBWBW
BWBWB
WBWBW

Answer: (penalty regime: 0 %)

```
1  #include<stdio.h>
2
3  int main(){
4
5      int T,N;
6      scanf("%d", &T);
7      for(int t=0;t<T;t++){
8          scanf("%d",&N);
9          for(int i=0; i<N;i++){
10
11             for(int j=0;j<N;j++){
12
```

```

12
13     if((i+j)%2==0)
14         printf("W");
15     else
16         printf("B");
17 }
18 printf("\n");
19 }
20 }
21 }

```



	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	



Passed all tests! ✓

Question **2**

Correct

Let's print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

```
2
2 W
3 B
```

Output:

```
WB
BW
BWB
WBW
BWB
```

Answer: (penalty regime: 0 %)

```
1  #include<stdio.h>
2  int main(){
3      int t,n;
4      char c;
5      scanf("%d", &t);
6      while(t--){
7          scanf("%d %c", &n, &c);
8          for(int i=0;i<n;i++){
9              for (int j=0;j<n;j++){
10                 if((i+j)%2==0)
11                     printf("%c",c);
12                 else
13                     printf("%c".(c=='W')?'B' : 'W');
```

```

14         }
15
16         printf("\n");
17
18     }
19 }
20
21 }
```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! ✓

Question **3**

Correct

Problem Statement:

In a small coding competition, participants are to be grouped into teams of three members, each member represented by a number — 1, 2, and 3.

The rule of the competition states that no member can repeat within the same team.

Write a program to display all possible unique team combinations that can be formed using the members 1, 2, and 3 without repetition.

Sample Output:

1 2 3

1 3 2

2 1 3

2 3 1

3 1 2

3 2 1

Answer: (penalty regime: 0 %)

```
1  #include<stdio.h>
2  int main(){
3      int a,b,c;
4      for(a=1;a<=3;a++){
5          for(b=1;b<=3;b++){
6              for(c=1;c<=3;c++){
7                  if(a!=b&&b!=c&& a!=c)
8                      printf("%d %d %d \n",a,b,c);
9              }
10         }
11     }
12 }
13 }
```



	Expected	Got	
✓	1 2 3 1 3 2 2 1 3 2 3 1 3 1 2 3 2 1	1 2 3 1 3 2 2 1 3 2 3 1 3 1 2 3 2 1	✓

Passed all tests! ✓