



AIR INJECTION & IRRIGATING CANNULAS

SS055 ANTERIOR CHAMBER WASHOUT CANNULA




Angled 30, spatulated, 6mm from end,
length 25mm - 16G/19G

SS1056 VISCO FLOW CANNULA




For easier injection of viscoelastic to all meridians
dome shaped provides safe insertion.
27G x 24 MM

SS057 FLATTENED ANTERIOR CHAMBER CANNULA (BRACKEN)




Curved 90 flattened bevel tip
19G, length 23 MM

SS061 ANTERIOR CHAMBER CANNULA (MCINTYRE)




set of 5
23G/25G/26G/27G/30G

**SS063 ANTERIOR CHAMBER CANNULA
(KNOLLE)**




2 MM Angled Tip, Length 19 MM
set of 3 cannula-23G/25G/30G

**SS065 ANTERIOR CHAMBER MAINTAINER
(LEWICKY)**



Silicone tubing attached to 20G X 3.50 MM Cannula
unique annular rings for self retaining

**SS1065 ANTERIOR CHAMBER MAINTINER
(BLUMENTHAL)**



20 cms silicone tubing attached to reinforced 23G X 5.00 MM cannula
with atkinson point. Slightly spatulated for self retaining


**SS1067 A/C MAINTAINER BULBOUS
TIP (JAYMCE)**



Bulbous tip allows easy insertion and minimum
tissue disturbance 20G x 4 mm from tip.


ANESTHESIA & NEEDLES

**SS001 RETROBULBER NEEDLE
(ATKINSON)**




23G/25G/27G - 38 MM

**SS003 RETROBULBAR NEEDLE
(SHARP POINT)**



23G/25G - 38MM
25G - 50MM


**SS1003 RETROBULBAR NEEDLE
(CURVED)(ATKINSON)**



Design facilitates to course around the globe and parallel to the optic nerve.


11MM bend, 23G/25G - 35MM length

SS005 PERIBULVAR NEEDLE (ATKINSON)



23G/25G/27G - 22MM



**SS009 SUBTENON'S ANESTHESIA
(PARA) NEEDLE**



Curved flattened tip

19G x 25MM

**SS011 SUBTENON'S ANESTHESIA CANNULA
(TRI PORT)**




CURVED

21G/19G - 25MM

ANGLED

21G/19G - 25MM


**SS013 SUBTENON'S ANESTHESIA
(PARA) NEEDLE**



21G - 0.30MM SIDE PORT


CAPSULE POLISHERS

SS157 CAPSULE POLISHER (JENSON)




All around sand blasted bulbous tip,
length 28mm gently curved
25G/27G

**SS159 POSTERIOR CAPSULE
POLISHER (FREEMAN)**




Irrigating port on both sides,
19G, length 32 mm
Angled sand blasted

**SS163 POSTERIOR CAPSULE POLISHER
(SIMCOE)**




Top Port 0.30 mm aperture 16 mm long
23G curved sand blasted

**SS167 POSTERIOR CAPSULE SCRUBBER
(SIMCOE)**




same as SS165 but posterior is capsule


SS155 CAPSULE POLISHER (ANIS)




**SS1157 OLIVE TIP POLISHER
(PEARCE) (TOP PORT)**




**SS161 POSTERIOR CAPSULE POLISHER
(SIMCOE)**



**SS165 ANTERIOR CAPSULE SCRUBBER
(SIMCOE)**




SS169 CAPSULE POLISHER (KRATZ)



**0.30 mm top port, angled blasted
3mm from end
21G/23G - 22mm**


SS171 COLLAR BUTTON (GREATHER)



Micro Iris reactor sand blasted posterior surface for capsule
polishing side irrigation,


**length 25 mm
23G - Angled/Straight**

SS177 FLEXIBLE TIP POLISHER ENGLES



Flexible sleeve gives
atraumatic insertion & removal.
27G x 22 mm curved
Most suitable for Bimanual technique


SS179 FLEXIBLE TIP CANNULA



Angled 45, 7mm from end sleeve length 10 mm
23G x 22 mm 45 angled 4 mm length


CORTEX ASPIRATION

SS079 CORTEX ASPIRATION CANNULA (MCINTYRE BINKHORST)




Blunt tip front opening hooked 22 mm length
26G Left/Right

SS081 CORTEX ASPIRATION (ALPERN)




Angled 45 - 5mm from end, hook 1.50mm x 1,75mm
25G x 22 mm - Right/Left


SS085 ASPIRATING CANNULA (GILLS)




SS087 ASPIRATION CANNULA (HEALON)




SS091 CORTEX EXTRACTOR CANNULA (SIMCOE)




SS093 CORTEX EXTRACTOR CANNULA (SIMCOE-WELSH)




SS095 CORTEX EXTRACTOR CANNULA (WELSH)




SS097 ALPHA CHROMOSTRYP SIN ASPIRATING CANNULA (TROUTMAN)



SS099 U SHAPED ASPIRATING CANNULA




SS1098 CORTEX EXTRACTOR (CHARLEUX)




CYCLODIALYSIS

**SS215 CYCLODIALYSIS CANNULA
(CASTROVIEJO)**




**15 MM angled tip opening at top,
semi sharp sides -19G**

**SS219 CYCLODIALYSIS CANNULA
(KELMAN)**




**spatulated tip left side opening, 19G
Right/Left**

**SS221 CYCLODIALYSIS CANNULA
(SHEETS)**




**flattened 12mm tip, irrigating port on
both sides and in front overall length.
19G x 32mm**

**SS223 CYCLODIALYSIS CANNULA
(GANS)**




**Opening on left side, 12 mm angled tip,
19G**

**SS225 CYCLODIALYSIS CANNULA
(GANS)**



**Both sides opening 12mm angled tip
19G**


**SS227 CYCLODIALYSIS CANNULA
(RANDOLPH)**




**Opening in front for air injection 19G,
12mm angled tip, overall length 29mm**

CYSTOTOMES


SS015 CYSTOTOME (STRAIGHT)




SS017 IRRIGATING CYSTOTOME (FORMED)




SS019 CYSTOTOME (ANGLED)



SS021 IRRIGATING CYSTOTOME (REVERSE)




SS023 SHARP IRRIGATING CYSTOTOME (KELMAN)




GLAUCOMA

**SS391 GLAUCOMA REVISION
PICK**



**27G X 16 MM 60 degree angle length 7 mm
suitable for superior approach**


SS393 GLAUCOMA REVISION PICK



**27G X 16 mm angled 30 degree
length 13.5mm
suitable for temporal or nasal approach**


HYDRODISSECTION / HYDRODELINEATION

**SS069 NUCLEOUS HYDRODISSECTOR
(RAININ)**




**Angled 45 bend 7mm length 22mm
spatulated on horizontal plane
30G/27G**

**SS071 NUCLEOUS HYDRODISSECTOR
(MCINTYRE SPATULATED)**




**Angled 45 bend 11mm
length 22mm flattened on horiz plane
30G/27G/23G**

**SS073 J SHAPED MICRO HYDRODISSECTOR
(PEARCE)**




Hook 1.75 mm wide 2.25 long length 22mm
30G/27G

**SS1073 MICRO J SHAPED HYDRODISSECTOR
(PEARCE)**



Micro size spatulated tip for easy entry through under capsule
hook 2.00mm x 2.50 mm
27G/25G x 22mm


**SS075 NUCLEOUS HYDROLYSIS NEEDLE
(P.KOCH)**



Short bevel tip penetrates the nucleous from manual sculpting to improve jamellar separation. Flattened & smooth insertion under anterior capsule

25G x 22 mm


**SS1075 NUCLEOUS HYDRODISSECTOR
(PEARCE)**



Close tip prevent clogging while entry. Three irrigation ports for improved fluid distribution and lamellar separation.

25G x 22mm


**SS1077 NUCLEOUS HYDRODELINEATOR
(FEASTER)**



Closed wedge shaped tip allows easy penetration between nucleous & epinucleous. Two irrigating ports for fluid distribution both the planes.

25Gx 22 mm

**SS1078 TAPERED HYDROLINEATOR
(BLUMENTHAL)**




Tapered tip allows more flow of fluid through a smaller tip. Easy insertion under capsule for hydrodissector ro into nucleus for hydrodelineation.


25G x 22 mm

IRRIGATING & ASPIRATING


SS103 DOUBLE I&A CANNULA




SS105 I & A CANNULA (GILLS)




SS107 J SHAPED I&A CANNULA




SS109 J SHAPED I&A CANNULA (INSIDE PORT)



SS119 I&A CANNULA (GILLS)




SS121 I&A CANNULA (GILLS/WELSH)



IO VUE


CENTRAL INDIA EXPORTS, 6-7, SHRIVARDHAN COMPLEX, RAMDASPETH, WARDHA ROAD, NAGPUR-440012, INDIA

**SS129 I & A CANNULA
(SIMCOE REGULAR)**




**Aspiration through tubing 0.30mm port 23G
23/23G 0.30mm/0.40mm port**

SS133 I & A CANNULA (SIMCOE REVERSE)




**Aspiration through hub 0.30mm port
irrigation through tubing**

**SS135 I & A CANNULA (BLASTED)
(SIMCOE DAHAN)**



**0.40 mm PORT
same as SS129**


**SS1151 I & A CANNULA (MODIFIED)
(SIMCOE)**



Aspiration through 23G tubing and irrigating through 0.50 mm (22G) bottom irrigating keeps capsules away from the aspiration port.

SS 1151 - REVERSE MODEL


**SS1149 J SHAPED I & A CANNULA
(REGULAR)**



J shaped facilitates removal of cortex at 120 clock position

**REGULAR - LEFT/RIGHT
REVERSE - LEFT/RIGHT**

**SS131 WB I & A CANNULA (SIMCOE) WITH
SILICON BULB**




Specially designed hub eliminates use of adapters and directly fits in the silicon bulb. inside taper 6% luer can also be used with syringe regular.

0.30 mm /0.40 mm port


LACRIMAL

**SS027 LACRIMAL CANNULA REINFORCED
(STRAIGHT)**





**20G Shaft having reinforced 12 mm 23G cannula (malleable)
straight overall length 32 mm**

**SS029 LACRIMAL CANNULA REINFORCED
(CURVED)**




**20G shaft having reinforced 12 mm 23G cannula (malleable)
curved overall length 32 mm**

**SS035 LACRIMAL CANNULA (ANEL)
SPECIAL LONG MOUNT BLUNT TIP**



23G/25G - STRAIGHT / CURVED

SS043 LACRIMAL INTUBATION SET




**Stainless steel probes with 30 cms
silicone tubing 23G
17.5 cms /11.0 cms probe**

**SS1041 LACRIMAL INTUBATION SET
(OLIVE TIP)**




**Stainless steel probes 0.40 mm x 11 mm
with olive tip silicone tube length 35 cms**

**SS045 DACRYOCYSTRHINOSTOMY
(DCR)**



**Stainless steel probes 20G x 4.50 cms
solid silicone rod length 40 cms
STRAIGHT / ANGLED**

SS031 LACRIMAL CANNULA (SHAHINIAN)



**Smooth bullet shape end for punctual dialation and irrigation of the
nasolacrimal system**


25G x 35 mm

**SS1043 LACRIMAL INTUBATION SET
(NOTCHED)**



**Stainless steel probes 0.60 mm x 11 mm with notched
tips silicone tube length 35 cms**


SS1045 LACRIMAL INTUBATION SET WITH SUTURE (CRAWFORD)



Stainless steel probes 0.60 mm x 11 cms with olive tip 0.60 mm silk thread inserted inside the lumen of probe for easy removal without anesthesia


LASIK

SS371 LASIK FLAP IRRIGATOR (VIDAURRI)




UNIVERSAL CANNULA SIMULTANEOUSLY IRRIGATES BOTH SIDES OF FLAP. WASHES AT STROMAL BED AND ENABLES FLAP POSITIONING . 16G X 12 MM CANNULA WITH TWO PARALLEL EXTENSION ANGLED TIPS SET 1 MM APART EACH EXTENSION HAS FOUR IRRIGATING PORTS

SS 373 LASIK IRRIGATING CANNULA BANAJI



Design permits sideways entry into without dragging epithelium into the interface, irrigation by four 0.25 mm ports 25G/27G


SS375 LASIK INTERFACE CANNULA



Designed to wash the interfaced of the flap.
Continuous irrigation through two sides
& one front holes


LENS MANIPULATORS

**SS209 IRRIGATING DAILER REINFORCED
(YOUENS)**



30G X 7/8" Angled 45 10 mm from end


**SS211 INTRAOCULAR LENSE CANNULA
(BECHERT)**



**Angled 5 mm tip 27G, 19 mm long
Horizontal Groove/Vertical Groove**



LENS REMOVAL CANNULA

**SS183 IRRIGATING VECTUS
(KNOLE - PEARCE)**




**Irrigating port at 10, 12 and 2 O'clock 23G
loop 5 mm wide 9 mm long**

**SS185 REVERSE IRRIGATING VECTUS
(DREWS - KNOLLE)**




**One forward & two reverse irrigating ports,
loop 5.5 mm 9 mm long
overall length 35 mm 23G**

SS187 IRRIGATING VECTUS (SHEETS)




3 Irrigating ports serrations on top of vecuts 12G,
loop 5.5 mm wide, 19 mm long overall length 38 mm

SS191 IRRIGATING VECTUS (MICRO)




Posterior capsule polisher lightly angled,
sand blasted base irrigating port facing
inside circle 25G

SS195 IRRIGATING VECTUS (MICRO)




Lightly angled bottom sand blasted,
irrigating port facing outside circle

SS189 IRRIGATING VECTUS (ANIS)




Two front opening ports 23G heart
shaped loop

SS193 NUCLEOUS DELIVERY CANNULA (SIMCOE)




LEFT/RIGHT

SS 197 SMALL INCISION NUCLEOUS DELIVERY CANNULA WITH SPOON (MCINTYRE)



Used with trisector to take our bigger
fragments 3 mm / 4.5 mm width 23 G


**SS199 NUCLEUS DELIVERY PUNCH
(BIDAYE)**



The ridge on the entangles nucleus when punched into it and delivers it out ECC into A/C. Tapered plate prevents iris prolapse


SPECULUMS

**SS10-501 WIRE SPECULUM "PEDIATRIC"
(WORTHAM)**



size 34 x 21 mm
Retraction 10 x 3.5 mm

SS 10 - 503 REVERSE EYE SPECULUM




Designed for temporal scleral tunnel and clear corneal incisions.
size 38 x 24 mm
Retraction 14 x 5 mm

IO VUE


CENTRAL INDIA EXPORTS, 6-7, SHRIVARDHAN COMPLEX, RAMDASPETH, WARDHA ROAD, NAGPUR-440012, INDIA

**SS 10-507 EYE SPECULUM
(BARRAQUER)**



**size 44 x 25 mm
Retraction 14 x 6 mm**


**SS 10 - 505 EYE SPECULUM
(KARTZ - BARRAQUER)**



**wire loops are open type which decreased the chance of instruments interfer
size 40 x 26.5 mm
Retraction 13 x 6 mm**

VITREORETINAL

SS251 HIGH VISCOSITY INJECTOR (PEYMAN)




To facilitate inject or aspirate of silicone oil in
the repair of retinal detachment
16G x 9 mm

SS253 HIGH VISCOSITY INJECTOR 4 mm (HAMMER)



Tubing 16 cms long designed for use with silicone oil syringe
20G ultra thin wall cannula with 45 bevel tip
4 mm/6 mm


SS257 INFUSION CANNULA



more effective infusion 20G ultra thin wall cannula with 450 beveled tip
25 cms flexible tubing


2.5 mm/4 mm/6 mm

SS263 SUBRETINAL INJECTOR (GLASER)



20G x 25 mm cannula with 32G (0.32 mm) x 3 mm tip extension
straight / curved

SS267 SUBRETINAL ASPIRATOR (LANDERS)



20G X 25 mm cannula with 27G x 6 mm tip
extension angled 60 tip to aspirate lysed blood cells and
subretinal fluid

SS269 VITREORETINAL CANNULA (VANDER)



20G X 1" cannula with 30G x 5 mm tip
STRAIGHT / ANGLED 45

IO VUE

CENTRAL INDIA EXPORTS, 6-7, SHRIVARDHAN COMPLEX, RAMDASPETH, WARDHA ROAD, NAGPUR-440012, INDIA