



PORTFOLIO

By Indrajeet Sapkal

@jeet_ms24

INTRODUCTION **ABOUT ME**

Hello! I'm Indrajeet Sapkal, a passionate and enthusiastic graphic designer eager to embark on a professional journey in the world of design. With a solid foundation in branding, print design, digital media, web design, illustration, etc , I am excited to bring fresh ideas and a creative perspective to every project.



Indrajeet Sapkal
Graphic Designer

EDUCATION

I recently graduated from maac institute pune with a degree in Graphic Design and Visual Arts. where I honed my skills through various projects and collaborations.

2019 - 2022 **Bachelor of Commerce**

external Graduated in Shivaji University.

2020 - 2023 **Bachelor of Design and ADVFX**

MAAC Institute
Graduated in Graphic Design.

LOGO DESIGN



Black Cat
coffee



GLORITA
AGRO CHEM

icy
bité



VISITING CARD







www.icebite.com

www.icebite.com



Icy
Bite
Bite into Bliss

indrajeet sapkal
www.icebite.com
+7410712404
icebite2401@gmail.com

MOCKUP AND PACKAGING



BLACK CAT COFFEE

TAKE YOUR COFFE

LOREM IPSUM DOLOR SIT AMET, CONSECTETUER ADIPISCING ELIT, SED DIAM NONUMEN NIBH EUISMOD TINCidunt UT LAOREET DOLORE MAGNA ALIQUAM ERAT VOLUPAT. UT WISI ENIM AD MINIM VENIAM, QUIS NOSTRUD EXERCI TATION ULLAMCORPER SUSCIPIT LABORIS HIS.

00000 CUPS

0000 OUTLETS

SERVED EVERY MONTH AROUND THE WORLD

Follow us

- [Instagram](#) BLACKCATCOFFEE
- [Twitter](#) BLACKCATCOFFEE
- [Facebook](#) BLACKCATCOFFEE

Visit our shop at: BLACKCATCOFFEE 123, Brown Sky City
PHONE 422545.

Black Cat

coffee

ORDER NOW

WWW.BLACKCATCOFFEE.COM

BLACK CAT COFFEE

TAKE YOUR COFFE

LOREM IPSUM DOLOR SIT AMET, CONSECTETUER ADIPISCING ELIT, SED DIAM NONUMEN NIBH EUISMOD TINCidunt UT LAOREET DOLORE MAGNA ALIQUAM ERAT VOLUPAT. UT WISI ENIM AD MINIM VENIAM, QUIS NOSTRUD EXERCI TATION ULLAMCORPER SUSCIPIT LABORIS HIS.

00000 CUPS


0000 OUTLETS

SERVED EVERY MONTH AROUND THE WORLD

Follow us

- [Instagram](#) BLACKCATCOFFEE
- [Twitter](#) BLACKCATCOFFEE
- [Facebook](#) BLACKCATCOFFEE

Visit our shop at: BLACKCATCOFFEE 123, Brown Sky City
PHONE 422545.











FUNGI-KILLER

HERBAL EXTRACT BASED SYSTEMIC FUNGICIDE



50 ml







CROP TYPE	APPLICATION
COCONUT Rot	Application Time : Before and after planting, post application. Dose application on the first sign of disease in the area. Use Recommendation : 100 gm in 200 ltr water
PADDY Spot, Blight-Rot.	Application Time : Dose the seedlings before transplanting in to Fungi-Killer suspension base application after transplanting at 10 days intervals. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days intervals. Apply Fungi-Killer at 250 gm to 275 gm per acre or 8-10 days intervals as long as necessary.
BAJRA Downy Mildew - Rust.	Application Time : Begin application before the sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.
MAIZE Blight- Downy Mildew.	Application Time : Begin application of the first sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.
SORGHUM Spot, Downy Mildew.	Application Time : Begin application on the first sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days as long as necessary.
POTATO Blight	Application Time : Begin application of the sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.
TOMATO Blight - Spot	Application Time : Begin application on the first sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.
SOYABEAN Blight, Ruts, Downy Mildew	Application Time : Begin application of the sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.
VEGETABLES Blight, Spot, Damping Off, Rot, Downy Mildew,Rust	Application Time : Begin application of the sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.
CUMIN Blight	Application Time : Begin application of the sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.
GINGER Soft, Rot, Yellow Diseases	Application Time : Begin application of the sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.

FOR ALL TYPES OF CROPS | NATURAL INGREDIENTS | FOR OVERALL GROWTH

Head office Address : 16, Meetha Sagar - Methane Housing Society, M.T. Road, Near Vrindavan Bhawan, Lucknow (Uttar Pradesh), Pin Code - 226001 | Head office Address : 16, Meetha Sagar - Methane Housing Society, M.T. Road, Near Vrindavan Bhawan, Lucknow (Uttar Pradesh), Pin Code - 226001



CROP TYPE	APPLICATION
FUNGI-KILLER	Herbal Extract Based Systemic Fungicide
CHARACTERISTICS	
FUNGI-KILLER is a type of biofungicide that is created by fermenting herbal extracts derived from biomass of castor. When sprayed on plants, this natural defense system helps to fight against diseases. It also improves the germination of fungal spores and the growth of healthy microflora. It is extremely efficient against powdery mildew, downy mildew, blight, blight, anthracnose, gummous, loose smut, black smut, damping off, fruit rot, root rot, and other diseases. It also improves the plant's natural defensive system, making it useful as a prophylactic input.	
DIRECTION OF USE	
For Foliar Spray: Dilute 1 to 1.5 gms. in 1 liter for water or use 100 gm per acre for foliar spray apply thrice or 3-4 days interval. In case of severe attack for power sprayer double the quantity. Seed Treatment : 50 gram of powder to be mixed in 2 to 3 tr. of water for soaking. Let it stand for 2-3 hours, drying for some time and sowing.	
COMPOSITION	100% Castor Derivative Extract 40% Filter & carrier
GRADE AVAILABLE	Appearance : White Color Powder Solubility : Highly Soluble In Water Odour : Slight Sulphur Type Odour Technology : Fermentation of natural plants. Product is non-mutagenic & organic.
DOSAGE	FUNGI STOP POWDER : 1 - 1.5 Gm Per Litre of Water FUNGI STOP LIQUID : 1 - 1.5 ml Per Litre of Water
RECOMMENDED FOR	For all types of fungal diseases.
COMPATIBILITY	Can use along with other fertilizers or insecticides chemicals.
PACKAGING AVAILABLE	Bag 50 Kg Drum 50/200 Ltr Bottle 100/250/500/1000 ml

FOR ALL TYPES OF CROPS | NATURAL INGREDIENTS | FOR OVERALL GROWTH

Head office Address : 16, Meetha Sagar - Methane Housing Society, M.T. Road, Near Vrindavan Bhawan, Lucknow (Uttar Pradesh), Pin Code - 226001 | Head office Address : 16, Meetha Sagar - Methane Housing Society, M.T. Road, Near Vrindavan Bhawan, Lucknow (Uttar Pradesh), Pin Code - 226001



CROP TYPE	APPLICATION
TURMERIC Soft, Rot	Application Time : Before and after planting, post application. Dose application on the first sign of disease in the area. Use Recommendation : Dose not less than 100 gm per acre or 8-10 days interval.
APPLES Spot, Rust, Rot, Scab	Application Time : Dose application during problem period continue to 8-10 days interval through the season, period lot, first and second cover spray. If other diseases becomes confirmed at 8-10 days interval in the area and cover spray.
WALNUT Seed	Application Time : Dose application of the sign of disease in the area. Use Recommendation : Apply 100 gm to 150 gm per acre. Apply spray of 100 gm to 150 gm per acre.
GRAPE Downy Mildew, Powdery Mildew, Spot	Application Time : Before just before off bloom, preferable when new shoots are 2-4 cm. (Not to over do not exceed) long life continue through the sea
BANANA Rot, Spot	Application Time : Apply 250 gm to 275 gm Fungi-Killer per acre or 10-14 days interval as long as necessary.
MANGO Anthracnose	Application Time : Dose application on the first sign of disease in the area or before the beginning of monsoon (May-June) followed by 2-3 spray during the bloom period. Use Recommendation : Apply 100 gm to 150 gm per acre or 10-14 days interval as long as necessary.
ORNAMENTAL & OTHER FLOWERS Spot, Blight, Anthracnose	Application Time : Before application when plants are well loaded out. Use Recommendation : Apply 100 gm to 150 gm per acre or 10-14 days interval as long as necessary.
Cotton Anthracnose	Application Time : Dose application of the sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.
CASHEWNUT	Application Time : Dose application of the sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.
GROUNDNUT Pink Diseases, Tikkha Diseases, Rust.	Application Time : Dose application of the first sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.
SUNFLOWER Spot, Rust	Application Time : Dose application of the sign of disease in the area. Use Recommendation : Apply 250 gm to 275 gm Fungi-Killer per acre or 8-10 days interval as long as necessary.

FOR ALL TYPES OF CROPS | NATURAL INGREDIENTS | FOR OVERALL GROWTH

Head office Address : 16, Meetha Sagar - Methane Housing Society, M.T. Road, Near Vrindavan Bhawan, Lucknow (Uttar Pradesh), Pin Code - 226001 | Head office Address : 16, Meetha Sagar - Methane Housing Society, M.T. Road, Near Vrindavan Bhawan, Lucknow (Uttar Pradesh), Pin Code - 226001

Mobile: 9899403516 / 983097168
Email: gloritaagrochem@gmail.com



Icy
Bite
Bite into Bliss



Icy
Bite
Bite into Bliss





SOCIAL MEDIA POSTER

START YOUR DAY WITH :

HOT COFFEE

pune / satara

Black Cat
coffee

menu

Coffee beans are technically seeds

They're the pits of the cherry-like berries found on the flowering shrubs, but we call them "beans" because of the resemblance to legumes.

Your Account

Coffee Time



GLORITA
AGROCHEM



Why choose us ?

- Mowing & Planting
- Lawn & Garden Maintenance
- 100% Satisfaction guaranteed
- Reliable & Fast Work Completion

[@ glorita.lg](#) [f glorita.lg](#) [t glorita.lg](#)

GLORITA
AGROCHEM

FUNGI-KILLER
HERBAL EXTRACT BASED SYSTEMIC FUNGICIDE

[www.glorita.com](#) [SHOP NOW](#)

[@](#) [f](#) [t](#)



GLORITA AGROCHEM

All types of crops includes vegetables,
pulses, cereals,
floriculture & commercial crops

Mobile: 9699403535 / 9820897189
Email: gloritaagrochem@gmail.com

[@glorita.ig](#) [glorita.ig](#) [glorita.ig](#)



[@glorita.ig](#)
[glorita.ig](#)
[glorita.ig](#)



GLORITA AGROCHEM

All types of crops includes vegetables,
pulses, cereals,
floriculture & commercial crops


Mobile: 9699403535 / 9820897189
Email: gloritaagrochem@gmail.com




















PHOTOGRAPHY AND POSTER DESIGN


GANESH SODMISE -
BATTI (RATNADEEP)











THANK YOU