

POC document

Configuring Audit in Postgres database

Prepared by: NTT DBA Team

Date: 17 Oct 2024

Log path location:-

1. Audit log loaction:- /data/pgsql-15.6/log

```
rc_db@MCVD41S01906.utiamc...  
postgres=# show pgaudit.log_statement  
;  
pgaudit.log_statement  
-----  
on  
(1 row)  
  
postgres=# show pgaudit.log;  
pgaudit.log  
-----  
all  
(1 row)  
  
postgres=#
```

```
drwx----- 3 postgres postgres 20K Oct 16 22:11 pg_wal  
drwx----- 4 postgres postgres 4.0K Oct 16 23:11 pg_logical  
MCVD41S01906:/data/pgsql-15.6 # vi postgresql.conf  
MCVD41S01906:/data/pgsql-15.6 # pwd  
/data/pgsql-15.6  
MCVD41S01906:/data/pgsql-15.6 #
```

2. Create database:-

```
rc_db@MCVD41S01906.utiamc... rc_db@MCVD41S01906.utiamc...  
MCVD41S01906:/data/pgsql-15.6/log #  
MCVD41S01906:/data/pgsql-15.6/log #  
MCVD41S01906:/data/pgsql-15.6/log # ls -lrth  
total 2.2G  
-rw----- 1 postgres users 3.4K Sep 28 01:33 postgresql-2024-09-28_013139.log  
-rw----- 1 postgres users 98K Sep 28 23:58 postgresql-2024-09-28_013902.log  
-rw----- 1 postgres users 97K Sep 29 23:59 postgresql-2024-09-29_000000.log  
-rw----- 1 postgres users 97K Sep 30 23:59 postgresql-2024-09-30_000000.log  
-rw----- 1 postgres users 99K Oct 1 23:54 postgresql-2024-10-01_000000.log  
-rw----- 1 postgres users 570 Oct 1 23:55 postgresql-2024-10-01_235355.log  
-rw----- 1 postgres users 5.0K Oct 2 00:39 postgresql-2024-10-02_000000.log  
-rw----- 1 postgres users 20M Oct 2 01:47 postgresql-2024-10-02_003925.log  
-rw----- 1 postgres users 35M Oct 2 03:49 postgresql-2024-10-02_014757.log  
-rw----- 1 postgres users 333M Oct 3 00:00 postgresql-2024-10-02_035046.log  
-rw----- 1 postgres users 409M Oct 4 00:00 postgresql-2024-10-03_000000.log  
-rw----- 1 postgres users 399M Oct 5 00:00 postgresql-2024-10-04_000000.log  
-rw----- 1 postgres users 305M Oct 5 18:17 postgresql-2024-10-05_000000.log  
-rw----- 1 postgres users 24M Oct 5 19:41 postgresql-2024-10-05_181802.log  
-rw----- 1 postgres users 72M Oct 6 00:00 postgresql-2024-10-05_194131.log  
-rw----- 1 postgres users 400M Oct 6 23:59 postgresql-2024-10-06_000000.log  
-rw----- 1 postgres users 255M Oct 7 15:11 postgresql-2024-10-07_000000.log  
MCVD41S01906:/data/pgsql-15.6/log # less postgresql-2024-10-07_000000.log | grep "create database"  
2024-10-07 15:10:35.564 IST: [local] postgres@postgres:[4762]:> LOG:  AUDIT: SESSION,2,1,BDL,CREATE DATABASE,,,create database test_pgaudit,,none>  
MCVD41S01906:/data/pgsql-15.6/log #
```

3. Create table:-

```
MCVD41S01906:/data/pgsql-15.6/log #  
MCVD41S01906:/data/pgsql-15.6/log #  
MCVD41S01906:/data/pgsql-15.6/log # less postgresql-2024-10-07_000000.log|grep "create table"  
<2024-10-07 15:14:09.059 IST:[local]:postgres@test_pgaduit:[5393]:> STATEMENT: create table emp(id int, name varchar(20));  
<2024-10-07 15:14:13.105 IST:[local]:postgres@test_pgaduit:[5393]:> LOG: AUDIT: SESSION,1,1,DCL,CREATE TABLE,,,create table emp(id int, name varchar(20));,<none>  
MCVD41S01906:/data/pgsql-15.6/log #
```

4. Insert :-

```
rc_db@MCVD41S01906.utiamc... rc_db@MCVD41S01906.utiamc...  
MCVD41S01906:/data/pgsql-15.6/log #  
MCVD41S01906:/data/pgsql-15.6/log #  
MCVD41S01906:/data/pgsql-15.6/log # less postgresql-2024-10-07_000000.log|grep "INSERT INTO emp"  
<2024-10-07 15:16:31.338 IST:[local]:postgres@test_pgaduit:[5393]:> STATEMENT: insert into INSERT INTO emp (id,name)  
<2024-10-07 15:16:35.439 IST:[local]:postgres@test_pgaduit:[5393]:> LOG: AUDIT: SESSION,3,1,WRITE,INSERT,,,INSERT INTO emp (id,name) VALUES (01,'johan');,<none>  
MCVD41S01906:/data/pgsql-15.6/log #
```

5. Alter table:-

```
rc_db@MCVD41S01906.utiamc... rc_db@MCVD41S01906.utiamc...  
MCVD41S01906:/data/pgsql-15.6/log # less postgresql-2024-10-07_000000.log|grep "alter table emp"  
<2024-10-07 15:17:34.733 IST:[local]:postgres@test_pgaduit:[5393]:> STATEMENT: alter table emp to emp_bkp;  
<2024-10-07 15:17:59.897 IST:[local]:postgres@test_pgaduit:[5393]:> LOG: AUDIT: SESSION,5,1,DCL,ALTER TABLE,,,alter table emp rename to emp_bkp;,<none>  
MCVD41S01906:/data/pgsql-15.6/log #
```

6. Change of parameter(like max_connection):-

```
rc_db@MCVD41S01906.utiamc... rc_db@MCVD41S01906.utiamc...  
MCVD41S01906:/data/pgsql-15.6/log # less postgresql-2024-10-07_000000.log|grep "alter system set"  
<2024-10-07 15:25:09.766 IST:[local]:postgres@test_pgaduit:[5393]:> LOG: AUDIT: SESSION,10,1,DCL,ALTER SYSTEM,,,alter system set max_connections='600';,<none>  
You have mail in /var/spool/mail/root  
MCVD41S01906:/data/pgsql-15.6/log #
```

7. Create user:-

```
MCVD41S01906:/data/pgsql-15.6/log #  
MCVD41S01906:/data/pgsql-15.6/log #  
MCVD41S01906:/data/pgsql-15.6/log # less postgresql-2024-10-07_000000.log|grep "create user test"  
<2024-10-07 15:26:22.139 IST:[local]:postgres@test_pgaduit:[5393]:> LOG: AUDIT: SESSION,13,1,ROLE,CREATE ROLE,,,create user test;,<none>  
MCVD41S01906:/data/pgsql-15.6/log #
```

8. Alter user:-

```
rc_db@MCVD41501906.utimc.c... rc_db@MCVD41501906.utimc.c...
MCVD41501906:/data/pgsql-15.6/log # less postgresql-2024-10-07_000000.log|grep "alter user test"
<2024-10-07 15:27:28.858 IST:[local]:postgres@test_pgaduit:[5393]:> LOG:  AUDIT: SESSION,14,1,ROLE,ALTER ROLE,,,alter user test rename to test_bkp,<none>
MCVD41501906:/data/pgsql-15.6/log #
```

9. Drop user:-

```
rc_db@MCVD41501906.utimc.c... rc_db@MCVD41501906.utimc.c...
MCVD41501906:/data/pgsql-15.6/log # less postgresql-2024-10-07_000000.log|grep "drop user test_bkp"
<2024-10-07 15:28:22.211 IST:[local]:postgres@test_pgaduit:[5393]:> LOG:  AUDIT: SESSION,17,1,ROLE,DROP ROLE,,,drop user test_bkp,<none>
MCVD41501906:/data/pgsql-15.6/log #
```

10. Sample Audit log from DMS UAT Database:

```
Windows_SHD
irja_webiso - 10.63.53.2193389 - Remote Desktop Connection
SuperPuTTY - rc_db@MCVD41501906.utimc.com
Commands
rc_db@MCVD41501906.utimc.c...
<2024-10-22 11:52:20.435 IST:10.83.25.101(57736):uti@dm_uti_docbase:[22436]:> LOG:  AUDIT: SESSION,354,1,READ,SELECT,,,select s.is_dynamic, s.group_class from dm
up s s where s.group name = $1 "dm_fulltext_index_user
<2024-10-22 11:52:20.434 IST:10.83.25.101(57736):uti@dm_uti_docbase:[22436]:> LOG:  AUDIT: SESSION,355,1,MISC,RELEASE,,,RELEASE EXEC_SVP_Ox3d16300:SAVEPOINT_EXE
SVP_Ox3d16300: INSERT INTO dm_queue_item s VALUES('1b00303980582bd4','dm_fulltext_index_user','1b00303980582bd4','dmdadmin', timestamp '2024-10-22 06:22:20.000'
, timestamp '1753-01-01 00:00:00.000' , 'dm_save','Result.dm_initialize WQ','0900303980214a04','dm_document','text','','0000000000000000',' ',' ',' ',' ',' ','
timestamp '1753-01-01 00:00:00.000' , timestamp '1753-01-01 00:00:00.000' , 0, 0, 0,0,' ', timestamp '1753-01-01 00:00:00.000' , 0,' ', timestamp '1753
-01-01 00:00:00.000' , ' ',' ',' ',' ', 0,'0000000000000000', 0,' ', 29,' ', 0, 0, 0,0,'<none>
<2024-10-22 11:52:20.434 IST:10.83.25.101(57736):uti@dm_uti_docbase:[22436]:> LOG:  AUDIT: SESSION,356,1,MISC,SAVEPOINT,,,RELEASE EXEC_SVP_Ox3d16300:SAVEPOINT_EXE
SVP_Ox3d16300: INSERT INTO dm_queue_item s VALUES('1b00303980582bd4','dm_fulltext_index_user','1b00303980582bd4','dmdadmin', timestamp '2024-10-22 06:22:20.000'
, timestamp '1753-01-01 00:00:00.000' , 'dm_save','Result.dm_initialize WQ','0900303980214a04','dm_document','text','','0000000000000000',' ',' ',' ',' ',' ','
0, timestamp '1753-01-01 00:00:00.000' , timestamp '1753-01-01 00:00:00.000' , 0, 0, 0,0,' ', timestamp '1753-01-01 00:00:00.000' , 0,' ', timestamp '1753
-01-01 00:00:00.000' , ' ',' ',' ',' ', 0,'0000000000000000', 0,' ', 29,' ', 0, 0, 0,0,'<none>
<2024-10-22 11:52:20.435 IST:10.83.25.101(57736):uti@dm_uti_docbase:[22436]:> LOG:  AUDIT: SESSION,357,1,WRITE,INSERT,,,RELEASE EXEC_SVP_Ox3d16300:SAVEPOINT_EXE
SVP_Ox3d16300: INSERT INTO dm_queue_item s VALUES('1b00303980582bd4','dm_fulltext_index_user','1b00303980582bd4','dmdadmin', timestamp '2024-10-22 06:22:20.000'
, timestamp '1753-01-01 00:00:00.000' , 'dm_save','Result.dm_initialize WQ','0900303980214a04','dm_document','text','','0000000000000000',' ',' ',' ',' ',' ','
timestamp '1753-01-01 00:00:00.000' , timestamp '1753-01-01 00:00:00.000' , 0, 0, 0,0,' ', timestamp '1753-01-01 00:00:00.000' , 0,' ', timestamp '1753
-01-01 00:00:00.000' , ' ',' ',' ',' ', 0,'0000000000000000', 0,' ', 29,' ', 0, 0, 0,0,'<none>
<2024-10-22 11:52:20.435 IST:10.83.25.101(57736):uti@dm_uti_docbase:[22436]:> LOG:  AUDIT: SESSION,358,1,MISC,RELEASE,,,RELEASE EXEC_SVP_Ox3d16300:SAVEPOINT_EXE
SVP_Ox3d16300:select NOW() at time zone 'utc' from dm.docbase_config s,<none>
<2024-10-22 11:52:20.435 IST:10.83.25.101(57736):uti@dm_uti_docbase:[22436]:> LOG:  AUDIT: SESSION,359,1,MISC,SAVEPOINT,,,RELEASE EXEC_SVP_Ox3d16300:SAVEPOINT_EXE
SVP_Ox3d16300:select NOW() at time zone 'utc' from dm.docbase_config s,<none>
<2024-10-22 11:52:20.435 IST:10.83.25.101(57736):uti@dm_uti_docbase:[22436]:> LOG:  AUDIT: SESSION,360,1,READ,SELECT,,,RELEASE EXEC_SVP_Ox3d16300:SAVEPOINT_EXE
SVP_Ox3d16300:select NOW() at time zone 'utc' from dm.docbase_config s,<none>
<2024-10-22 11:52:20.436 IST:10.83.25.101(57736):uti@dm_uti_docbase:[22436]:> LOG:  AUDIT: SESSION,361,1,MISC,RELEASE,,,RELEASE EXEC_SVP_Ox3d16300:SAVEPOINT_EXE
SVP_Ox3d16300: INSERT INTO dm_audittrail s VALUES('5f003039808ff57c','dm_save','System Unspecific', 1,'dmdadmin','0900303980214a04', timestamp '2024-10-22 06:22:20.000'
,'Create',' ',' ',' ',' ','0000000000000000','0000000000000000','0000000000000000','0000000000000000','0900303980214a04','Result.dm_initialize WQ','1.0','dm_document','Default Event Set','0000000000000000',' ','0000000000000000','010030398016ad48','1100303980000102','dmdadmin','dm_4500303980000101','dmdadmin','dm_4500303980000101','a storage
type='filestore_01',a_full_text=0,a_content_type='text',title='Result of dm_method(dm_initialize WQ) with status code (0)',object_name='Result.dm_initialize WQ',
object_sequence=seq1); 0, 0,'<none>
<2024-10-22 11:52:20.436 IST:10.83.25.101(57736):uti@dm_uti_docbase:[22436]:> LOG:  AUDIT: SESSION,362,1,MISC,SAVEPOINT,,,RELEASE EXEC_SVP_Ox3d16300:SAVEPOINT_EXE
SVP_Ox3d16300: INSERT INTO dm_audittrail s VALUES('5f003039808ff57c','dm_save','System Unspecific', 1,'dmdadmin','0900303980214a04', timestamp '2024-10-22 06:22:20.000'
,'Create',' ',' ',' ',' ','0000000000000000','0000000000000000','0000000000000000','0000000000000000','0900303980214a04','Result.dm_initialize WQ','1.0','dm_document','Default Event Set','0000000000000000',' ','0000000000000000','010030398016ad48','1100303980000102','dmdadmin','dm_4500303980000101','dmdadmin','dm_4500303980000101','a storage
type='filestore_01',a_full_text=0,a_content_type='text',title='Result of dm_method(dm_initialize WQ) with status code (0)',object_name='Result.dm_initialize WQ',
object_sequence=seq1); 0, 0,'<none>
```