

Top 5 Ways to Make PostgreSQL Query Results More Readable





If you often work with PostgreSQL queries, you know that sometimes the raw output can be difficult to read, especially when you're dealing with long queries or large datasets.

Fortunately, PostgreSQL provides several ways to format and organize your query results for better readability.

In this article, we will explore five practical methods to make your PostgreSQL query output clearer, more organized, and easier to interpret.

I am trying to make a living with my writing. Whether you're looking to advertise your product, service, or event, I can help with it. For more details on advertising options, and how we can collaborate, <u>feel free to get in touch!</u>

Enable Expanded Mode (\x) for Better Formatting in psql

One of the most effective ways to improve the readability of query results is to use **expanded mode** in the psql command-line tool.

When expanded mode is enabled, each row's fields are displayed on separate lines. This is particularly useful for queries that return long text fields, such as the query column in pg_stat_activity.

How to Use Expanded Mode:

```
\x
SELECT pid AS process_id, query, query_start FROM pg_stat_activity;
```

Example Output:

This method is especially helpful when dealing with long queries, as each field is printed on a separate line, making it much easier to read.

Use Table Format for Proper Column Alignment

If you prefer to see your query results in a clean, tabular format, you can use the \pset command in psql to set the output to **aligned** format. This will ensure that columns are neatly aligned, which makes it easier to interpret the results.

How to Set Table Format:

```
\pset format aligned
SELECT pid AS process_id, query, query_start FROM pg_stat_activity;
```

Example Output:

This approach is great for small to medium-sized result sets where proper column alignment enhances readability.

Limit the Length of the Column in Postgresql

When your queries contain long text strings, such as SQL statements in the query column of the pg_stat_activity table, truncating the text can significantly improve the clarity of the output.

Use the LEFT() function to limit the number of characters displayed from the query.

How to Limit Query Length:

```
SELECT pid AS process_id, LEFT(query, 100) AS query, query_start
FROM pg_stat_activity;
```

Example Output:

This method ensures that the output remains concise, even when the query text is lengthy.

Export Results to CSV for External Analysis

For larger query results or when you need to further analyze the data in external tools like Excel, exporting the results to a **CSV** file is a great option. You can use the \copy command in psql to export the query output to a CSV file.

How to Export to CSV:

```
\copy (SELECT pid AS process_id, query, query_start FROM pg_stat_activity) TO '
```

This command will export the query results to a file named output.csv, which you can later open and analyze in a spreadsheet application.

Customize Output Formatting with TO_CHAR()

Sometimes you may need to format specific columns, like date fields or numbers, for easier readability. PostgreSQL's TO_CHAR() function allows you to format dates and numbers according to your preferred style.

How to Format Date and Time Columns:

Example Output:

By formatting the query_start column with a readable date and time format, you make the output more user-friendly and easier to interpret.

Conclusion

By using the methods outlined above, you can significantly improve the readability of your PostgreSQL query results. Whether you're working with long queries, large datasets, or complex date formats, these tips will help you organize your output for better clarity and efficiency.

- Expanded Mode (\x): Use for long text columns to display results on separate lines.
- Table Format (\pset format aligned): Align columns in a clean table format for short results.
- Limit Column Length: Use LEFT() to truncate long text columns like query.
- Export to CSV: Use \copy to export results for external analysis.
- Customize SQL Output: Use functions like TO_CHAR() to format date and text columns as needed.

Choose the best formatting options for your needs, and you'll be able to work more efficiently with PostgreSQL data.







Written by howtouselinux

1.1K Followers · 17 Following

We bring real-world experience and DevOps tips here. Linux training


No responses yet





What are your thoughts?

More from howtouselinux




on Level Up Coding by howtouselinux

Using Curl command Every Day? Discover Advanced Features to Simplify **Your Workflow!**

If you're a curl user, you're likely familiar with basic commands like curl -X GET or curl -X POST.







In Level Up Coding by howtouselinux

Never Get Confused About Your Linux Network Setup Again: Learn NetworkManager, systemd-networkd...

My journey with Linux networking began years ago. At first, I thought learning if config or ip commands would be enough to handle any network...









In Level Up Coding by howtouselinux

Stop Using systemctl Blindly: Master Advanced Service Management **Techniques!**

If you're a Linux user, you're likely familiar with systemctl.






on Level Up Coding by howtouselinux

Visual Guide to Troubleshooting Linux: Commands & Strategies

Ever struggled with a system crash? Wondered why a service won't start? Or found yourself stuck debugging weird network problems?



Recommended from Medium





In Databases by Sergey Egorenkov

Why Uber Moved from Postgres to MySQL

How PostgreSQL's architecture clashed with Uber's scale—and why MySQL offered a better path forward

Mar 29



3









11

In Hack the Stack by Coders Stop

9 Database Optimization Tricks SQL Experts Are Hiding From You


Most developers learn enough SQL to get by—SELECT, INSERT, UPDATE, DELETE, and maybe a few JOINs. They might even know how to create...







SaaS Killer





Paying for software is stupid .. Open-Source tools to Destroy Your SaaS Expenses

These 40 Open-Source Tools Will Make Your SaaS Subscriptions Look Obsolete

+	Mar 27	3 2K	2 6			\Box^{\dagger}	•••

at it Means	Best Used For		
e directly in the row	Simple data like INT		
e in the row (unless large)	Larger types, but tri		
npress + store out-of-row	Long texts, large ob		
e out-of-row, no compression	When compression		




Storages in PostgreSQL

What Are Storage Types in PostgreSQL—And Why Should You Care?

6d ago **W** 18









5 Free & Open-Source Tools That Are Total Game Changers for Developers in 2025 🚀

Tired of the same old dev tools?

Discover 5 awesome free and open-source gems that are shaking things up in 2025!

Mar 29 *** 139





Ct





10 Common Reasons Why Your PostgreSQL Queries Are Slow (And How to Fix Them)

PostgreSQL is a powerful and feature-rich database, but slow queries can cripple performance if not optimized properly. Have you ever...

