SQL Functions

1.NUMBER FUNCTIONS

CEIL Smallest integer greater than or equal to a decimal value CEIL (<value>) SELECT CEIL (12345.67);

FLOOR	
Returns the largest	FLOOR(<string_or_column>)</string_or_column>
integer less than or equal to a decimal value	SELECT FLOOR(12345.67);

GREATEST	
Returns the largest of multiple values	<pre>GREATEST(<value>, <value>,)</value></value></pre>
	SELECT GREATEST(9, 67.6, 10);

LEAST	
Returns the smallest of	LEAST(<value>, <value>,)</value></value>
multiple values	SELECT LEAST(9, 67.6, 10);

MOD		
Returns the modulus of a number. Same as remainder except uses	MOD(<m_value>, <n_value>)</n_value></m_value>	
	SELECT MOD(3, 2);	
FLOOR	SELECT MOD(6, 2);	

```
POWER

| POWER (<m_value>, <n_value>)
| Returns m_value raised to the n_value power | SELECT 2*2*2;
| SELECT POWER(2,3);
```

ROUND	
	ROUND(<value>, <integer>)</integer></value>
rounded to integer places	SELECT ROUND(3.1415926, 4);

SQRT	
Returns the square root	SQRT(<value>)</value>
of a number	SELECT SQRT(2);

2. STRING FUNCTIONS

LENGTH	
Ctring Longth	LENGTH (<string_or_column>)</string_or_column>
String Length	SELECT LENGTH('Dan Morgan');

Upper Case	SELECT UPPER('Dan Morgan');
Lower Case	SELECT LOWER('Dan Morgan');
Initial Letter Upper Case	SELECT INITCAP('DAN MORGAN');

CONCAT	
Concatenate	SELECT CONCAT('Dan ', 'Morgan');

LTRIM			
Left Trim	SELECT LTRIM('	Dan Morgan	');

RTRIM				
Right Trim	SELECT RI	RIM('	Dan Morgan	');

REVERSE

Reverse	REVERSE (<string_or_column>)</string_or_column>
	SELECT REVERSE('Dan Morgan');

SUBSTR	
Sub String	SELECT SUBSTR('Life is beautiful', 6,2);