



S.N	Book Name	Author	Publication	Price	Action		
1	Kharidar 1st paper	Tanka Prasad KC	GoodWill Publication	1100	Edit	Delete	Generate BarCode
2	Na Su 3rd Paper	Gyaneshor Bhattrai	Janak Publication	950	Edit	Delete -	Generate BarCode
3	Prabidik sahayak	bishnu prasad adhikari	Nepal Publication	1000	Edit	Delete	Generate BarCode
4	mahila bikas	Ram prasad KC	Janata Publication	950	Edit		Generate BarCode





```
resources > views > staff > 🗧 PrintStudentReciept,blade.php > 🚱 html > 🚱 body > 🚱 div.row.acin.t.container.mt-5 > 🚱 div.d-fiex.justify-content-center.row > 🚱 div.col-md-8 > 😭 div.p-3.bg-white.rounded > 😭 div.row > 🚱 div.col-md-6.t
                                                                                                                  Description
                                                                                                                  Paid Fee
                                                                                                        </thead>
                                                                                              Course : {{$studentdatum->Course}}
                                                                                                                  {{$studentdatum->Payment}}
                                                                                                        Total
                                                                                                                  {{$studentdatum->Payment}}
                                                                                                        @endforeach
                                                                                              </div>
                                                                </div>
                                                                @foreach($studentdata as $studentdatum)
                                                                <div class="billed"><span class="font-weight-bold text-uppercase">Created By:</span><span class="ml-1">{{\studentdatum-> name \}}</span></div>
                                                                @endforeach
                                                       </div>
                                             </div>
                                   </div>
                         </div>
                         <div style="display:flex">
                                   <a style="margin-left:60%" class="btn btn-success" href="{{route('RegisterStudentDashboard')}}" role="button">Back</a>
                         <a style="margin-left:2%" class="btn btn-primary" href="#" role="button">Print</a>
                         </div>
                         <script src="https://code.jquery.com/jquery-3.5.1.min.js" integrity="sha256-9/aliU8dGd2tb60SsuzixeV4y/faTqgFtohetphbbj0=" crossorigin="anonymous"></script>
                         <script type="text/JavaScript" src="https://cdnjs.cloudflare.com/ajax/libs/jQuery.print/1.6.0/jQuery.print.js"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></sc
               <script type="text/javascript">
               $("a.btn").on('click',function () {
                         $("#print").print();
               </script>
               </body>
               </html>
```

```
<!DOCTYPE html>
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">
(head)
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <meta name="csrf-token" content="{{ csrf_token() }}">
   <title>IMS Admin</title>
   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css">
   <link href="https://fonts.googleapis.com/css?family=Chivo:300,700|Playfair+Display:700i" rel="stylesheet">
   <link href="https://fonts.googleapis.com/icon?family=Material+Icons"</pre>
     rel="stylesheet">
<script type='text/javascript' src='/js/boootstrap.js'></script>
</head>
<body>
   <div id="print" class="container mt-5">
       <div class="d-flex justify-content-center row">
           <div class="col-md-8">
               <div class="p-3 bg-white rounded">
                   <div class="row">
                       <div class="col-md-6">
                           @if (session('id'))
                           <input type="hidden" name="student_id" value="{{'id'}}"/>
                           @endif
                           <h1 class="text-uppercase">Invoice</h1>
                           @foreach($studentdata as $studentdatum)
                           <div class="billed"><span class="font-weight-bold text-uppercase">Name:</span><span class="ml-1">{{$studentdatum-> StudentName }}</span></div>
                           <div class="billed"><span class="font-weight-bold text-uppercase">Address:</span><span class="ml-1">{{$studentdatum-> Address }}</span></div>
                           <div class="billed"><<span class="font-weight-bold text-uppercase">Contact Number:</span><span class="ml-1">{{$studentdatum-> PrimaryNumber }}</span></div>
                           @endforeach
                           <div class="billed"><span class="font-weight-bold text-uppercase">Date:</span><span class="ml-1"><script> document.write(new Date().toDateString()); </script></span></div>
                       <div class="col-md-6 text-right mt-3">
                           <h4 class="text-danger mb-0">Success Education</h4><span>Nepalgun; Banke</span>
                       </div>
                   </div>
                   <div class="mt-3">
                       <div class="table-responsive">
                           <thead>
                                   @foreach($studentdata as $studentdatum)
                                   Description
                                       Paid Fee
```

resources > views > staff > 🗧 PrintStudentReciept.blade.php > 🍪 html > 🚱 body > 🚱 div.d-flex.justify-content-center.row > 😭 div.p-3.bg-white.rounded > 🚱 div.row > 🚱 div.col-md-6.text-right.mt-3 > 😭 h4.text-danger.mb-0

```
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
class CreateOrderDetailsTable extends Migration
       @return void
    public function up()
        Schema::create('order details', function (Blueprint $table) {
            $table->id();
            $table->foreignId('customer id')->constrained('customer details');
            $table->string('AmountPaid');
Find related code in fyp
            $table->timestamps();
        });
       @return void
    public function down()
        Schema::dropIfExists('order details');
```

```
database > migrations > 📅 2021_04_16_163341_create_book_details_table.php > PHP Intelephense > 😭 CreateBookDetails
      use Illuminate\Database\Migrations\Migration;
      use Illuminate\Database\Schema\Blueprint;
      use Illuminate\Support\Facades\Schema;
      class CreateBookDetailsTable extends Migration
      {
              @return void
           public function up()
               Schema::create('book details', function (Blueprint $table) {
                   $table->id();
                   $table->string('BookName');
                   $table->string('Author');
                   $table->string('Publication');
                   $table->string('Price');
 21
                   $table->timestamps();
              @return void
           public function down()
               Schema::dropIfExists('book details');
```

```
database > migrations > 👼 2021_04_03_162043_create_payments_table.php > PHP Intelephense > ≒ CreatePayments lable
      <?php
      use Illuminate\Database\Migrations\Migration;
      use Illuminate\Database\Schema\Blueprint;
      use Illuminate\Support\Facades\Schema;
      class CreatePaymentsTable extends Migration
              @return void
           public function up()
               Schema::create('payments', function (Blueprint $table) {
                   $table->id();
                   $table->string('Payment');
                   $table->foreignId('student id')->constrained('students');
 19
                   $table->timestamps();
              @return void
           public function down()
               Schema::dropIfExists('payments');
       }
```

```
resources > views > 🗉 StaffLogin.blade.php > 🛠 html > 🛠 body > 🛠 form.login > 🛠 button
      <!DOCTYPE html>
      <html>
      <head>
          <title>Staff Login</title>
         <link rel="stylesheet" href="/css/login.css">
      </head>
      <body>
         @if (Session::get('success'))
         <div id="successtoast">
             {{Session::get('success')}}
          </div>
         @endif
         @if (Session::get('fail'))
         <div id="failtoast">
             {{Session::get('fail')}}
          </div>
         @endif
         <form action="{{route('auth.check')}}" method="post" class="login">
         @csrf
             <center><h2>Institute Management System</h2></center>
            <input type="text" name="email" placeholder="Email">
      <span class="text-danger">@error('email')
      <div id="failtoast">
      {{$message}}
      </div>@enderror
      </span>
      <input type="password" name="password" placeholder="Password">
      <span class="text-danger">@error('password')
      <div id="failtoast">
      {{$message}}
      </div>@enderror
      </span>
      <-----<button type="submit">Sign In</button>
         </form>
      </body>
      </html>
```

```
resources > views > = AdminLogin.blade.php
      <!DOCTYPE html>
      <html>
      <head>
           <title>Admin Login</title>
           <link rel="stylesheet" href="/css/login.css">
      </head>
      <body>
          @if (Session::get('success'))
          <div id="successtoast">
               {{Session::get('success')}}
           </div>
          @endif
          @if (Session::get('fail'))
          <div id="failtoast">
               {{Session::get('fail')}}
           </div>
          @endif
      <form action="{{route('admin.check')}}" method="post" class="login">
          @csrf
               <center><h2>Institute Management System</h2></center>
               <center><h4>Admin Panel</h4></center>
               <input type="text" name="email" placeholder="Email">
               <span class="text-danger">@error('email')
                   <div id="failtoast">
                   {{$message}}
                </div>@enderror
               </span>
               <input type="password" name="password" placeholder="Password">
               <span class="text-danger">@error('password')
                   <div id="failtoast">
                   {{$message}}
                </div>@enderror
               </span>
               <button type="submit">Sign In</button>
           </form>
      </body>
      </html>
```