

GLOBAL CORPORATE PROFILE & PRODUCT PORTFOLIO

Pioneering the Future of Architectural Surfaces. Engineering monumental sintered porcelain slabs and vitrified stonewares for world-class developments.

MANUFACTURER & EXPORTER
PIXEL CERAMIC PVT. LTD.

GLOBAL HEADQUARTERS
Morbi (Gujarat) – INDIA

INTERNATIONAL CORRIDORS
40+ Countries Across 5 Continents

QUALITY & CERTIFICATION
ISO 9001:2015 • CE EN 14411 (Bla)

— ENTERPRISE HERITAGE & ETHOS

CORPORATE OVERVIEW & PHILOSOPHY

Rooted in Morbi—the world's second-largest ceramic industrial cluster—Pixel Ceramic unites centuries of ceramic tradition with hyper-automated Italian manufacturing precision.



TACTILE SURFACE DETAIL

PINE WOOD GREY • 20×120 CM PORCELAIN PLANK

ABOUT US

PIONEERING INTERNATIONAL CERAMIC ENGINEERING

Pixel Ceramic is an industry-leading innovator and global exporter of high-grade porcelain stoneware and vitrified tiles, headquartered in the ceramic capital of Morbi, Gujarat. Driven by cutting-edge SACMI & SITI B&T compaction technologies, we engineer surfaces that harmonize architectural beauty with exceptional physical durability for commercial, residential, and institutional mega-projects worldwide.

OUR VISION

“To inspire global spaces through unparalleled ceramic craftsmanship and cutting-edge design.”

Continuously redefining the boundaries of porcelain stoneware, fostering spaces that blend timeless elegance with functional resilience.

OUR MISSION

“Delivering sustainable, precision-engineered surfaces to international markets with zero compromise on quality.”

Empowering global architects, distributors, and developers with reliable lead times, flawless dimensional calibration, and certified technical integrity.

— ADVANCED AUTOMATION & ITALIAN TECHNOLOGY

STATE-OF-THE-ART INFRASTRUCTURE

Operating an immaculate, high-throughput manufacturing plant engineered to strict European standards, equipped with dust-free air filtration, precision robotic handling, and automated roller kilns.



SACMI CONTINUOUS ROLL-PRESS LINE
AUTOMATED SORTING, CONVEYANCE & ROBOTIC HANDLING

CORE TECHNOLOGICAL FEATURES

- 1 Automated Hydraulic Pressing:** Deploying continuous presses with forces exceeding 16,000 tonnes to eliminate internal microscopic voids and guarantee uniform bulk density ($\geq 2.45 \text{ g/cm}^3$).
- 2 Digital Glazing & HD Inks:** 8-channel high-resolution digital printers with reactive sinking inks that recreate authentic depth, sync-veining, and tactile textures.
- 3 Continuous Firing Roller Kilns:** 220-meter automated kilns reaching 1220°C with closed-loop computerized temperature curves, ensuring complete vitrification and zero warping.
- 4 Eco-Friendly Heat Recovery Systems:** 100% Zero Liquid Discharge (ZLD) water recycling (120,000 L/day) and kiln exhaust heat loops cutting natural gas consumption by 22%.

CAPACITY

35,000+

BOXES PRODUCED DAILY

Over 1.2 Million m² annual throughput scalable for international turnkey contracts.

QC PRECISION

100%


LASER IN-LINE CALIBRATION

Laser scanners verify dimensional squareness, thickness ($\pm 0.2\text{mm}$), and color tonality.

PORCELAIN SLABS & COMMERCIAL STONEWARE

ARCHITECTURAL SURFACES

Engineered to meet the rigorous physical and aesthetic requirements of global commercial and residential architecture, offering monumental formats and impervious surfaces.



SINTERED PORCELAIN GALLERY
BOOKMATCHED CALACATTA, STATUARIO & BASALT SLABS

CATEGORY 01

PGVT SURFACES

Polished Glazed Vitrified Tiles with high-definition nano-gloss (>92 GU) mirroring natural Italian marble.

60×120 cm • 60×60 cm

CATEGORY 02

GVT STONEWARE

Glazed Vitrified Tiles in refined silky matte, honed, structured slate, and R10 anti-slip finishes.

60×120 cm • 80×160 cm

CATEGORY 03

MONUMENTAL SLABS

Sintered compact porcelain slabs for monolithic kitchen countertops, vanity tops, and ventilated facades.

120×180 cm • 120×240 cm

ISO 13006 / EN 14411 (GROUP BIA) TECHNICAL COMPLIANCE

STANDARD VS. PIXEL GUARANTEED

PROPERTY PARAMETER	INTERNATIONAL STANDARD	PIXEL GUARANTEED SPEC	PERFORMANCE MERIT
Water Absorption (E)	E ≤ 0.5%	≤ 0.05%	Zero internal staining; frost proof
Modulus of Rupture (MOR)	≥ 35 N/mm ²	≥ 48 N/mm ²	High structural flexural load tolerance
Breaking Strength	≥ 1300 N	≥ 2400 N	Withstands commercial heavy traffic
Surface Scratch Hardness	≥ 5 MOHS	7 to 8 MOHS	Resistant to metal abrasion & grit
Thermal Shock Resistance	10 Cycles Pass	100% Resistant	Thermal range -30°C to +60°C without crack

— BIOPHILIC LIVING & PRECISION INSTALLATION

THE NATURAL ELEMENT SERIES

Bridging raw organic warmth and indestructible porcelain durability. 20×120 cm rectified planks engineered with genuine tactile relief, interlocking knots, and authentic timber patina.



20×120 CM WOOD PLANK INNOVATIONS

AUTHENTIC GRAIN DYNAMICS WITHOUT MAINTENANCE

Natural hardwood contracts, scratches, and rots when exposed to moisture. Pixel Ceramic's Natural Element Series captures natural timber species—such as Scandinavian Pine, White Ash, and Aged Teak—in zero-porosity vitrified stoneware that never buckles, warps, or requires waxing.

MATTE VELVET

SMOOTH

Soft light-absorbing micro-texture providing warm barefoot comfort for bedrooms and living lounges.

RUSTIC CHISELED

TEXTURED

Pronounced hand-scraped relief recreating vintage weathered timber with rich shadow depths.

ANTI-SLIP R10/R11

PTV > 36

Corundum-infused grip glaze ideal for pool surrounds, spa decks, and uncovered outdoor terraces.

DIGITAL CARVING

3D TACTILE

Reactive sunken veining matched identically to the printed wood knot lines for realistic tactile realism.

INTERNATIONAL ACCREDITATIONS & PROTOCOL

UNCOMPROMISING GLOBAL STANDARDS

Every batch leaving Pixel Ceramic facilities complies with the world's most stringent commercial building regulations, governed by ISO 9001:2015 and CE EN 14411 (Group B1a).



CERTIFIED CONFORMITY
OFFICIAL REGISTRATION: ISO 9001:2015 & CE EN 14411

QUALITY ASSURANCE PROTOCOL

STRICT COMPLIANCE WITH EN 14411 STANDARDS

Pixel Ceramic enforces an audited, multi-stage quality control protocol that guarantees batch-to-batch repeatability and eliminates defects before maritime dispatch.

1. Digital Color-Consistency Verification

$\Delta E < 0.5$ TOLERANCE

Automated spectrophotometer analysis verifies chromatic consistency across every production run, ensuring seamless color tone matching between crates.

2. Planar Warpage & Rectification Laser Scanning

$\pm 0.1\%$ PLANARITY

Continuous multi-point laser calipers measure diagonal squareness, corner curvature, and center camber to guarantee razor-sharp 1 mm grout line installation.

3. Chemical & Stain Resistance Validation

CLASS UA / ULA

Destructive testing with acids, alkalis, swimming pool salts, and staining agents confirms non-reactive performance and easy rinse restoration.

CONTAINERIZED FREIGHT & CARGO PROTECTION

GLOBAL SUPPLY CHAIN & LOGISTICS

Engineering seamless end-to-end B2B fulfillment. From automated palletizing to deep-sea container dispatch, every shipment is secured for zero-damage transit across rough ocean voyages.



EXPORT LOADING TERMINAL
SHRINK-WRAPPED PALLETS • DIRECT 40FT CONTAINER STUFFING

SEAWORTHY PALLETIZING STANDARDS

- ✓ **ISPM-15 Fumigated Wooden Pallets:** Heat-treated pinwood crates certified with international HT stamps for global biosecurity clearance.
- ✓ **Multi-Layer Cargo Protection:** 5-ply reinforced kraft cartons, composite edge corner guards, UV stretch wrap, and PET heavy-duty banding.
- ✓ **Optimized Container Stuffing:** Standardized 20ft & 40ft payload plans with industrial dunnage air bags preventing transit shifting.

DEDICATED B2B DESK

END-TO-END CUSTOMS & INTERNATIONAL DOCUMENTATION

Our seasoned logistics desk manages all consular affairs, trade compliance, and maritime documentation:

- Clean On-Board Ocean B/L
- Legalized Certificates of Origin
- SABER / SASO Certificates
- Phytosanitary Inspections

EXPORTING EXCELLENCE WORLDWIDE

WORLD MAP

0 2,000 4,000 Miles

40+ ACTIVE EXPORT DESTINATIONS
AMERICAS • EUROPE • MIDDLE EAST • AFRICA • ASIA-PACIFIC

Legend:

- Netherlands
- Belgium
- Luxembourg
- Switzerland
- Slovenia
- Croatia
- Bosnia and Herzegovina
- Czechia
- Slovakia
- Austria
- Hungary
- Serbia
- Moldova
- North Macedonia
- Albania
- Cyprus
- Lebanon
- Guinea-Bissau
- Guinea
- Ghana
- Togo
- Benin
- Cameroon
- Equatorial Guinea
- Rwanda
- Cambodia
- Panama
- Malawi
- Liechtenstein
- Montenegro
- Kosovo
- Palestinian Territories
- St. Vincent & the Grenadines

MUNDRA & KANDLA PORT GATEWAYS

Pixel Ceramic is located just **180 km** from India's largest commercial deep-sea ports—Mundra (Adani Ports) and Kandla. Dedicated container fleets reach quayside within **4 hours**, ensuring prompt vessel loading before cutoffs.

GLOBAL IMPORTER & SPECIFIER PARTNERSHIPS

We service tier-1 wholesale distributors, international tile brand OEM contracts, hotel chain development consortiums, and premier architectural specifiers.

4 Days
TO JEBEL ALI (GCC)

22 Days
TO NORTH EUROPE

— THOUGHT LEADERSHIP & INDUSTRY ARTICLES

INSIGHTS & DIGITAL PRESENCE

Empowering international specifiers with rich technical whitepapers, kiln manufacturing stories, trend forecasting, and instant digital catalogue downloads.



ONLINE KNOWLEDGE PORTAL
PIXELCERAMIC.COM/MEDIA • DIGITAL CATALOGUES & CASE STUDIES

CONNECTED ARCHITECT TOOLS

INTERACTIVE DIGITAL SPECIFICATION SUITE

Architects and distributors can access high-resolution texture maps, BIM/Revit libraries, area calculation tools, and technical test certificates directly from any desktop or mobile device.

Why Morbi Ceramic Tiles Dominate Global Architecture

INDUSTRY REPORT

In-depth analysis on raw clay mineralogy, port infrastructure, and thermal compaction driving Morbi's global export leadership.

Sintered Stone vs. Natural Marble: High-Traffic Durability

TECHNICAL GUIDE

Comprehensive side-by-side performance benchmarks detailing porosity, stain vulnerability, and flexural strength.

Slip Resistance Standards: R9 vs R11 in Wet Commercial Areas

SAFETY SPEC

Pendulum Test Value (PTV) engineering and slip coefficient standards for hospitality and exterior walkway projects.

GLOBAL BUSINESS DESK

PARTNER WITH PIXEL CERAMIC

Connect directly with our international export management team to request physical architect sample kits, customized batch technical specifications, or containerized freight quotes.



DIRECT PARTNERSHIP
B2B ARCHITECTURAL SAMPLES • WORLDWIDE AIR DISPATCH

CORPORATE HEADQUARTERS

PIXEL CERAMIC

PIXEL CERAMIC PRIVATE LIMITED

REGISTERED TRADEMARK ©
GOVT. OF INDIA

CORPORATE OFFICE: 1st Floor, SH-34, Platinum Plaza, Lalpar,
Morbi (Gujarat) – 363642, INDIA

EXPORT INQUIRIES: info@pixelceramic.com

TELEPHONE / CALL: **+91 99790 27910**

OFFICIAL WEB PORTAL: www.pixelceramic.com

SAMPLE DESK

DHL / FEDEX EXPRESS AIR SERVICE

Physical architect swatch folios and 10×10 cm precision sample chips are dispatched worldwide within 48 hours for project specification approvals.

PIXEL CERAMIC © • All Rights Reserved 2026

EDITION 2026 // GLOBAL DOCUMENT