



Reimagine the World

Sirqul Account and Fleet Management APIs
Updated: Jun 18th, 2026

Sirqul Account and Fleet Management

Access Information:

API Access

Service URL: <https://fleetshare.bmrang.com:3003>

Public API Key: eb5cedb3d4444edae7dde06b12461c7c

Network UID: 72524cbc-2774-424a-a72d-7665d105b078

Authorization Token:

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJ2MzQ3MDIsImIhdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzZWliOilzNjM0NzAyl0.n-9vIkehRGQt2I8JwXx_ic83hOvjW3Cz5_PNSnlGaNk

Additional contact information

Michael Woo, PM

mwoo@sirqul.com

Thang Le, Engineering Lead

thangle@sirqul.com

Create Fleet:

The following request can be used to create a "Fleet".

Endpoint Summary

Endpoint	Method		Content Type
/fleets	POST		application/json
Parameters	Type	Required	Description
internalFleetId	String	TRUE	The fleet's unique id from Fleetlytics. This value will be returned from our reporting services as the "fleetId".
fleetName	String	TRUE	The fleet's name.
managerName	String	FALSE	The fleet manager's display name
managerPhone	String	FALSE	The fleet manager's phone number (used to notify the fleet manager when a driver has an accident). Expected phone number format: E.164
managerEmailAddress	String	FALSE	The fleet manager's email address

Note: make note of the different url format and headers from previous documentation.

```
curl --location --request POST 'https://fleetshare.bmrang.com:3003/fleets' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJ2MzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzdWIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSnlGaNk' \
--data '{
  "internalFleetId": "fleet_id_4",
  "fleetName": "Fleet Example 4",
  "managerPhone": "+15551112222"
}'
```

Below is an example response. You'll be using the **item.retailerLocationId** property for future Sirqul requests when referencing this fleet. Make sure to save this value for the corresponding fleet on your side for easy access.

```
{
  "valid": true,
```

```

"message": "Success",
"item": {
  "manager": {
    "accountId": 3634702,
    "locationDisplay": "",
    "display": "Alliant Admin",
    "username": "alliant@sirqul.com",
    "flagCount": 0,
    "version": 3.18,
    "valid": true,
    "message": ""
  },
  "categories": [],
  "filters": [
    {
      "filterId": 5108,
      "name": "Alliant App Filter",
      "display": "Alliant App Filter",
      "subFilterCount": 0,
      "description": "Alliant App Filter",
      "active": true
    }
  ],
  "billableEntity": {
    "contact": {
      "emailAddress": "",
      "address": {
        "display": ""
      }
    },
    "billableEntityId": 1961856,
    "name": "Alliant Admin",
    "responsible": {
      "accountId": 3634702,
      "locationDisplay": "",
      "display": "Alliant Admin",
      "username": "alliant@sirqul.com",
      "flagCount": 0,
      "valid": true,
      "message": ""
    }
  },
  "retailer": {
    "retailerId": 202952,
    "name": "Fleet Example 4",
    "active": true,
    "contact": {

```

```

    "emailAddress": "",
    "address": {
      "streetAddress": "81 Vine St",
      "city": "Seattle",
      "state": "WA",
      "postalCode": "98121",
      "display": "81 Vine St, Seattle, WA, 98121"
    }
  },
  "latitude": 0,
  "longitude": 0,
  "visibility": "PRIVATE"
},
"offers": {
  "items": [],
  "count": 0,
  "version": 3.18,
  "valid": true,
  "message": ""
},
"internalId": "fleet_id_4",
"locationToken": "304NAn9ElpuVEXGgNSk8GUuog5XWf75E",
"metaData": "{\"fleetManagerAccountId\":\"3634725\"}",
"publicLocation": false,
"audiences": [
  {
    "ownerId": 3634718,
    "owner": {
      "contactEmail": "thangle@sirqul.com",
      "accountId": 3634718,
      "locationDisplay": "",
      "display": "Thang Le",
      "username":
"652e63ca-bd28-426d-9b26-f2f41d0a83e7-72524cbc-2774-424a-a72d-7665d105b078@bmrang.com",
      "accountType": "RETAILER_LIMITED"
    },
    "id": 1021838,
    "name": "Fleet Example 4",
    "radius": 0,
    "sendSuggestion": true,
    "active": true,
    "searchTags": "fleet_id_4",
    "audienceType": "FLEET"
  }
],
"retailerLocationId": 353788,

```

```

"name": "Fleet Example 4",
"locationType": "FLEET-fleet_id_4",
"contact": {
  "emailAddress": "",
  "address": {
    "streetAddress": "81 Vine St",
    "city": "Seattle",
    "state": "WA",
    "postalCode": "98121",
    "display": "81 Vine St, Seattle, WA, 98121"
  }
},
"latitude": 0,
"longitude": 0,
"active": true,
"favoriteCount": 0,
"noteCount": 0,
"sharedCount": 0,
"likeCount": 0,
"dislikeCount": 0,
"hasRatings": false
}
}

```

Update Fleet:

The following request can be used to update a fleet as well as batch update the fleet's drivers for their work hours and additional services.

Endpoint Summary

Endpoint	Method		Content Type
/fleets/:retailerLocationId	PUT		application/json
Parameters	Type	Required	Description
internalFleetId	String	FALSE	The fleet's unique id from Fleetlytics. This value will be returned from our reporting services as the "fleetId".
fleetName	String	FALSE	The fleet's name.
workHourStart	String	FALSE	The hour the driver normally starts working (in UTC time). <i>Passing this in will update all drivers assigned under this fleet.</i> Use the "Work Shift" services instead.

workHourStop	String	FALSE	The hour the driver normally ends working (in UTC time). Passing this in will update all drivers assigned under this fleet. Use the "Work Shift" services instead.
additionalServices	String Array	FALSE	This is an array of strings representing the driver's additional services. The strings can be any alphanumeric value. Ex: ["SERVICE1", "SERVICE2", "ROADSIDE", "CLAIMS"] <i>Passing this in will update all drivers assigned under this fleet.</i>
managerName	String	FALSE	The fleet manager's display name
managerPhone	String	FALSE	The fleet manager's phone number (used to notify the fleet manager when a driver has an accident). Expected phone number format: E.164
managerEmailAddress	String	FALSE	The fleet manager's email address

Note: the fleet's identifier (the **retailerLocationId**) is passed into the path of the url.

```
curl --location --request PUT
'https://fleetshare.bmrang.com:3003/fleets/353788' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmMzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzZWwiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjw3Cz5_PNSn1GaNk' \
--data '{
  "fleetName": "Fleet new name",
  "workHourStart": "10:30",
  "workHourStop": "21:45",
  "additionalServices": ["SERVICE3"]
}'
```

```
{
  "valid": true,
  "message": "Success",
  "item": {
    "manager": {
      "accountId": 3634702,
```

```

    "locationDisplay": "",
    "display": "Alliant Admin",
    "username": "alliant@sirqul.com",
    "flagCount": 0,
    "version": 3.18,
    "valid": true,
    "message": ""
  },
  "categories": [],
  "filters": [
    {
      "filterId": 5108,
      "name": "Alliant App Filter",
      "display": "Alliant App Filter",
      "subFilterCount": 0,
      "description": "Alliant App Filter",
      "active": true
    }
  ],
  "billableEntity": {
    "contact": {
      "emailAddress": "",
      "address": {
        "display": ""
      }
    }
  },
  "billableEntityId": 1961856,
  "name": "Alliant Admin",
  "responsible": {
    "accountId": 3634702,
    "locationDisplay": "",
    "display": "Alliant Admin",
    "username": "alliant@sirqul.com",
    "flagCount": 0,
    "valid": true,
    "message": ""
  }
},
"retailer": {
  "retailerId": 202952,
  "name": "Fleet Example 4",
  "active": true,
  "contact": {
    "emailAddress": "",
    "address": {
      "streetAddress": "81 Vine St",
      "city": "Seattle",

```



```

        "state": "WA",
        "postalCode": "98121",
        "display": "81 Vine St, Seattle, WA, 98121"
    }
},
"latitude": 0,
"longitude": 0,
"visibility": "PRIVATE"
},
"offers": {
    "items": [],
    "count": 0,
    "version": 3.18,
    "valid": true,
    "message": ""
},
"internalId": "fleet_id_4",
"locationToken": "304NAn9ElpuVEXGgNSk8GUuog5XWf75E",
"metaData": "{\"fleetManagerAccountId\":\"3634725\"}",
"publicLocation": false,
"audiences": [
    {
        "ownerId": 3634718,
        "owner": {
            "contactEmail": "thangle@sirqul.com",
            "accountId": 3634718,
            "locationDisplay": "",
            "display": "Thang Le",
            "username":
"652e63ca-bd28-426d-9b26-f2f41d0a83e7-72524cbc-2774-424a-a72d-7665d105b078@bmrang.c
om",
            "accountType": "RETAILER_LIMITED"
        },
        "id": 1021838,
        "name": "Fleet Example 4",
        "radius": 0,
        "sendSuggestion": true,
        "active": true,
        "searchTags": "fleet_id_4",
        "audienceType": "FLEET"
    }
],
"retailerLocationId": 353788,
"name": "Fleet new name",
"locationType": "FLEET-fleet_id_4",
"contact": {
    "emailAddress": "",

```

```

    "address": {
      "streetAddress": "81 Vine St",
      "city": "Seattle",
      "state": "WA",
      "postalCode": "98121",
      "display": "81 Vine St, Seattle, WA, 98121"
    },
    "latitude": 0,
    "longitude": 0,
    "active": true,
    "favoriteCount": 0,
    "noteCount": 0,
    "sharedCount": 0,
    "likeCount": 0,
    "dislikeCount": 0,
    "hasRatings": false
  }
}

```

Get Fleet:

The following request can be used to get the fleet details by its **retailerLocationId**.

Endpoint Summary

Endpoint	Method		Content Type
/fleets/:retailerLocationId	GET		

```

curl --location --request GET
'https://fleetshare.bmrang.com:3003/fleets/353788' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJ2MzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzdWIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSnlGaNk'

```

```

{
  "valid": true,
  "message": "Success",
  "item": {
    "manager": {

```

```

    "accountId": 3634702,
    "locationDisplay": "",
    "display": "Alliant Admin",
    "username": "alliant@sirqul.com",
    "flagCount": 0,
    "valid": true,
    "message": ""
  },
  "categories": [],
  "filters": [
    {
      "filterId": 5108,
      "name": "Alliant App Filter",
      "display": "Alliant App Filter",
      "subFilterCount": 0,
      "description": "Alliant App Filter",
      "active": true
    }
  ],
  "billableEntity": {
    "contact": {
      "emailAddress": "",
      "address": {
        "display": ""
      }
    }
  },
  "billableEntityId": 1961856,
  "name": "Alliant Admin",
  "responsible": {
    "accountId": 3634702,
    "locationDisplay": "",
    "display": "Alliant Admin",
    "username": "alliant@sirqul.com",
    "flagCount": 0,
    "valid": true,
    "message": ""
  }
},
"retailer": {
  "retailerId": 202952,
  "name": "Fleet Example 4",
  "active": true,
  "contact": {
    "emailAddress": "",
    "address": {
      "streetAddress": "81 Vine St",
      "city": "Seattle",

```

```

        "state": "WA",
        "postalCode": "98121",
        "display": "81 Vine St, Seattle, WA, 98121"
    },
    {
        "latitude": 0,
        "longitude": 0,
        "visibility": "PRIVATE"
    },
    "offers": {
        "items": [],
        "count": 0,
        "valid": true,
        "message": ""
    },
    "internalId": "fleet_id_4",
    "locationToken": "304NAn9ElpuVEXGgNSk8GUuog5XWf75E",
    "metaData": "{\\"fleetManagerAccountId\\":3634725}",
    "publicLocation": false,
    "audiences": [
        {
            "ownerId": 3634718,
            "owner": {
                "contactEmail": "thangle@sirqul.com",
                "accountId": 3634718,
                "locationDisplay": "",
                "display": "Thang Le",
                "username":
"652e63ca-bd28-426d-9b26-f2f41d0a83e7-72524cbc-2774-424a-a72d-7665d105b078@bmrang.c
om",
                "accountType": "RETAILER_LIMITED"
            },
            "id": 1021838,
            "name": "Fleet Example 4",
            "radius": 0,
            "sendSuggestion": true,
            "active": true,
            "searchTags": "fleet_id_4",
            "audienceType": "FLEET"
        }
    ],
    "retailerLocationId": 353788,
    "name": "Fleet new name",
    "locationType": "FLEET-fleet_id_4",
    "contact": {
        "emailAddress": "",
        "address": {

```

```

        "streetAddress": "81 Vine St",
        "city": "Seattle",
        "state": "WA",
        "postalCode": "98121",
        "display": "81 Vine St, Seattle, WA, 98121"
    },
    "latitude": 0,
    "longitude": 0,
    "active": true,
    "favorite": false,
    "favoriteCount": 0,
    "noteCount": 0,
    "sharedCount": 0,
    "likeCount": 0,
    "dislikeCount": 0,
    "hasRatings": false
}
}

```

Search Fleet:

The following request can be used to search for fleets.

Endpoint Summary

Endpoint	Method		Content Type
/fleets/search	GET		
Parameters	Type	Required	Description
start	Integer	FALSE	This is the starting index for pagination. The default is 0.
limit	Integer	FALSE	This is the limit (size) for pagination. The default is 10.
keyword	String	FALSE	Filters results by a keyword or phrase.
internalFleetId	String	FALSE	Searches for a fleet with the specified internal fleet id.

```

curl --location --request GET
'https://fleetshare.bmrang.com:3003/fleets/search?internalFleetId=fleet_id_

```

```
4' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJ2MzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzdBWII0iIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_i
c83h0vjW3Cz5_PNSnlGaNk'
```

```
{
  "valid": true,
  "message": "",
  "start": 0,
  "limit": 10,
  "countTotal": 1,
  "hasMoreResults": false,
  "items": [
    {
      "manager": {
        "accountId": 3634702,
        "locationDisplay": "",
        "display": "Alliant Admin",
        "username": "alliant@sirqul.com",
        "flagCount": 0,
        "version": 3.18,
        "valid": true,
        "message": ""
      },
      "categories": [],
      "filters": [
        {
          "filterId": 5108,
          "name": "Alliant App Filter",
          "display": "Alliant App Filter",
          "subFilterCount": 0,
          "description": "Alliant App Filter",
          "active": true
        }
      ],
      "billableEntity": {
        "contact": {
          "emailAddress": "",
          "address": {
            "display": ""
          }
        },
        "billableEntityId": 1961856,
```

```

    "name": "Alliant Admin",
    "responsible": {
      "accountId": 3634702,
      "locationDisplay": "",
      "display": "Alliant Admin",
      "username": "alliant@sirqul.com",
      "flagCount": 0,
      "valid": true,
      "message": ""
    }
  },
  "retailer": {
    "retailerId": 202952,
    "name": "Fleet Example 4",
    "active": true,
    "contact": {
      "emailAddress": "",
      "address": {
        "streetAddress": "81 Vine St",
        "city": "Seattle",
        "state": "WA",
        "postalCode": "98121",
        "display": "81 Vine St, Seattle, WA, 98121"
      }
    }
  },
  "latitude": 0,
  "longitude": 0,
  "visibility": "PRIVATE"
},
"internalId": "fleet_id_4",
"locationToken": "304NAn9ElpuVEXGgNSk8GUuog5XWf75E",
"metaData": "{\"fleetManagerAccountId\":3634725}",
"publicLocation": false,
"audiences": [],
"retailerLocationId": 353788,
"name": "Fleet new name",
"locationType": "FLEET-fleet_id_4",
"contact": {
  "emailAddress": "",
  "address": {
    "streetAddress": "81 Vine St",
    "city": "Seattle",
    "state": "WA",
    "postalCode": "98121",
    "display": "81 Vine St, Seattle, WA, 98121"
  }
}
},

```

```

    "latitude": 0,
    "longitude": 0,
    "active": true,
    "favoriteCount": 0,
    "noteCount": 0,
    "sharedCount": 0,
    "likeCount": 0,
    "dislikeCount": 0,
    "hasRatings": false
  }
]
}

```

Create Driver and Assign to Fleet:

The following request can be used to create a driver account (if one does not exist yet with the **thirdPartyId** value), and then assigns that driver account to a fleet. This endpoint can also be used to update a driver and to assign the driver to another fleet if the account already exists (matching the **thirdPartyId** value).

Endpoint Summary

Endpoint	Method		Content Type
/fleets/assign	POST		application/json
Parameters	Type	Required	Description
thirdPartyId	String	TRUE	The third party user account id. This should be a unique identifier that should never change for the user. If an account gets created and thirdPartyName is not passed in, then the thirdPartyId will be used as the account's display name.
thirdPartyName	String	FALSE	The third party user's display name. If an account gets created, then this value will be used as the account's display name.
thirdPartyToken	String	TRUE	The access token provided by the third party that is used to authenticate the user. This could be an access code that the driver enters in, or a value returned from Okta OAuth that can be used to identify the user.
networkUID	String	TRUE	The access provider to authenticate against.

retailerLocationId	Integer	TRUE	Determines which fleet to assign the account to. This is Sirqul's identifier for the fleet.
emailAddress	String	FALSE	The driver's email address (used for login)
cellPhone	String	FALSE	The driver's phone number (used for login). Expected phone number format: E.164
workShiftAudienceId	Integer	FALSE	The audienceId of the driver's working hours.
additionalServices	String Array	FALSE	This is an array of strings representing the driver's additional services. The strings can be any alphanumeric value. Ex: ["SERVICE1", "SERVICE2", "ROADSIDE", "CLAIMS"]

```
curl --location --request POST
'https://fleetshare.bmrang.com:3003/fleets/assign' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmMzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDYLCJzdwIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSnlGaNk' \
--data '{
  "thirdPartyId": "user_id_4",
  "thirdPartyToken": "abc1234",
  "thirdPartyName": "John Doe",
  "networkUID": "72524cbc-2774-424a-a72d-7665d105b078",
  "retailerLocationId": 353788,
  "workShiftAudienceId": 1021840,
  "additionalServices": ["SERVICE1", "SERVICE2"]
}'
```

Below is an example response. You'll be using the **item.profileInfo.accountId** property for future Sirqul requests when referencing this driver account. Make sure to save this value for the corresponding driver account on your side for easy access.

```
{
  "valid": true,
  "message": "",
  "item": {
    "active": true,
    "validated": true,
```

```

"appInfo": {
  "points": 0,
  "ticketsAvailable": 0,
  "ticketsEarned": 0,
  "ticketsPurchased": 0,
  "ticketsUsed": 0,
  "rank": "",
  "maxPoints": 0,
  "maxTickets": 0,
  "pointToTicketModifier": 0,
  "requiresTermsAcceptance": true,
  "appBlob":
    "{\\"additionalServices\\":[\\"SERVICE1\\",\\"SERVICE2\\"],\\"driverId\\":\\"user_id_4\\",\\"workShiftAudienceId\\":1021840}",
  "enablePush": true,
  "enableSMS": true,
  "enableEmail": true,
  "verifiedUser": false,
  "contentAdmin": false
},
"canViewAppInfo": true,
"canViewFriendInfo": true,
"canViewProfileInfo": true,
"flagCount": 0,
"isBlocked": false,
"isFlagged": false,
"isFollowing": false,
"isFriend": false,
"isFriendRequested": false,
"isFriendRequestPending": false,
"isProfileOwner": true,
"isTrusted": false,
"isPartner": false,
"isContact": false,
"isFollower": false,
"metFlagThreshold": false,
"profileInfo": {
  "summaryTitle": "R -
ea484eca-4dca-4e0e-af21-cebe1bfdcff9-72524cbc-2774-424a-a72d-7665d105b078@bmrang.com - John Doe",
  "contact": {
    "firstName": "John Doe",
    "contactInfo": {
      "emailAddress":
"ea484eca-4dca-4e0e-af21-cebe1bfdcff9-72524cbc-2774-424a-a72d-7665d105b078@bmrang.com",
      "address": {

```

```

        "display": ""
      }
    },
    "categories": [],
    "latitude": 0,
    "longitude": 0,
    "accountType": "RETAILER_LIMITED",
    "accountId": 3634726,
    "locationDisplay": "",
    "display": "John Doe",
    "username":
"ea484eca-4dca-4e0e-af21-cebe1bfdcff9-72524cbc-2774-424a-a72d-7665d105b078@bmrang.c
om",
    "flagCount": 0,
    "version": 3.18,
    "valid": true,
    "message": ""
  },
  "audienceIds": "1021838,1021840",
  "isFollowerPending": false,
  "isFollowingPending": false,
  "version": 3.18,
  "valid": true,
  "message": ""
}
}

```

Update Driver:

The following request can be used to update a driver account. *This does not assign the driver to a fleet (use the "/fleets/assign" endpoint to accomplish that).*

Endpoint Summary

Endpoint	Method		Content Type
/fleets/drivers/:accountId	PUT		application/json
Parameters	Type	Required	Description
firstName	String	FALSE	The driver's first name
lastName	String	FALSE	The driver's last name
emailAddress	String	FALSE	The driver's email address (used for login)

cellPhone	String	FALSE	The driver's phone number (used for login). Expected phone number format: E.164
workShiftAudienceId	Integer	FALSE	The audienceId of the driver's working hours.
additionalServices	String Array	FALSE	This is an array of strings representing the driver's additional services. The strings can be any alphanumeric value. Ex: ["SERVICE1", "SERVICE2", "ROADSIDE", "CLAIMS"]
active	Boolean	FALSE	Determines whether the account is marked as active or inactive.

```
curl --location --request PUT
'https://fleetshare.bmrang.com:3003/fleets/drivers/3634726' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmMzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDYLCJzdwIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSnlGaNk' \
--data-raw '{
"emailAddress": "thangle+test@sirqu1.com",
"cellPhone": "+12061112222",
"additionalServices": ["SERVICE2"],
"active": true,
"firstName": "Test",
"lastName": "Driver"
}'
```

```
{
  "valid": true,
  "message": "",
  "item": {
    "active": true,
    "validated": true,
    "appInfo": {
      "points": 0,
      "ticketsAvailable": 0,
      "ticketsEarned": 0,
      "ticketsPurchased": 0,
      "ticketsUsed": 0,
      "rank": ""
    }
  }
}
```

```

    "maxPoints": 0,
    "maxTickets": 0,
    "pointToTicketModifier": 0,
    "requiresTermsAcceptance": true,
    "appBlob":
    "{ \"additionalServices\": [ \"SERVICE2\" ], \"driverId\": \"user_id_4\", \"workShiftAudie
nceId\": 1021840 }",
    "enablePush": true,
    "enableSMS": true,
    "enableEmail": true,
    "verifiedUser": false,
    "contentAdmin": false
  },
  "canViewAppInfo": true,
  "canViewFriendInfo": true,
  "canViewProfileInfo": true,
  "flagCount": 0,
  "isBlocked": false,
  "isFlagged": false,
  "isFollowing": false,
  "isFriend": false,
  "isFriendRequested": false,
  "isFriendRequestPending": false,
  "isProfileOwner": true,
  "isTrusted": false,
  "isPartner": false,
  "isContact": false,
  "isFollower": false,
  "metFlagThreshold": false,
  "profileInfo": {
    "summaryTitle": "R -
ea484eca-4dca-4e0e-af21-cebe1bfdcff9-72524cbc-2774-424a-a72d-7665d105b078@bmrang.co
m - Test Driver",
    "contact": {
      "firstName": "Test",
      "lastName": "Driver",
      "contactInfo": {
        "cellPhone": "+12061112222",
        "emailAddress": "thangle+test@sirqul.com",
        "address": {
          "display": ""
        }
      }
    }
  },
  "categories": [],
  "latitude": 0,
  "longitude": 0,

```

```

    "accountType": "RETAILER_LIMITED",
    "accountId": 3634726,
    "locationDisplay": "",
    "display": "Test Driver",
    "username":
"ea484eca-4dca-4e0e-af21-cebe1bfdcff9-72524cbc-2774-424a-a72d-7665d105b078@bmrang.c
om",
    "flagCount": 0,
    "version": 3.18,
    "valid": true,
    "message": ""
  },
  "audienceIds": "1021838,1021840",
  "isFollowerPending": false,
  "isFollowingPending": false,
  "version": 3.18,
  "valid": true,
  "message": ""
}
}

```

Get Driver:

The following request can be used to get the driver account details by its **accountId**.

Endpoint Summary

Endpoint	Method		Content Type
/fleets/drivers/:accountId	GET		

```

curl --location --request GET
'https://fleetshare.bmrang.com:3003/fleets/drivers/3634726' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmMzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZmxhZSI6OTI4MDg4NDAYLCJzdWIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSnlGaNk'

```

```

{
  "valid": true,
  "message": "",
  "item": {

```

```

"locations": [
  {
    "retailerLocationId": 353788,
    "name": "Fleet new name",
    "locationType": "FLEET-fleet_id_4",
    "contact": {
      "emailAddress": "",
      "address": {
        "streetAddress": "81 Vine St",
        "city": "Seattle",
        "state": "WA",
        "postalCode": "98121",
        "display": "81 Vine St, Seattle, WA, 98121"
      }
    },
    "latitude": 0,
    "longitude": 0,
    "active": true,
    "favoriteCount": 0,
    "noteCount": 0,
    "sharedCount": 0,
    "likeCount": 0,
    "dislikeCount": 0,
    "hasRatings": false
  }
],
"latitude": 0,
"longitude": 0,
"appInfo": {
  "points": 0,
  "ticketsAvailable": 0,
  "ticketsEarned": 0,
  "ticketsPurchased": 0,
  "ticketsUsed": 0,
  "rank": "",
  "maxPoints": 0,
  "maxTickets": 0,
  "pointToTicketModifier": 0,
  "requiresTermsAcceptance": true,
  "appBlob":
    "{\\"additionalServices\\":[\\"SERVICE2\\"],\\"driverId\\":\\"user_id_4\\",\\"workShiftAudienceId\\":1021840}",
  "enablePush": true,

```

```

    "enableSMS": true,
    "enableEmail": true,
    "verifiedUser": false,
    "contentAdmin": false
  },
  "employer": {
    "accountId": 3634702,
    "locationDisplay": "",
    "display": "Alliant Admin",
    "username": "alliant@sirqul.com",
    "accountType": "EXECUTIVE"
  },
  "locationCount": 1,
  "contact": {
    "firstName": "Test",
    "lastName": "Driver",
    "contactInfo": {
      "cellPhone": "+12061112222",
      "emailAddress": "thangle+test@sirqul.com",
      "address": {
        "display": ""
      }
    }
  },
  "manager": {
    "accountId": 3634725,
    "locationDisplay": "",
    "display": "Fleet Manager 353788",
    "username": "e9138593-de80-4d4a-956d-7249bbcde8b9-fleet@sirqul.com",
    "accountType": "RETAILER"
  },
  "active": true,
  "contactEmail": "thangle+test@sirqul.com",
  "accountId": 3634726,
  "locationDisplay": "",
  "display": "Test Driver",
  "username":
"ea484eca-4dca-4e0e-af21-cebe1bfdcff9-72524cbc-2774-424a-a72d-7665d105b078@
bmrang.com",
  "accountType": "RETAILER_LIMITED"
}
}

```


Note: the **deleted** response field is the timestamp (in milliseconds) of when the driver requested to delete their account.

Search Driver:

The following request can be used to search for driver accounts.

Endpoint Summary

Endpoint	Method		Content Type
/fleets/drivers/search	GET		
Parameters	Type	Required	Description
start	Integer	FALSE	This is the starting index for pagination. The default is 0.
limit	Integer	FALSE	This is the limit (size) for pagination. The default is 20.
keyword	String	FALSE	Filters results by a keyword or phrase.
retailerLocationId	Integer	FALSE	Searches for drivers assigned to a specific fleet

```
curl --location --request GET
'https://fleetshare.bmrang.com:3003/fleets/drivers/search?retailerLocationId=353788' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJ2MzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzdWIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSn1GaNk'
```

```
{
  "valid": true,
  "message": "",
  "start": 0,
  "limit": 20,
  "countTotal": 1,
  "hasMoreResults": false,
  "items": [
    {
```

```

"locations": [
  {
    "retailerLocationId": 353788,
    "name": "Fleet new name",
    "locationType": "FLEET-fleet_id_4",
    "contact": {
      "emailAddress": "",
      "address": {
        "streetAddress": "81 Vine St",
        "city": "Seattle",
        "state": "WA",
        "postalCode": "98121",
        "display": "81 Vine St, Seattle, WA, 98121"
      }
    },
    "latitude": 0,
    "longitude": 0,
    "active": true,
    "favoriteCount": 0,
    "noteCount": 0,
    "sharedCount": 0,
    "likeCount": 0,
    "dislikeCount": 0,
    "hasRatings": false
  }
],
"hasDelegateAccess": false,
"latitude": 0,
"longitude": 0,
"appInfo": {
  "points": 0,
  "ticketsAvailable": 0,
  "ticketsEarned": 0,
  "ticketsPurchased": 0,
  "ticketsUsed": 0,
  "rank": "",
  "maxPoints": 0,
  "maxTickets": 0,
  "pointToTicketModifier": 0,
  "requiresTermsAcceptance": true,
  "appBlob":
    "{\\"additionalServices\\":[\\"SERVICE2\\"],\\"driverId\\":\\"user_id_4\\",\\"workShiftAudienceId\\":1021840}",

```

```

    "enablePush": true,
    "enableSMS": true,
    "enableEmail": true,
    "verifiedUser": false,
    "contentAdmin": false
  },
  "locationCount": 1,
  "contact": {
    "firstName": "Test",
    "lastName": "Driver",
    "contactInfo": {
      "cellPhone": "+12061112222",
      "emailAddress": "thangle+test@sirqul.com",
      "address": {
        "display": ""
      }
    }
  },
  "manager": {
    "accountId": 3634725,
    "locationDisplay": "",
    "display": "Fleet Manager 353788",
    "username": "e9138593-de80-4d4a-956d-7249bbcde8b9-fleet@sirqul.com",
    "accountType": "RETAILER"
  },
  "active": true,
  "contactEmail": "thangle+test@sirqul.com",
  "accountId": 3634726,
  "locationDisplay": "",
  "display": "Test Driver",
  "username":
"ea484eca-4dca-4e0e-af21-cebe1bfdcff9-72524cbc-2774-424a-a72d-7665d105b078@
bmrang.com",
  "accountType": "RETAILER_LIMITED"
}
]
}

```

Delete Driver:

The following request can be used to delete an account by its **accountId**. *Note: you cannot undo this action. If instead, you would like to mark an account as "active/inactive", then use the "active" parameter on the "PUT /fleets/drivers/:accountId" endpoint to accomplish that.*

Endpoint Summary

Endpoint	Method		Content Type
/fleets/drivers/:accountId	DELETE		

```
curl --location --request DELETE
'https://fleetshare.bmrang.com:3003/fleets/drivers/3634726' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmMmMzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjojOTI4MDg4NDAYLCJzdWIiOiJzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_i
c83h0vjW3Cz5_PNSn1GaNk'
```

```
{
  "valid": true,
  "message": "Employee record successfully deleted."
}
```

Search Claim:

The following request can be used to search for driver created claims.

Endpoint Summary

Endpoint	Method		Content Type
/albums/search	GET		
Parameters	Type	Required	Description
start	Integer	FALSE	This is the starting index for pagination. The default is 0.
limit	Integer	FALSE	This is the limit (size) for pagination. The default is 10.

albumType	String	TRUE	For the use case of returning driver claims, the value of " driver_claim " needs to be passed in.
filter	String	TRUE	For the use case of returning driver claims, the value of " ALL " needs to be passed in.
albumIds	String	FALSE	Comma separated list of album Ids to return.
ownerId	Integer	FALSE	An optional parameter to filter results for a specific driver account.
createdSince	Integer	FALSE	An optional parameter to filter results that have been created since a specific timestamp (in milliseconds). Ex: createdSince=1733788800000 Will return results that have been created since December 10, 2024 0:00:00 UTC
createdBefore	Integer	FALSE	An optional parameter to filter results that have been created before a specific timestamp (in milliseconds). Ex: createdBefore=1733788800000 Will return results that have been created before December 10, 2024 0:00:00 UTC
updatedSince	Integer	FALSE	An optional parameter to filter results that have been updated since a specific timestamp (in milliseconds).
updatedBefore	Integer	FALSE	An optional parameter to filter results that have been updated before a specific timestamp (in milliseconds).
sortField	String	FALSE	Determines how the results are sorted. Possible values include: ALBUM_CREATED, ALBUM_UPDATED, ALBUM_ID The default value is: "ALBUM_CREATED" if no value is passed in.

descending	Boolean	FALSE	Determines if the results are sorted in ascending or descending order. The default value is: "true" if no value is passed in.
-------------------	---------	-------	---

```
curl --location --request GET
'https://fleetshare.bmrang.com:3003/albums/search?albumType=driver_claim&filter=ALL&ownerId=3634726&updatedSince=1733788800000' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmMmZQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzdWIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSnlGaNk'
```

```
{
  "valid": true,
  "message": "",
  "start": 0,
  "limit": 10,
  "countTotal": 1,
  "hasMoreResults": false,
  "items": [
    {
      "assets": [],
      "comments": [],
      "likes": [],
      "connectionGroups": [],
      "connections": [],
      "publicPermissions": {
        "read": false,
        "write": false,
        "delete": false,
        "add": false
      },
      "albumId": 4839669,
      "albumType": "driver_claim",
      "albumTypeId": 0,
      "ownerId": 12811833,
      "owner": {
        "profileImage":
'https://cdn.sirqul.com/media/2020/03/27/18732306-thumb148.jpg',
        "contactEmail": "steve+emp1@sirqul.com",
        "accountId": 12811833,
        "locationDisplay": "Carrollton, TX",
        "display": "Steve Graesser",
        "username": "steve+emp1@sirqul.com",
```

```

        "accountType": "RETAILER_LIMITED",
        "verifiedUser": false,
        "personalAudienceId": 330104,
        "personalAudienceName": "@steve"
    },
    "title": "test 1",
    "tags": "",
    "visibility": "PRIVATE",
    "startDate": 1733869843000,
    "endDate": 1733869843000,
    "assetCount": 0,
    "likeCount": 0,
    "dislikeCount": 0,
    "commentsCount": 0,
    "userCount": 1,
    "notifications": false,
    "latitude": 33.0010326,
    "longitude": 33.0010326,
    "dateCreated": 1733869843000,
    "dateUpdated": 1733869843000,
    "fullAddress": "",
    "contactInfo": {
        "emailAddress": "",
        "address": {
            "display": ""
        }
    },
    "approvalStatus": "APPROVED",
    "favoriteCount": 0,
    "hasRatings": false,
    "favorite": false,
    "anonymous": false,
    "flagCount": 0,
    "viewedCount": 28,
    "clickedCount": 2,
    "sharedCount": 0,
    "filters": [
        {
            "filterId": 5108,
            "name": "Alliant App Filter",
            "display": "Alliant App Filter",
            "subFilterCount": 0,
            "description": "Alliant App Filter",
            "active": true
        }
    ],
    "metaData": {
        "accidentDetails": {
            "accidentType": "Minor Accident w/Property Damage",
            "address": "18129 justice ln",
            "city": "dallas",
            "date": 1733869802753,

```

```

        "description": "testing",
        "media": [],
        "state": "Texas",
        "vehiclesInvolved": 0,
        "weatherConditions": "",
        "zipCode": 75287
    },
    "cargoAndEquipment": {
        "description": ""
    },
    "operatingDriverDetails": {
        "email": "",
        "firstName": "",
        "lastName": "",
        "phoneNumber": ""
    },
    "otherDriverDetails": [
        {
            "companyName": "",
            "driversLicenseNumber": "0",
            "firstName": "",
            "lastName": "",
            "licenseExpirationDate": 1733869802753,
            "phoneNumber": ""
        }
    ],
    "otherPartyInsurance": [
        {
            "insurerCompany": "",
            "media": [],
            "policyEffectiveDate": 1733869802753,
            "policyNumber": "0"
        }
    ],
    "otherVehicleDetails": [
        {
            "city": "",
            "damageDescription": "",
            "licensePlate": "",
            "media": [],
            "model": "",
            "state": "",
            "vehicleAddress": "",
            "vehicleMake": ""
        }
    ],
    "passengerDetails": [
        {
            "address": "",
            "name": "",
            "phone": ""
        }
    ]
}

```



```

    ],
    "respondingAuthority": {
      "badgeNumber": "0",
      "citations": [
        {
          "citationNumber": "null"
        }
      ]
    },
    "officerEmail": "",
    "officerName": "",
    "reportNumber": "0"
  },
  "towingDetails": {
    "companyName": "",
    "contactName": "",
    "equipmentLocation": "",
    "phoneNumber": ""
  }
},
"active": true,
"metFlagThreshold": false,
"ownerFlaggedOrHidden": false,
"verified": false,
"customCount": 0,
"indexStatus": "INDEXED",
"version": 3.18,
"valid": true,
"message": "",
"id": 4839669
}
]
}

```

Claims Webhook:

Whenever a new claim is created on Sirqul, we will send a callback request to this url with the following body payload:

```

curl --location --request POST
'https://hdoapi.eoxvantage.com/prod/v1/SirqulFNOLPush' \
--header 'Content-Type: application/json' \
--header 'Authorization: Basic XXXX' \
--data '{
  "albumId": 4880040
}'

```

After you have received that request, you can then do a "[Search Claim](#)" request to get the details of that claim using the "albumId".

```
curl --location --request GET
'https://fleetshare.bmrang.com:3003/albums/search?albumType=driver_claim&filter=ALL&albumIds=4880040' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmMzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzZWUiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSnlGaNk'
```

Note the "**albumIds**" parameter above takes in a comma separated list. So, if you want to get back multiple albums, you can pass in: **albumIds=4880040,4880039**

Send Custom Notification:

The following request can be used to send a notification message to a Sirqul account.

Endpoint Summary

Endpoint	Method		Content Type
/notifications/custom	POST		application/json
Parameters	Type	Required	Description
receiverAccountIds	String	TRUE	Array of Sirqul account IDs that will receive the notification.
conduit	String	TRUE	The type of notification to send. Pass in " SMS " to send an SMS text message. <i>Note: for the user to receive an SMS message, the account would need to have their "cellPhone" populated with their phone number.</i>
customMessage	String	TRUE	The message to send to the user.
appKey	String	FALSE	The "Public API Key" of the application you want the messages saved to.

```
curl --location --request POST
'https://fleetshare.bmrang.com:3003/notifications/custom' \
```

```
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmZmZ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDYLCJzdwIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83hOvjW3Cz5_PNSn1GaNk' \
--data '{
  "receiverAccountIds":[3634703],
  "conduit":"SMS",
  "customMessage":"Test SMS notification",
  "appKey":"eb5cedb3d4444edae7dde06b12461c7c"
}'
```

```
{
  "valid": true,
  "message": "Success"
}
```

Create Fleet Work Shift:

The following request can be used to create a Fleet Work Shift for specifying a driver's working hours.

*Note: to fully use this feature, you'll need to assign this to drivers. You can assign work shifts to drivers using the endpoints: **POST** /fleets/assign or **PUT** /fleets/drivers/:accountId.*

Endpoint Summary

Endpoint	Method		Content Type
/fleets/:rld/shift	POST		application/json
Parameters	Type	Required	Description
:rld	Path Variable	TRUE	This is the retailerLocationId of the fleet
name	String	FALSE	Human readable name of the work shift.
workHours	Json Object	TRUE	This is a json object is this format: <pre>{ "sunday": { "endTime": "22:45", "startTime": "09:45" }, "monday": {</pre>

			<pre> "endTime": "22:45", "startTime": "09:45" }, "tuesday": { "endTime": "22:45", "startTime": "09:45" }, "wednesday": { "endTime": "22:45", "startTime": "09:45" }, "thursday": { "endTime": "22:45", "startTime": "09:45" }, "friday": { "endTime": "22:45", "startTime": "09:45" }, "saturday": { "endTime": "22:45", "startTime": "09:45" } } </pre>
--	--	--	---

```

curl --location --request POST
'https://fleetshare.bmrang.com:3003/fleets/353788/shift' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmMzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzZWUiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSnlGaNk' \
--data '{
  "name": "all weekdays 09:45 to 22:45 v3",
  "workHours":{
    "sunday": {
      "endTime": "22:45", "startTime": "09:45"
    },
    "monday": {
      "endTime": "22:45", "startTime": "09:45"
    },
    "tuesday": {
      "endTime": "22:45", "startTime": "09:45"
    },
    "wednesday": {
      "endTime": "22:45", "startTime": "09:45"
    },
    "thursday": {
      "endTime": "22:45", "startTime": "09:45"
    }
  }
}'

```

```

    },
    "friday": {
        "endTime": "22:45", "startTime": "09:45"
    },
    "saturday": {
        "endTime": "22:45", "startTime": "09:45"
    }
}
}'

```

```

{
  "valid": true,
  "message": "",
  "item": {
    "ownerId": 3634702,
    "visibility": "PRIVATE",
    "metaData":
    "{\\"workHours\\":{\\"sunday\\":{\\"endTime\\":\\"22:45\\",\\"startTime\\":\\"09:45\\"},\\"monday\\":{\\"endTime\\":\\"22:45\\",\\"startTime\\":\\"09:45\\"},\\"tuesday\\":{\\"endTime\\":\\"22:45\\",\\"startTime\\":\\"09:45\\"},\\"wednesday\\":{\\"endTime\\":\\"22:45\\",\\"startTime\\":\\"09:45\\"},\\"thursday\\":{\\"endTime\\":\\"22:45\\",\\"startTime\\":\\"09:45\\"},\\"friday\\":{\\"endTime\\":\\"22:45\\",\\"startTime\\":\\"09:45\\"},\\"saturday\\":{\\"endTime\\":\\"22:45\\",\\"startTime\\":\\"09:45\\"}}}",
    "owner": {
      "contactEmail": "alliant@sirqul.com",
      "accountId": 3634702,
      "locationDisplay": "",
      "display": "Alliant Admin",
      "username": "alliant@sirqul.com",
      "accountType": "EXECUTIVE",
      "verifiedUser": false
    },
    "id": 1021840,
    "name": "all weekdays 09:45 to 22:45 v3",
    "radius": 0,
    "sendSuggestion": false,
    "active": true,
    "audienceType": "SHIFT-353788"
  }
}

```

Note: the unique identifier for this object is returned as the "id" above. This is known as the "workShiftAudienceId" used in other requests.

Update Fleet Work Shift:

The following request can be used to update a Fleet Work Shift for specifying a driver's working hours.

*Note: updating a work shift will update all drivers that have been assigned to it. You can assign work shifts to drivers using the endpoints: **POST /fleets/assign** or **PUT /fleets/drivers/:accountId**.*

Endpoint Summary

Endpoint	Method		Content Type
/fleets/:rld/shift/:ald	PUT		application/json
Parameters	Type	Required	Description
:rld	Path Variable	TRUE	This is the retailerLocationId of the fleet
:ald	Path Variable	TRUE	This is the unique identifier for the work shift (known as the workShiftAudienceId).
name	String	FALSE	Human readable name of the work shift.
workHours	Json Object	TRUE	This is a json object is this format: <pre>{ "sunday": { "endTime": "22:45", "startTime": "09:45" }, "monday": { "endTime": "22:45", "startTime": "09:45" }, "tuesday": { "endTime": "22:45", "startTime": "09:45" }, "wednesday": { "endTime": "22:45", "startTime": "09:45" }, "thursday": { "endTime": "22:45", "startTime": "09:45" }, "friday": { "endTime": "22:45", "startTime": "09:45" }, "saturday": { "endTime": "22:45", "startTime": "09:45" } }</pre>

```

curl --location --request PUT
'https://fleetshare.bmrang.com:3003/fleets/353788/shift/1021840' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmM2MzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzdWIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSnlGaNk' \
--data '{
  "name": "all weekdays 08:45 to 21:45 v2.1",
  "workHours":{
    "sunday": {
      "endTime": "21:45", "startTime": "08:45"
    },
    "monday": {
      "endTime": "21:45", "startTime": "08:45"
    },
    "tuesday": {
      "endTime": "21:45", "startTime": "08:45"
    },
    "wednesday": {
      "endTime": "21:45", "startTime": "08:45"
    },
    "thursday": {
      "endTime": "21:45", "startTime": "08:45"
    },
    "friday": {
      "endTime": "21:45", "startTime": "08:45"
    },
    "saturday": {
      "endTime": "21:45", "startTime": "08:45"
    }
  }
}'

```

```

{
  "valid": true,
  "message": "",
  "item": {
    "ownerId": 3634702,
    "visibility": "PRIVATE",
    "metaData":

```

```
{
  "workHours": {
    "sunday": {
      "endTime": "21:45",
      "startTime": "08:45"
    },
    "monday": {
      "endTime": "21:45",
      "startTime": "08:45"
    },
    "tuesday": {
      "endTime": "21:45",
      "startTime": "08:45"
    },
    "wednesday": {
      "endTime": "21:45",
      "startTime": "08:45"
    },
    "thursday": {
      "endTime": "21:45",
      "startTime": "08:45"
    },
    "friday": {
      "endTime": "21:45",
      "startTime": "08:45"
    },
    "saturday": {
      "endTime": "21:45",
      "startTime": "08:45"
    }
  },
  "owner": {
    "contactEmail": "alliant@sirqul.com",
    "accountId": 3634702,
    "locationDisplay": "",
    "display": "Alliant Admin",
    "username": "alliant@sirqul.com",
    "accountType": "EXECUTIVE",
    "verifiedUser": false
  },
  "id": 1021840,
  "name": "all weekdays 08:45 to 21:45 v2.1",
  "radius": 0,
  "sendSuggestion": false,
  "active": true,
  "audienceType": "SHIFT-353788"
}
```

Get Fleet Work Shift:

The following request can be used to get the details of a Fleet Work Shift.

Endpoint Summary

Endpoint	Method		Content Type
/fleets/:rld/shift/:ald	GET		application/json
Parameters	Type	Required	Description
:rld	Path Variable	TRUE	This is the retailerLocationId of the fleet
:ald	Path Variable	TRUE	This is the unique identifier for the work shift (known as the workShiftAudienceId).

```
curl --location --request GET
'https://fleetshare.bmrang.com:3003/fleets/353788/shift/1021840' \
```



```
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmM2MzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzdWIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSn1GaNk'
```

```
{
  "valid": true,
  "message": "",
  "item": {
    "ownerId": 3634702,
    "visibility": "PRIVATE",
    "metaData":
    "{\\"workHours\\":{\\"sunday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"monday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"tuesday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"wednesday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"thursday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"friday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"saturday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"}}}",
    "owner": {
      "contactEmail": "alliant@sirqul.com",
      "accountId": 3634702,
      "locationDisplay": "",
      "display": "Alliant Admin",
      "username": "alliant@sirqul.com",
      "accountType": "EXECUTIVE",
      "verifiedUser": false
    },
    "id": 1021840,
    "name": "all weekdays 08:45 to 21:45 v2.1",
    "radius": 0,
    "sendSuggestion": false,
    "active": true,
    "audienceType": "SHIFT-353788"
  }
}
```

Search Fleet Work Shift:

The following request can be used to search for the work shifts created for a fleet.

Endpoint Summary

Endpoint	Method		Content Type
----------	--------	--	--------------

/fleets/:rld/shift/search	GET		application/json
Parameters	Type	Required	Description
:rld	Path Variable	TRUE	This is the retailerLocationId of the fleet

```
curl --location --request GET
'https://fleetshare.bmrang.com:3003/fleets/353788/shift/search' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJ2MzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzdWIiOiIzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjW3Cz5_PNSnlGaNk'
```

```
{
  "valid": true,
  "message": "",
  "start": 0,
  "limit": 20,
  "countTotal": 1,
  "hasMoreResults": false,
  "items": [
    {
      "ownerId": 3634702,
      "visibility": "PRIVATE",
      "metaData":
        "{\\"workHours\\":{\\"sunday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"monday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"tuesday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"wednesday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"thursday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"friday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"},\\"saturday\\":{\\"endTime\\":\\"21:45\\",\\"startTime\\":\\"08:45\\"}}}",
      "owner": {
        "contactEmail": "alliant@sirgul.com",
        "accountId": 3634702,
        "locationDisplay": "",
        "display": "Alliant Admin",
        "username": "alliant@sirgul.com",
        "accountType": "EXECUTIVE",
        "verifiedUser": false
      },
      "id": 1021840,
      "name": "all weekdays 08:45 to 21:45 v2.1",
      "radius": 0,
```

```

    "sendSuggestion": false,
    "active": true,
    "audienceType": "SHIFT-353788"
  }
]
}

```

Delete Fleet Work Shift:

The following request can be used to delete a Fleet Work Shift.

Endpoint Summary

Endpoint	Method		Content Type
/fleets/:rld/shift/:ald	DELETE		application/json
Parameters	Type	Required	Description
:rld	Path Variable	TRUE	This is the retailerLocationId of the fleet
:ald	Path Variable	TRUE	This is the unique identifier for the work shift (known as the workShiftAudienceId).

```

curl --location --request DELETE
'https://fleetshare.bmrang.com:3003/fleets/353788/shift/1021840' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJmMzQ3MDIsIm1hdCI6MTc3MjU2ODQwMiwiZXhwIjoxOTI4MDg4NDAYLCJzdWIiOiJzNjM0NzAyIn0.n-9vIkehRGQt2I8JwXx_ic83h0vjw3Cz5_PNSnlGaNk'

```

```

{
  "valid": true,
  "message": "Success"
}

```

Driver Behavior and Reporting Services

Access Information:

API Access

Service URL: <https://fleetshare.bmrang.com>
Public API Key: eb5cedb3d4444edae7dde06b12461c7c
REST API Key: e65f1ae36e2f809bb442145fe3d72fe9
Account ID: 3634702

Additional contact information

Michael Woo, PM
mwoo@sirqul.com

Thang Le, Engineering Lead
thangle@sirqul.com

Report Run:

This endpoint allows you to run a set of predefined reports that can be used to understand your users' behavior as well as trends within your application.

Endpoint Summary

Endpoint	Method		Content Type
report/run	POST		multipart/form-data - or - application/x-www-form-urlencoded
Parameters	Type	Required	Description
accountId	Long	FALSE	The account ID of the user making the request.
query	String	TRUE	The named identifier of the query. Possible values include: GL_USER_SIGNINS, GL_USER_SIGNINS_BY_IDS, GL_REPORT_DATA, GL_LOCATION_DATA
parameters	String	TRUE	Parameter values used in the query in JSON format. Time fields are in UTC and in the format: YYYY-MM-DD HH:MM:SS. Example: <pre>{ "start": "2016-10-01 00:00:00", "end": "2016-11-01 00:00:00" }</pre> <i>Note: different queries can have different JSON key value pairs.</i>
start	Long	FALSE	The start index for pagination. An empty value will return from the beginning of the results list.
limit	Long	FALSE	This limits the returned results by this amount for pagination. A default limit of 1000 is used if no value is passed in. If there are more results than the set limit, then the response will return a "hasMore" field which indicates that more results can be returned if the next page is requested.
responseFormat	String	FALSE	Determines what response format to return. Options are: JSON or CSV. The default value will be JSON.

Usage Guidelines

All entries in the Sirqul activity database are archived after 60 days based on the creation date of the activity record. The reports will not return archived data, so any activities older than 60

days will not be included in the reports. For this reason, we recommend the following best practices:

- The start and end date for any report should not exceed 45 days from the current date.
- We strongly recommend the reports are pulled on a daily basis.
 - Weekly is also acceptable, but we do not recommend going any longer than this unless absolutely necessary.
- The data retrieved from the reports should then be aggregated on your system if you need historical data beyond the last 45 days.

Note: The intent of these reporting services are for pulling current information and not for displaying historical information. If you wish to display historical information, we expect you to store this data and aggregate the information appropriately in your dashboard/app.

Request: User sign-ins by time range

The following cURL snippet will run the report to return users that have signed-in in the month of January 2025 (UTC).

```
curl --location --request POST 'https://fleetshare.bmrang.com/api/3.18/report/run' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Application-Rest-Key: e65f1ae36e2f809bb442145fe3d72fe9' \
--form 'query=GL_USER_SIGNINS' \
--form 'parameters={
  "start": "2025-01-01 00:00:00",
  "end": "2025-02-01 00:00:00",
  "appKey": "eb5cedb3d4444edae7dde06b12461c7c"
}' \
--form 'accountId=3634702'
```

Note: to return users who have signed in on specific date ranges, you can update the **parameters** JSON string to specify the date range you need. For example, `{"start": "2024-08-01 00:00:00", "end": "2024-08-02 00:00:00", "appKey": "eb5cedb3d4444edae7dde06b12461c7c"}` would return users that have logged in on August 1st 2024 (UTC).

Response: User sign-ins by time range

The following is a sample response for users that have signed-in in the month of August 2024 (UTC).

```
{
  "columns": [
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "accountId",
```

```

        "isMajorAxis": true
    },
    {
        "type": "string",
        "javaType": "String",
        "label": "date",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigInteger",
        "label": "timestamp",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "javaType": "String",
        "label": "fleetId",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "javaType": "String",
        "label": "thirdPartyId",
        "isMajorAxis": false
    }
],
"rows": [
    {
        "date": "2025-01-01 05:54:43",
        "accountId": 2630305,
        "thirdPartyId": "hobmy",
        "fleetId": "8b95e0cc-ac11-40c9-a926-3464d19de255",
        "timestamp": 1735710883000
    },
    {
        "date": "2025-01-01 23:12:40",
        "accountId": 2630769,
        "thirdPartyId": "f6rqc",
        "fleetId": "8b95e0cc-ac11-40c9-a926-3464d19de255",
        "timestamp": 1735773160000
    }
],
"summations": {
    "accountId": 21041617,
    "timestamp": 13885870440448
},
"count": 8,
"queryName": "GL_USER_SIGNINS",
"version": 3.18,
"valid": true,
"message": "Success"

```

```
}
```

Request: User sign-ins by account IDs

The following cURL snippet uses user account IDs to return when particular users have last logged in. If a user has never logged in before, no value will be returned for that account.

```
curl --location --request POST 'https://fleetshare.bmrang.com/api/3.18/report/run' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Application-Rest-Key: e65f1ae36e2f809bb442145fe3d72fe9' \
--form 'query=GL_USER_SIGNINS_BY_IDS' \
--form 'parameters={
  "userAccountIds":[2630769, 2630305],
  "appKey": "eb5cedb3d4444edae7dde06b12461c7c"
}' \
--form 'accountId=3634702'
```

Note: "userAccountIds" is a JSON array of longs. To query on just one account, you may pass in an array with one value like so: {"userAccountIds":[2630769], "appKey": "eb5cedb3d4444edae7dde06b12461c7c"}. **But the array cannot be empty.**

Response: User sign-ins by account IDs

The following is a sample response for the request above.

```
{
  "columns": [
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "accountId",
      "isMajorAxis": true
    },
    {
      "type": "string",
      "javaType": "String",
      "label": "date",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "timestamp",
      "isMajorAxis": false
    },
    {
      "type": "string",
      "javaType": "String",
      "label": "fleetId",
```



```

        "isMajorAxis": false
    },
    {
        "type": "string",
        "javaType": "String",
        "label": "thirdPartyId",
        "isMajorAxis": false
    }
],
"rows": [
    {
        "date": "2025-01-22 13:31:19",
        "accountId": 2630305,
        "thirdPartyId": "hobmy",
        "fleetId": "8b95e0cc-ac11-40c9-a926-3464d19de255",
        "timestamp": 1737552679000
    },
    {
        "date": "2025-01-22 18:34:59",
        "accountId": 2630769,
        "thirdPartyId": "f6rqc",
        "fleetId": "8b95e0cc-ac11-40c9-a926-3464d19de255",
        "timestamp": 1737570899000
    }
],
"summations": {
    "accountId": 5261074,
    "timestamp": 3475123601408
},
"count": 2,
"queryName": "GL_USER_SIGNINS_BY_IDS",
"version": 3.18,
"valid": true,
"message": "Success"
}

```

Request: Driver scores by time range

The following cURL snippet returns driver scores in the month of January 2025 (UTC).

```

curl --location --request POST 'https://fleetshare.bmrang.com/api/3.18/report/run' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Application-Rest-Key: e65f1ae36e2f809bb442145fe3d72fe9' \
--form 'query=GL_REPORT_DATA' \
--form 'parameters={
    "start": "2025-01-01 00:00:00",
    "end": "2025-02-01 00:00:00",
    "appKey": "eb5cedb3d4444edae7dde06b12461c7c"
}' \

```

```
--form 'accountId=3634702'
```

Response: Driver scores by time range

The following is a sample response for the request above.

```
{
  "columns": [
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "accountId",
      "isMajorAxis": true
    },
    {
      "type": "string",
      "javaType": "String",
      "label": "fleetId",
      "isMajorAxis": false
    },
    {
      "type": "string",
      "javaType": "String",
      "label": "thirdPartyId",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "distance",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigDecimal",
      "label": "brakeIncidents",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "lastBrakeIncident",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigDecimal",
      "label": "brakeScore",
      "isMajorAxis": false
    }
  ]
}
```

```

    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "accelIncidents",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigInteger",
        "label": "lastAccelIncident",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "accelScore",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "speedIncidents",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "label": "lastSpeedIncident",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "speedScore",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "phoneIncidents",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "label": "lastPhoneIncident",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "phoneScore",
        "isMajorAxis": false
    }

```

```

    },
    {
      "type": "number",
      "javaType": "BigDecimal",
      "label": "turnIncidents",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "lastTurnIncident",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigDecimal",
      "label": "turnScore",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigDecimal",
      "label": "collisionIncidents",
      "isMajorAxis": false
    },
    {
      "type": "string",
      "label": "lastCollisionIncident",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigDecimal",
      "label": "collisionScore",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigDecimal",
      "label": "overallScore",
      "isMajorAxis": false
    }
  ],
  "rows": [
    {
      "phoneIncidents": 0,
      "lastBrakeIncident": 1737578160000,
      "collisionScore": 100.0,
      "distance": 10481209,
      "turnIncidents": 1335,
      "lastTurnIncident": 1737502296000,
      "overallScore": 66.0019456,

```

```

        "accelScore": 91.3375217,
        "fleetId": "fleet_id_10",
        "lastAccelIncident": 1737577880000,
        "collisionIncidents": 0,
        "accelIncidents": 140,
        "accountId": 2629927,
        "thirdPartyId": "sirqultest5",
        "turnScore": 46.0990543,
        "speedScore": 100.0,
        "brakeScore": 95.1049021,
        "speedIncidents": 0,
        "phoneScore": 100.0,
        "brakeIncidents": 51
    },
    {
        "phoneIncidents": 235,
        "lastBrakeIncident": 1736365402000,
        "collisionScore": 100.0,
        "distance": 61908,
        "turnIncidents": 99,
        "lastTurnIncident": 1736365642000,
        "overallScore": 66.4593333,
        "lastSpeedIncident": 1736364862000,
        "accelScore": 100.0,
        "fleetId": "fleet_id_10",
        "lastAccelIncident": 1736365462000,
        "collisionIncidents": 0,
        "accelIncidents": 1,
        "accountId": 2629928,
        "thirdPartyId": "sirqultest1",
        "turnScore": 71.216,
        "speedScore": 100.0,
        "lastPhoneIncident": 1736365642000,
        "brakeScore": 88.183,
        "speedIncidents": 1,
        "phoneScore": 66.0656666,
        "brakeIncidents": 48
    }
],
"summations": {
    "phoneIncidents": 6952,
    "lastBrakeIncident": 48640723386368,
    "collisionScore": 4400,
    "distance": 28396429,
    "turnIncidents": 15674,
    "lastTurnIncident": 66006615457792,
    "overallScore": 2984.5047359466552734375,
    "lastSpeedIncident": 12154784841728,
    "accelScore": 4119.964260101318359375,
    "lastAccelIncident": 50376894840832,
    "collisionIncidents": 0,
    "accelIncidents": 2808,

```

```

    "accountId": 115732256,
    "turnScore": 2701.708074092864990234375,
    "speedScore": 4380.89359283447265625,
    "lastPhoneIncident": 26054280216576,
    "brakeScore": 4248.72939300537109375,
    "speedIncidents": 72,
    "phoneScore": 4077.388923645019531250,
    "brakeIncidents": 1363
  },
  "count": 44,
  "queryName": "GL_REPORT_DATA",
  "version": 3.18,
  "valid": true,
  "message": "Success"
}

```

Note: the fields **lastAccelIncident**, **lastBrakeIncident**, **lastTurnIncident**, **lastSpeedIncident**, **lastPhoneIncident**, **lastCollisionIncident** are unix timestamps in milliseconds.

The field **distance** is in meters.

Request: Trip scores by time range

The following cURL snippet returns trip scores in the month of January 2025 (UTC).

```

curl --location --request POST 'https://fleetshare.bmrang.com/api/3.18/report/run' \
--header 'Application-Key: eb5cedb3d444edae7dde06b12461c7c' \
--header 'Application-Rest-Key: e65f1ae36e2f809bb442145fe3d72fe9' \
--form 'query=GL_TRIP_DATA' \
--form 'parameters={
    "start": "2025-01-01 00:00:00",
    "end": "2025-02-01 00:00:00",
    "appKey": "eb5cedb3d444edae7dde06b12461c7c"
}' \
--form 'accountId=3634702'

```

Response: Trip scores by time range

The following is a sample response for the request above.

```

{
  "columns": [
    {
      "type": "string",
      "javaType": "String",
      "label": "tripId",
      "isMajorAxis": true
    },
    {

```

```

        "type": "number",
        "javaType": "BigInteger",
        "label": "accountId",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "javaType": "String",
        "label": "fleetId",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "javaType": "String",
        "label": "thirdPartyId",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigInteger",
        "label": "startDate",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigInteger",
        "label": "endDate",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "Double",
        "label": "startLatitude",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "Double",
        "label": "startLongitude",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "javaType": "String",
        "label": "startDescription",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "endLatitude",
        "isMajorAxis": false
    }

```

```

    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "endLongitude",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "javaType": "String",
        "label": "endDescription",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "javaType": "String",
        "label": "tripType",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigInteger",
        "label": "distance",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "label": "weatherCode",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "label": "weatherTempHigh",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "label": "weatherTempLow",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "label": "weatherWind",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "brakeIncidents",
        "isMajorAxis": false
    },
    {

```



```

        "type": "number",
        "javaType": "BigInteger",
        "label": "lastBrakeIncident",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "brakeScore",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "accelIncidents",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "label": "lastAccelIncident",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "accelScore",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "speedIncidents",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "label": "lastSpeedIncident",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "speedScore",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "phoneIncidents",
        "isMajorAxis": false
    },
    {

```

```

        "type": "number",
        "javaType": "BigInteger",
        "label": "lastPhoneIncident",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "phoneScore",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "turnIncidents",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigInteger",
        "label": "lastTurnIncident",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "turnScore",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "collisionIncidents",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "label": "lastCollisionIncident",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "collisionScore",
        "isMajorAxis": false
    },
    {
        "type": "number",
        "javaType": "BigDecimal",
        "label": "overallScore",
        "isMajorAxis": false
    }
}

```

```

],
"rows": [
  {
    "collisionScore": 100.0,
    "distance": 2140,
    "endDate": 1735706345000,
    "turnIncidents": 1,
    "lastTurnIncident": 1735706342000,
    "startDescription": "8220 SE 78th St Mercer Island, WA",
    "tripId": "1D16F330-4EB2-4237-B69E-0593238FEE78",
    "accelScore": 100.0,
    "fleetId": "fleet_id_10",
    "collisionIncidents": 0,
    "accelIncidents": 0,
    "thirdPartyId": "sirqultest6",
    "startLatitude": 47.53314208984375,
    "brakeScore": 80.0,
    "phoneScore": 80.0,
    "phoneIncidents": 1,
    "lastBrakeIncident": 1735706162000,
    "overallScore": 73.0,
    "endLatitude": 47.53469849,
    "endDescription": "7641 SE 76th St Mercer Island, WA",
    "accountId": 2629932,
    "tripType": "driver",
    "turnScore": 80.0,
    "speedScore": 100.0,
    "lastPhoneIncident": 1735706162000,
    "endLongitude": -122.23602376,
    "speedIncidents": 0,
    "startLongitude": -122.2282625516261,
    "brakeIncidents": 1,
    "startDate": 1735706065000
  },
  {
    "collisionScore": 100.0,
    "distance": 814,
    "endDate": 1735982190000,
    "weatherCode": 116,
    "startDescription": "5706 236th St SW, Mountlake Terrace, WA 98043, USA",
    "tripId": "92c817b9-544e-4689-8ff1-57a5f4ccec50",
    "accelScore": 100.0,
    "fleetId": "fleet_id_10",
    "weatherWind": 3,
    "thirdPartyId": "sirqultest2",
    "startLatitude": 47.7846471,
    "brakeScore": 99.863,
    "phoneScore": 100.0,
    "weatherTempLow": 7,
    "overallScore": 80.893,
    "weatherTempHigh": 7,
    "endLatitude": 47.7845712,

```

```

        "endDescription": "5706 236th St SW, Mountlake Terrace, WA 98043, USA",
        "accountId": 2629929,
        "tripType": "driver",
        "turnScore": 57.678,
        "speedScore": 100.0,
        "endLongitude": -122.3102976,
        "startLongitude": -122.3102976,
        "startDate": 1735718500000
    }
],
"summations": {
    "collisionScore": 4900,
    "distance": 497100,
    "endDate": 85051957182464,
    "turnIncidents": 163,
    "lastTurnIncident": 22564589797376,
    "weatherCode": 7681,
    "accelScore": 4777.00500488281250000,
    "weatherWind": 404,
    "collisionIncidents": 0,
    "accelIncidents": 16,
    "startLatitude": 2142.614017486572265625,
    "brakeScore": 4728.94299316406250000,
    "phoneScore": 4401.96500301361083984375,
    "phoneIncidents": 167,
    "lastBrakeIncident": 13885756407808,
    "weatherTempLow": 36893488147419103427,
    "overallScore": 3575.010005950927734375,
    "lastSpeedIncident": 5207188439040,
    "weatherTempHigh": 36893488147419103448,
    "endLatitude": 2142.086212158203125000,
    "lastAccelIncident": 8678736134144,
    "accountId": 128875373,
    "turnScore": 3204.882011413574218750,
    "speedScore": 4810.84700775146484375,
    "lastPhoneIncident": 24300265013248,
    "endLongitude": -5324.78189086914062500,
    "speedIncidents": 14,
    "startLongitude": -5323.87656402587890625,
    "brakeIncidents": 56,
    "startDate": 85050264256512
},
"count": 49,
"queryName": "GL_TRIP_DATA",
"version": 3.18,
"valid": true,
"message": "Success"
}

```

Note on fields:

weatherCode: Integer. See: [Weather Condition Codes and Icons](#).

weatherWind: Integer. Wind speed in kilometers per hour.

weatherTempHigh: Integer. High temperature in celsius.

weatherTempLow: Integer. Low temperature in celsius.

distance: Integer. Distance in meters.

lastAccelIncident, lastBrakeIncident, lastTurnIncident, lastSpeedIncident, lastPhoneIncident,

lastCollisionIncident: Integer. Unix timestamps in milliseconds.

Request: User location data

The following cURL snippet returns user location data for January 1st, 2025 (UTC). *Note: since this report can return a lot of data, it is recommended to only query for a day's worth of data at a time (or less).*

```
curl --location --request POST 'https://fleetshare.bmrang.com/api/3.18/report/run' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Application-Rest-Key: e65f1ae36e2f809bb442145fe3d72fe9' \
--form 'query=GL_LOCATION_DATA' \
--form 'parameters={
  "start": "2025-01-01 00:00:00",
  "end": "2025-01-02 00:00:00",
  "appKey": "eb5cedb3d4444edae7dde06b12461c7c"
}' \
--form 'accountId=3634702'
```

Response: User location data

The following is a sample response for the request above.

```
{
  "columns": [
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "analyticId",
      "isMajorAxis": true
    },
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "accountId",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "timestamp",
      "isMajorAxis": false
    }
  ]
}
```

```

    },
    {
      "type": "number",
      "javaType": "Double",
      "label": "latitude",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "Double",
      "label": "longitude",
      "isMajorAxis": false
    }
  ],
  "rows": [
    {
      "accountId": 2629932,
      "analyticId": 127174396,
      "latitude": 47.584783923356305,
      "tripId": "29E414E8-6DF0-4E33-9774-C6E1FE4276F2",
      "timestamp": 1735689604000,
      "longitude": -122.24878911186188
    },
    {
      "accountId": 2629932,
      "analyticId": 127174496,
      "latitude": 47.584783923356305,
      "tripId": "29E414E8-6DF0-4E33-9774-C6E1FE4276F2",
      "timestamp": 1735689604000,
      "longitude": -122.24878911186188
    }
  ],
  "summations": {
    "accountId": 190115912,
    "analyticId": 6088860,
    "latitude": 47.53468893728061,
    "timestamp": 1723483396000,
    "longitude": -122.23602531904503
  },
  "count": 1,
  "queryName": "GL_LOCATION_DATA",
  "version": 3.18,
  "valid": true,
  "message": "Success"
}

```

Request: User location data by trip

The following cURL snippet returns user location data for a specific trip.

```
curl --location --request POST 'https://fleetshare.bmrang.com/api/3.18/report/run' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Application-Rest-Key: e65f1ae36e2f809bb442145fe3d72fe9' \
--form 'query=GL_LOCATION_DATA_BY_TRIP' \
--form 'parameters={
  "appKey": "eb5cedb3d4444edae7dde06b12461c7c",
  "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE"
}' \
--form 'accountId=3634735'
```

Response: User location data by trip

The following is a sample response for the request above.

```
{
  "columns": [
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "accountId",
      "isMajorAxis": true
    },
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "timestamp",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "Double",
      "label": "latitude",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "Double",
      "label": "longitude",
      "isMajorAxis": false
    },
    {
      "type": "string",
      "javaType": "String",
      "label": "tripId",
      "isMajorAxis": false
    }
  ],
  "rows": [
```

```

{
  "accountId": 12811833,
  "latitude": 32.98899168093447,
  "tripId": "D2D64BFA-8D9B-4BB6-91C9-3F1E5FA5A387",
  "timestamp": 1736381996000,
  "longitude": -96.85253868132527
},
{
  "accountId": 12811833,
  "latitude": 32.989009508220335,
  "tripId": "D2D64BFA-8D9B-4BB6-91C9-3F1E5FA5A387",
  "timestamp": 1736382001000,
  "longitude": -96.8536096884835
},
{
  "accountId": 12811833,
  "latitude": 32.9890486183118,
  "tripId": "D2D64BFA-8D9B-4BB6-91C9-3F1E5FA5A387",
  "timestamp": 1736382016000,
  "longitude": -96.8546888217365
},
{
  "accountId": 12811833,
  "latitude": 32.99000009941668,
  "tripId": "D2D64BFA-8D9B-4BB6-91C9-3F1E5FA5A387",
  "timestamp": 1736382026000,
  "longitude": -96.85470100635187
},
{
  "accountId": 12811833,
  "latitude": 32.99098014973923,
  "tripId": "D2D64BFA-8D9B-4BB6-91C9-3F1E5FA5A387",
  "timestamp": 1736382036000,
  "longitude": -96.85486128689537
}
],
"summations": {
  "accountId": 269048493,
  "latitude": 692.928447723388671875,
  "timestamp": 36464023699456,
  "longitude": -2033.97734832763671875
},
"count": 21,
"queryName": "GL_LOCATION_DATA_BY_TRIP",
"version": 3.18,
"valid": true,
"message": "Success"
}

```


Request: User incident data by trip

The following cURL snippet returns user incident data for a specific trip.

```
curl --location --request POST 'https://fleetshare.bmrang.com/api/3.18/report/run' \
--header 'Application-Key: eb5cedb3d4444edae7dde06b12461c7c' \
--header 'Application-Rest-Key: e65f1ae36e2f809bb442145fe3d72fe9' \
--form 'query=GL_INCIDENT_DATA_BY_TRIP' \
--form 'parameters={
  "appKey": "eb5cedb3d4444edae7dde06b12461c7c",
  "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE"
}' \
--form 'accountId=3634735'
```

Response: User incident data by trip

The following is a sample response for the request above.

Possible incident "type" values include: HARD_BRAKING, HARD_ACCELERATION, SPEEDING, PHONE_USAGE, HARD_TURNING, COLLISION

```
{
  "columns": [
    {
      "type": "number",
      "javaType": "BigInteger",
      "label": "accountId",
      "isMajorAxis": true
    },
    {
      "type": "string",
      "javaType": "String",
      "label": "tripId",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigDecimal",
      "label": "latitude",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigDecimal",
      "label": "longitude",
      "isMajorAxis": false
    },
    {
      "type": "number",
      "javaType": "BigInteger",
```

```

        "label": "timestamp",
        "isMajorAxis": false
    },
    {
        "type": "string",
        "javaType": "String",
        "label": "type",
        "isMajorAxis": false
    }
],
"rows": [
    {
        "accountId": 3634735,
        "latitude": 41.50082454,
        "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
        "type": "PHONE_USAGE",
        "longitude": -81.68174425,
        "timestamp": 1781643698000
    },
    {
        "accountId": 3634735,
        "latitude": 41.50371790,
        "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
        "type": "HARD_TURNING",
        "longitude": -81.68431192,
        "timestamp": 1781643779000
    },
    {
        "accountId": 3634735,
        "latitude": 41.50427196,
        "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
        "type": "PHONE_USAGE",
        "longitude": -81.68482737,
        "timestamp": 1781643817000
    },
    {
        "accountId": 3634735,
        "latitude": 41.50526382,
        "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
        "type": "HARD_TURNING",
        "longitude": -81.68572438,
        "timestamp": 1781643829000
    },
    {
        "accountId": 3634735,
        "latitude": 41.50526514,
        "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
        "type": "HARD_BRAKING",
        "longitude": -81.68748539,
        "timestamp": 1781643852000
    },
    {

```

```

    "accountId": 3634735,
    "latitude": 41.50529595,
    "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
    "type": "HARD_TURNING",
    "longitude": -81.68744960,
    "timestamp": 1781643861000
  },
  {
    "accountId": 3634735,
    "latitude": 41.50511696,
    "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
    "type": "PHONE_USAGE",
    "longitude": -81.68778841,
    "timestamp": 1781643886000
  },
  {
    "accountId": 3634735,
    "latitude": 41.50482110,
    "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
    "type": "HARD_TURNING",
    "longitude": -81.68836346,
    "timestamp": 1781643891000
  },
  {
    "accountId": 3634735,
    "latitude": 41.50386310,
    "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
    "type": "PHONE_USAGE",
    "longitude": -81.69020347,
    "timestamp": 1781643983000
  },
  {
    "accountId": 3634735,
    "latitude": 41.50253399,
    "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
    "type": "HARD_TURNING",
    "longitude": -81.69280929,
    "timestamp": 1781644029000
  },
  {
    "accountId": 3634735,
    "latitude": 41.50247723,
    "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
    "type": "HARD_ACCELERATION",
    "longitude": -81.69292378,
    "timestamp": 1781644038000
  },
  {
    "accountId": 3634735,
    "latitude": 41.50236593,
    "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
    "type": "HARD_TURNING",

```

```

        "longitude": -81.69315409,
        "timestamp": 1781644054000
    },
    {
        "accountId": 3634735,
        "latitude": 41.50186527,
        "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
        "type": "PHONE_USAGE",
        "longitude": -81.69419979,
        "timestamp": 1781644119000
    },
    {
        "accountId": 3634735,
        "latitude": 41.50148229,
        "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
        "type": "HARD_TURNING",
        "longitude": -81.69494660,
        "timestamp": 1781644127000
    },
    {
        "accountId": 3634735,
        "latitude": 41.49986062,
        "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
        "type": "PHONE_USAGE",
        "longitude": -81.69874297,
        "timestamp": 1781644180000
    },
    {
        "accountId": 3634735,
        "latitude": 41.50015222,
        "tripId": "B296C993-2CA5-4A58-8FE7-09D8AC60C1CE",
        "type": "HARD_TURNING",
        "longitude": -81.69897270,
        "timestamp": 1781644186000
    }
],
"summations": {
    "accountId": 58155760,
    "latitude": 664.049175262451171875,
    "longitude": -1307.04364776611328125,
    "timestamp": 28506303234048
},
"count": 16,
"queryName": "GL_INCIDENT_DATA_BY_TRIP",
"version": 3.18,
"valid": true,
"message": "Success"
}

```