

Spring Boot Samples

Learning by Example

- [Spring Boot Samples](#)
- [spring-boot-sample-web-ui](#) Web application with a basic UI built using Bootstrap and JQuery

JSP Limitations

JSP Limitation

When running a Spring Boot application that uses an embedded servlet container (and is packaged as an executable archive), there are some limitations in the JSP support.

- With Tomcat, it should work if you use war packaging. That is, an executable war works and is also deployable to a standard container (not limited to, but including Tomcat). An executable jar does not work because of a hard-coded file pattern in Tomcat.
- With Jetty, it should work if you use war packaging. That is, an executable war works, and is also deployable to any standard container.
- Undertow does not support JSPs.
- Creating a custom `error.jsp` page does not override the default view for error handling. Custom error pages should be used instead.

Thymeleaf

- [Homepage](#)
- [Thymeleaf vs JSP](#)

Validation

- Hibernate Validation

```
public class Message {  
    ...  
    @NotEmpty(message = "Text is required.")  
    private String text;  
  
    @NotEmpty(message = "Summary is required.")  
    private String summary;  
    ...  
}
```

- Controller Method

```
public ModelAndView create(@Valid Message message, BindingResult result,  
    RedirectAttributes redirect) {  
    ...  
}
```