

Lesson

Tuesday

Introduction to Programming
(/introduction-to-programming)
/ Git, HTML and CSS (/introduction-to-programming/git-html-and-css)
/ HTML Inline Elements and Attributes:
, , , <a>, and More

Text

Cheat sheet

Terminology

- **Inline element:** HTML elements that do not appear on their own line, but instead share a line with other elements.
- **Attribute:** Additional information provided to an HTML tag. For instance, the `href` attribute in an `<a>` tag provides the URL a link should travel to.
- **Relative path:** A path to a file within the project itself. Usually referring to the location provided in as the `href` attribute in an `<a>` tag.
- **Self-closing:** An HTML element that does not require a closing tag, such as ``.

Inline Elements

Some inline elements:

- `` : Makes text appear bolder. Example: `This content is important.`
- `` : Emphasizes text. Similar to italics. Example: `This content is emphasized.`
- `<a>` : Anchor tag. Creates a link. The URL following `href` denotes where the link should travel to. Example: `Epicodus` — link to another web page
- `` : Image tag. `` — link to an image located in `img` subdirectory, with alt text

[Previous \(/introduction-to-programming/git-html-and-css/commit-trailers-and-github-contributions\)](#)

[Next \(/introduction-to-programming/git-html-and-css/practice-inline-elements\)](#)

Lesson 22 of 64

Last updated March 24, 2023

[disable dark mode](#)



Epicodus

(<http://www.epicodus.com>)

© 2023 Epicodus (<http://www.epicodus.com/>), Inc.