

Lab 9 Formal Verification Report

Singapore HDB House Price Monotonicity

Team: Charles Foo, Sagar Pratap Singh | Course: Trustworthy AI | Date: 2026-07-18

1. Property Statement

For the purposes of this lab, we chose the property Monotonicity (Type C). Monotonicity is a good choice because it matches a real domain assumption in Singapore's HDB house pricing models where there is an expected correlation between an input feature (floor area) and price movement, specifically, larger floor area should not lower predicted price.



Monotonicity fits this problem statement because it uses one clear feature change in one direction, so the property is easy to state and encode formally. It also yields a clean UNSAT / SAT / UNKNOWN result that is straightforward to interpret.

2. Dataset

We used the Singapore HDB resale flats dataset from data.gov.sg, which contains 235,808 transactions. It includes realistic housing features like floor area, lease commence date, remaining lease, storey range and transaction month. These were chosen because they are easy to encode, verifier-friendly, and sufficient for a small ReLU house-price model.

...	_id	month	town	flat_type	block	street_name	storey_range	floor_area_sqm	flat_model	lease_commence_date	remaining_lease	resale	
	0	1	2017-01	ANG MO KIO	2 ROOM	406	ANG MO KIO AVE 10	10 TO 12	44.0	Improved	1979	61 years 04 months	23
	1	2	2017-01	ANG MO KIO	3 ROOM	108	ANG MO KIO AVE 4	01 TO 03	67.0	New Generation	1978	60 years 07 months	25
	2	3	2017-01	ANG MO KIO	3 ROOM	602	ANG MO KIO AVE 5	01 TO 03	67.0	New Generation	1980	62 years 05 months	26
	3	4	2017-01	ANG MO KIO	3 ROOM	465	ANG MO KIO AVE 10	04 TO 06	68.0	New Generation	1980	62 years 01 month	26
	4	5	2017-01	ANG MO KIO	3 ROOM	601	ANG MO KIO AVE 5	01 TO 03	67.0	New Generation	1980	62 years 05 months	26

We explored the data by plotting the resale price distribution, the floor area–price relationship, and a correlation heatmap, then checked town and flat-type frequency distributions to see how the dataset is spread across Singapore.



3. Model, Tools and Training


We split the data into train and test sets before scaling the features and training the model. We trained a small ReLU MLP on the Singapore HDB resale dataset. The model architecture is 5 input features -> 32 ReLU -> 32 ReLU -> 1 output.

Because this is a regression model, there is no classification-style accuracy. Instead, we use RMSE, MAE, and R^2 to measure how close the predicted prices are to the true resale prices and how much of the variance the model explains.

Training results and accuracy plots

```
epoch 001 | train loss 0.6294 | test loss 0.4642
epoch 010 | train loss 0.3800 | test loss 0.3922
epoch 020 | train loss 0.3673 | test loss 0.3762
epoch 030 | train loss 0.3550 | test loss 0.3622
epoch 040 | train loss 0.3491 | test loss 0.3565
epoch 050 | train loss 0.3453 | test loss 0.3529
epoch 060 | train loss 0.3437 | test loss 0.3509
epoch 070 | train loss 0.3407 | test loss 0.3480
epoch 080 | train loss 0.3395 | test loss 0.3473
```

```
RMSE (k SGD): 90.02
MAE (k SGD): 64.16
R^2          : 0.656
```



The plots above show the training and test loss dropping over epochs, which tells us the model is learning and lets us spot overfitting. We also compared predicted vs actual prices, points closer to the diagonal mean better predictions.

The model was subsequently exported to ONNX format for formal verification.

4. Formal Verification

We verified a local monotonicity property: increasing floor area by a small amount should not decrease the predicted HDB resale price, while all other features stay fixed. The bounded region is defined as-

- (a) all features except floor area were fixed for the selected house
- (b) floor area was allowed to vary by 0 to 0.1 sqm

Mathematically:

For each selected house h , and for all δ in $[0, 0.1]$ sqm, $f(h \text{ with floor_area_sqm} + \delta) - f(h) \geq 0$. We verified the negation $y0 \leq -0.0001$ with Marabou; UNSAT certifies the property on that bounded region.

We encoded the monotonicity check on the exported ONNX model, fixed the other house features, and searched for a counterexample to the property using Marabou 2.0.0 (built locally from source, CPU-only). The verifier was run with a 1800-second timeout, but the representative queries below completed in under 0.1 seconds each.

```
wrote formal-verification/artifacts/singapore_house_price_monotonicity_pair.onnx
wrote formal-verification/artifacts/singapore_house_price_monotonicity.txt
region: floor_area_sqm fixed at 82.000, delta_area in [0, 0.100]
if a Marabou CLI exists, the next cell will try to run it
```

```
running: /Users/sagarpratapsingh/Documents/sutd/trustworthy-ai/trustworthy-ai-experiments/formal-verification/Marabou/build/Marabou
exit code: 0
wrote log: formal-verification/artifacts/monotonicity_result.log
Network: /Users/sagarpratapsingh/Documents/sutd/trustworthy-ai/trustworthy-ai-experiments/formal-verification/formal-verification/a
Property: /Users/sagarpratapsingh/Documents/sutd/trustworthy-ai/trustworthy-ai-experiments/formal-verification/formal-verification/

Engine::processInputQuery: Input query (before preprocessing): 141 equations, 275 variables
Engine::processInputQuery: Input query (after preprocessing): 129 equations, 135 variables


Input bounds:
  x0: [ 82.0000,  82.0000] [FIXED]
  x1: [1979.0000, 1979.0000] [FIXED]
  x2: [736.0000, 736.0000] [FIXED]
  x3: [  5.0000,  5.0000] [FIXED]
  x4: [24207.0000, 24207.0000] [FIXED]
  x5: [  0.0000,  0.1000]

Branching heuristics set to LargestInterval
unsat
```

5. Result

Town	Flat type	Floor area (sqm)	Query result	Verification time (s)
ANG MO KIO	3 ROOM	68.0	UNSAT	0.083
PUNGGOL	5 ROOM	111.0	UNSAT	0.042
TAMPINES	3 ROOM	74.0	UNSAT	0.045
WOODLANDS	4 ROOM	98.0	UNSAT	0.045

All four representative houses returned UNSAT for the negated monotonicity query: ANG MO KIO 3 ROOM, PUNGGOL 5 ROOM, TAMPINES 3 ROOM, and WOODLANDS 4 ROOM.



The above chart shows how the predicted price changes as floor area increases from 0 to 0.1 sqm for one fixed HDB house. The yellow band is the certified region, and the blue curve staying at or above zero means the model is monotone there.

6. Interpretation

These UNSAT results for the selected houses means Marabau could not find a counterexample within the bounded region for each of the selected houses. In other words, within a 0.1 sqm increase in floor area and with all other features fixed, the model does not reduce its predicted price for these four representative HDB transactions. This is stronger than an empirical spot-check because Marabau exhaustively covers and reasons over the bounded region, not just sampled inputs.

We should also caveat that this formal verification guarantee is pointwise and not global, since it is based on selected house sales from the dataset, not all 23k transactions. The result is still useful because it shows that the model obeys the intended monotonic relationship on multiple Singapore housing examples across different towns and flat types.

7. Reflections/Limitations

We did not attempt global certification over the entire dataset because exhaustive verification and coverage would be too expensive. The model was intentionally kept small and ReLU-based to make formal verification feasible. The checked property is also narrow, covering only a tiny positive change in floor area while keeping other features fixed. For the purposes of this lab this demonstrates the local safety guarantee but will require more rigorous and sophisticated verification methods to hold in the actual Singapore HDB market.

We did not attempt global certification over the whole dataset because exhaustive verification would be too expensive. The model was intentionally kept small and ReLU-based to make formal verification feasible. The checked property is also narrow: it covers only tiny positive changes in floor area, with all other features fixed, so it should be read as a local safety-style guarantee rather than a broad market law.