## Flora of Western North America Flora of Western North America

CARYOPHYLLACEAE

POLEMONIACEAE

Minuartia rubella NA

Ipomopsis congesta NA ssp. palmifrons

37.7475 -112.2103 (NAD83). U.S.A., Utah, Garfield Co., USFS Dixie NF 35S 4W 22. 230m at 64° from Berry Spring.

Clay rich white Claron silts, on open ancient alluvial terrace At 7,940 ft, on a slope, 1° slo. 291° asp.; geology: Sedimentary, undifferentiated.

Veg.: Pinus sp., P. ponderosa, Juniperus sp. Ass.: Linum kingii,

40mins from Panguitch UT via US-89 S and UT-12 E. Head east on W Center St toward S Main St 0.8 mi. Con't on US-89 S 6.1 mi. Turn L on UT-12 E 7.6 mi. Turn L on FR117/Toms Best Spring Rd 2.4 mi. Turn R to stay on FR117/Toms Best Spring Rd 1.3 mi. Turn R on FR 1162 0.4 mi.

1451; 24 Jun, 2018. Fide: *IMF*, det.: , .

Collected under the auspices of the Bureau of Land Management

## Flora of Western North America

APIACEAE

Cymopterus goodrichii NA

39.277 -117.1058 (NAD83). U.S.A., Nevada, Lander Co., USFS Toivabe NF 16N 43E 02. 260m at 352° from Kingston Summit.

Metamorphic talus slopes. At 10.920 ft, on a peak, 16° slo. 285° asp.; geology: Metamorphic and Sedimentary, undifferentiated. Veg.: Artemisia sp., Ribes sp., Packera sp., Elymus elmoides, Festuca sp.

 $2.3~\rm hrs$  from Fallon NV via US-50 E. Follow US-50 E 107.1 mi. Turn R on NV-722 W/State Hwy 2 1.4 mi. Turn left 1.6 mi. Turn R on Big Creek Rd 4.7 mi. Turn L to stay on Big Creek Rd 5.8 mi. Con't on NF-012 3.5 mi.

1559; 4 Jul, 2018. Fide: Intermountain Flora, det.:, .

Collected under the auspices of the Bureau of Land Management

## Flora of Western North America

FABACEAE

Astragalus calycosus NA var. calycosus

39.277 -117.1058 (NAD83). U.S.A., Nevada, Lander Co., USFS Toivabe NF 16N 43E 02. 260m at 352° from Kingston Summit.

Metamorphic talus slopes. At 10,920 ft, on a peak, 16° slo. 285° asp.; geology: Metamorphic and Sedimentary, undifferentiated. Veg.: Artemisia sp., Ribes sp., Packera sp., Elymus elmoides, Festuca sp.

 $2.3~\rm hrs$ from Fallon NV via US-50 E. Follow US-50 E $107.1~\rm mi.~Turn~R$ on NV-722 W/State Hwy $2~1.4~\rm mi.~Turn~left~1.6~mi.~Turn~R$ on Big Creek Rd $4.7~\rm mi.~Turn~R$ mi. Turn L to stay on Big Creek Rd 5.8 mi. Con't on NF-012 3.5 mi.

39.277 -117.1058 (NAD83). U.S.A., Nevada, Lander Co., USFS Toivabe NF 16N 43E 02. 260m at 352° from Kingston Summit.

Metamorphic talus slopes. At 10,920 ft, on a peak, 16° slo. 285° asp.; geology: Metamorphic and Sedimentary, undifferentiated. Veg.: Artemisia sp., Ribes sp., Packera sp., Elymus elmoides, Festuca sp.

 $2.3~\rm hrs$  from Fallon NV via US-50 E. Follow US-50 E 107.1 mi. Turn R on NV-722 W/State Hwy 2 1.4 mi. Turn left 1.6 mi. Turn R on Big Creek Rd 4.7 mi. Turn L to stay on Big Creek Rd 5.8 mi. Con't on NF-012 3.5 mi.

1560; 4 Jul, 2018. Fide: Intermountain Flora, det.:,.

1561; 4 Jul, 2018. Fide: Intermountain Flora, det.:, .

Collected under the auspices of the Bureau of Land Management

Collected under the auspices of the Bureau of Land Management