

GraphModulesESDsReport

steppe

2022-10-25

Ecological Site Associations

Background

Many Ecological Sites (ES) in the study area had few AIM plots occur on them. Furthermore, many of the Ecological Sites Descriptions (ESD) do not contain information on vegetation states and phases, nor benchmarks of species covers in any of these state and phase combinations. We interpret these findings as indicative of the relative rarity of these Ecological Sites across the landscape.

In order to provide context for the status of land in Ecological Sites which were missing vegetation information, or even an ESD, we utilized graph theory to group AIM sites by similarity to increase the members of these interpretive groups. To accomplish this goal each ES concept which an AIM plot was placed in had a section of its ESD which lists 'Similar' or 'Associated' ES concepts transcribed from Jornada EDIT in October 2022. We refer to the original ES concepts which our AIM plots were placed into as 'Focal', and the immediately listed Associated & Similar sites as the first 'link'. From the first 'linked' ecological sites we transcribed the Associated & Similar ES concepts up to the fourth link from our focal sites. Along this process we judiciously rejected far linked ES concepts from distant MLRA's; i.e. gypsiferous concepts from the Chihuahuan Desert in Southern New Mexico (e.g. MLRA 42B/C), and forested concepts from the Southern Wasatch Range (MLRA 47X).

Results

122 AIM Plots were placed into 35 Ecological sites concepts. 16 of these Ecological Site Descriptions, representing 91 plots, were complete and listed 'Similar' and 'Associated' sites within the Description. 2 of these ESD's, with 7 AIM plots in them, had no listed Similar or Associated ecological sites. The remaining Ecological sites had either no descriptions completed (7 ES, 8 AIM plots), or were not found on EDIT (10 ES, 16 AIM plots), both indicative of nascent draft descriptions but developed concepts.

The number of associated and similar Ecological Site per focal ESD decrease as a function of link distance from the AIM plots (see figure 1.). While we did not follow the linkages until no new novel ES concepts were returned, we are fairly confident that the relationship between any two ES in the study area were uncovered by linkage four.

Using graph theory

```
## Warning in rm(layer, n1, cols, cols_trans, i): object 'n1' not found
```





Figure 1: Fig. 1. Link '0' is the position at which only the focal ESDs are present. Link '1' represents their immediate associations, and '2' the link to those, so on. We see that a steep decline occurs along the horizontal axis indicating our link search method results in effectively comprehensive groups.



```
## integer(0)
```