## Table of Contents

(i)	Table of Contents	1
(ii)	List of Figures	2
(iii)	List of Tables	4
(iv)	List of Acronyms	5
(v)	Abstract	6
(vi)	Introduction	7
(vii)	Executive Summary	8
(viii)	Field Methods	. 13
1.	Sample Design, Stratification, and Plots Weights	. 16
2.	Vegetation Re-classification	. 25
3.	Ecological Site Descriptions Completion Assessment	. 30
4.	Increase Range around Narrow Ecological Site Benchmarks	. 33
5.	Ecological Site Description and Ecological Site Group Comparison - Vegetation 'Benchmarks' $\dots$	. 35
6.	An Assessment of Drought Conditions	. 40
7.	An Overview of the Analytic Sections	. 45
8.	Bare ground	. 46
9.	Soil Stability	. 49
10.	Invasive Species	. 53
11.	Plant Functional Diversity - Cover	. 57
12.	Plant Functional Diversity - Species	. 61
13.	Rare Species	. 75
14.	Floristic Quality Index	. 81
15.	Glossary	. 88
16	Acknowledgements	01

# List of Figures

1.	F'igure	VIII.1 Layout of an AIM plot	14
2.	Figure	1.1 All AIM plots sampled in the field office	18
3.	Figure	1.2 AIM plots sampled near Dominguez-Escalente NCA	19
4.	Figure	1.3 AIM plots sampled near Gunnison-Gorge NCA	22
5.	Figure	1.4 Summary of Plot Sampling Effort and Plot Fates	24
6.	Figure	2.1 Relationships between diagnostic metrics for vegetation types	27
7.	Figure	2.2 Percent Land Cover	28
8.	Figure	2.3 Movement of Pixels from stratification to post stratification	29
9.	Figure	<b>3.1</b> Number of AIM plots per Ecological Site	31
10.	Figure	<b>3.2</b> Number of plots which have Quantitative Benchmarks	31
11.	Figure	4.1 Imputed Ranges Around Mean Values	33
12.	Figure	<b>5.1</b> Proportion of Plots mapped to their Ecological Site Groups	36
13.	_	5.2 Initial Relationship Between Field Verified ESD and ESG extracted from the gridd	
14.	Figure	${f 5.3}$ Relationships Between ESDs and ESGs midway through the cleaning process	37
l5.	Figure	<b>5.4</b> Relationship between ESDs and ESGs at end of classification process	37
16.	Figure	5.5 Mean Benchmarks ESD and ESG	38
17.	Figure	<b>6.1</b> Stylized topographic map of the area of analysis	42
18.	Figure	<b>6.2</b> SPEI of the Uncompangre Field Office Area	43
19.	Figure	<b>6.3</b> Drought Status of the Uncompangre Field Office Area	43
20.	Figure	8.2 ESD and ESG derived Benchmarks [bare ground]	46
21.	Figure	<b>8.3</b> Bare ground	47
22.	Figure	8.4 Land Meeting Benchmarks (Bare Ground)	48
23.	Figure	9.1 Estimates of Median Soil Stability	50
24.	Figure	9.2 Land Meeting Benchmarks (Soil Stability)	51
25.	Figure	10.1 Composite "Invasive Index"	54
26.	Figure	10.2 Invasive Species Index	55
27.	Figure	10.3 Invasive Species in the NE Field Office	55
28.	Figure	10.4 Land Meeting Benchmarks (Invasive Species)	56
29.	Figure	11.1 Validation of Calculations	60
30.	Figure	11.2 Forb Cover [Benchmarks]	61
31.	Figure	<b>11.3</b> Shrub Cover [Benchmarks]	63

32.	Figure 11.4	Tree Cover [Benchmarks]	64
33.	Figure 11.5	Grass Cover [Benchmarks]	65
34.	Figure 11.6	Proportion of Plots Meeting Benchmark	66
35.	Figure 11.7	Total area of each stratum and the overall status of benchmarks	67
36.	Figure 12.1	Number of Species per Functional Group across ESD	72
37.	Figure 12.2	Species Observed per AIM Plot	73
38.	Figure 13.1	Species Occurrences	78
39.	Figure 14.1	Measured Floristic Quality	84
40.	Figure 14.2	Comparison of Median Values by Stratum	86
41.	Figure 14.3	Predicted Floristic Quality	86
42.	Figure 14.4	Model Selection Table	88
43.	Figure 15.1	Alternative Stable States	90
44.	Figure 15.2	A Sample Frame with Five Panels	. 92

Note, digits refer to the section which the figure is located in, and the decimal to the figures number within that section.

### List of Tables

1.	Figure VIII.1 Core Indicators and Methods to Collect them
2.	$ \textbf{Figure IX.1} \ \text{Resource Management Plan Goals and Objectives for Vegetation Resources} \ \dots \dots 14 $
3.	Table 1.1 Original Sample Design for the Entire Sample Frame
4.	Table 1.2 Realized Weighted Sample Design for the Entire Sample Frame        18
5.	Table 1.3 Original Sample Design for Areas of Critical Environmental Concern and Wilderness Study        Areas
6.	Table 1.4 Number of Plots Drawn per ACEC 20
7.	Table 1.5 Realized Weighted Sample Design for the Entire Sample Frame        20
8.	Table 1.6 Original Sample Design for Dominguez-Escalante   21
9.	Table 1.7 Realized Weighted Sample Design for Dominguez-Escalante        22
10.	Table 1.8 Original Sample Design for Gunnison Gorge  22
11.	Table 1.9 Realized Weighted Sample Design for Gunnison Gorge   23
12.	Table 3.1 Variation of Benchmarks
13.	$\textbf{Table 5.1} \ \ \text{Variables to calculate Potential Evaporation via the Penman-Montieth equation} \ \dots \dots 41$
14.	Table 5.2 SPI Values Interpretation  44
15.	Table 10.1 Land Meeting Benchmarks by Administrative Unit   68
16.	Table 13.1 Seven Forms of Rarity - Conceptual  76
17.	Table 13.2 Seven Forms of Rarity - Examples  77
18.	Table 13.3 Rare Species and Plots Found at  81

### List of Acronyms

ACEC Area of Critical Environmental Concern

AIM Terrestrial Assess, Inventory, and Monitor

**BLM** Bureau of Land Management

**DEM** Digital Elevation Model

**ES** Ecological Site

 $\mathbf{ESD}$  Ecological Site Description

 $\mathbf{ESG}$  Ecological Site Group

**MLRA** Major Land Resource Area

NCA National Conservation Area

NOC National Operations Center

 ${f NGO}$  Non-Governmental Organization

 $\mathbf{NPS}$ National Park Service

NRCS National Resource Conservation Service

 ${\bf RMP}$ Resource Management Plan

**USFS** United States Forest Service

 ${\bf USGS}$  United States Geological Survey

 $\mathbf{WSA}$  Wilderness Study Area

#### Abstract

The Uncompander Field office completed the first Terrestrial Assess, Inventory, and Monitor panel which it initiated in summer of 2022. This report summarizes the status and conditions of several key indicators from the AIM data set, in comparison to the reference conditions contained in Ecological Site Descriptions, or when required Ecological Site Groups. All comparisons are made using spatially explicit inferential statistics which allow for the interpretation of the percent of the field office falling into different categories which are meeting management conditions as specified in the Resource Management Plan (RMP).

Virtually all work was conducted in the statistical Programming language R, with occasional use of 'bash' and python. Most project 'styling' and report elements were designed using Latex in an Rmarkdown/Rstudio environment. All work was tracked using the version control software 'git' and is stored on a website known as Github, which contains logs of all major incremental changes in the sections. We hope that these steps make it easy for others to replicate our work, in short order build upon, and then readily surpass it.

#### Introduction

This document can be considered in two parts. The first four sections, i.e. the sections up to 'An Assessment of Drought Conditions' are materials which do not directly relate to the analyses in the remaining portion of the document. Rather they reflect import processes in establishing the framework which we used to compare plots, and interpret results. The first section, 'Sample Design, Stratification, and Plots Weights', relates to an initial oversight regarding the sample design which made us very slightly re-assign the weights of plots associated with the three different areas of the field office which have different management objectives under the Resource Management Plan. The section 'Ecological Side Descriptions Completion Assessment' was essential to evaluate the progress made, and remaining to be made, regarding the establishment of Ecological Sites, and their documentation via the formal Ecological Site Description process. Many of the plots had benchmarks which were very narrow, and did not reflect either uncertainty associated with sampling errors, or natural variation, we slightly adjusted the range of these benchmarks in 'Increase Range around Narrow Ecological Site Benchmarks'. While we intended to use benchmarks directly from Ecological Site Descriptions, the Natural Resource Conservation Service still has many to complete in our area, largely focused in a Major Land Resource Area which contains most of our higher elevation lands. In order to utilize benchmarks across the entirety of the field office, we turned to Ecological Site Groups, a framework recently developed by the United State Geological Survey for the Colorado Plateau. We had to undertake multiple steps to ensure that the NRCS and USGS approaches would be congruent for the report which are detailed in 'Ecological Site Description and Ecological Site Group Comparison - Vegetation 'Benchmarks'. The final section 'An Assessment of Drought Conditions' relates to an aspect of the AIM sample design regarding time series data. Some other AIM analysts have made note of using time as a predictor of variation in responses within a single 5-year panel, which allows them to weight plots sampled in years with normal of above normal precipitation more than plots in drier years. However, we believed that the drought conditions over the sample period were too great to consider years in isolation, and pooled these data. These sections all served to inform how we carried out the analysis of the AIM indicators in the remaining work.

The second part, the next several sections, up to 'Plant Functional Diversity - Species', form the main body of work, and deal with a number of the Assess, Inventory, and Monitor, Indicators, for which we had enough data to investigate in a meaningful manner. These sections proceed in fashion of increasing ecological and biological complexity, but are written to largely be independent of each other; i.e. modular. Notably, the earlier sections refer to more detailed phenomena which are described in the introductions to the later sections. The first section 'Bareground' documents how much soil across the field office is exposed to wind and precipitation. 'Soil Stability' contextualizes how these soils, based on their aggregate stability, have different potential to soil erosion, and the effects of this process on the field office and adjacent areas. 'Noxious Species' investigates the distribution of weeds across the field office, the taxonomic identities of them, and identifies areas with considerable presence of invasive species. We next turn to investigating the cover of each of the major plant functional types in comparison to reference conditions in Plant Functional Diversity - Cover, and believe this to be the most integral portion of the document. We then identify the number of species in the major, and some finer resolution, functional groups in 'Plant Functional Diversity - Species'.

The remaining sections, 'Rare Species' and 'Floristic Quality Index', show opportunistic applications of the AIM data set outside of the realm of Ecological Sites. In 'Rare Species' we identify the species of conservation concern, across a variety of agencies and Non-Governmental Organizations, as well as species rare under two other non-conservation related metrics. Finally we compute the 'Floristic Quality Index' and model it across the field office using Species Richness data, this metric is commonly used in Midwestern and Eastern states, and we believed it's results were largely congruent to the efforts from the combined AIM indicators.