



Introduction to R Markdown

Saghir Bashir

14th June 2019

<https://github.com/saghirb/Rmarkdown-Intro-Workshop>

Relax

Experiment

Make Mistakes

Learn

Enjoy



Outline

R Markdown Examples

What is R Markdown?

HTML & PDF Documents

Pretty Tables

Summary



Prerequisites

Latest versions of:

1. R: <https://cran.r-project.org>
2. RStudio: <https://www.rstudio.com/products/rstudio>



R Markdown Examples

HTML "Analysis" Document



World Population Data

Exercise Questions

Read in the data

Pre-processing the Data

Exercise Answers

Portugal: 1950 v 2017

World Population

Population by Continent

Population by Country

Portugal: 1950 to 2015

High & Low Female Proportion

Portuguese Females Over Time

Read in the data

First load the `data.table` package (hint: use the `library()` function). Then use the `fread()` function to read in the data file `World-Population.csv` in an object called `un`. Finally look at the `un` dataset using the `str()` function.

```
library(data.table)
un <- fread("World-Population.csv")
un
```

```
##      continent    Location Time AgeGrp AgeGrpStart PopFemale PopMale
## 1:      Asia Afghanistan 1950   0-4          0  661.58  630.04
## 2:      Asia Afghanistan 1950   5-9          5  487.33  516.21
## 3:      Asia Afghanistan 1950  10-14         10  423.33  461.38
## 4:      Asia Afghanistan 1950  15-19         15  369.36  414.37
## 5:      Asia Afghanistan 1950  20-24         20  318.39  374.11
## ...
## 47942: Africa     Zambia 2015  80-84         80  23.30  16.10
## 47943: Africa     Zambia 2015  85-89         85  9.17   5.84
## 47944: Africa     Zambia 2015  90-94         90  2.40   1.30
## 47945: Africa     Zambia 2015  95-99         95  0.35   0.16
## 47946: Africa     Zambia 2015 100+          100  0.03   0.01
```

```
str(un)
```

```
## Classes 'data.table' and 'data.frame':  47946 obs. of  7 variables:
## $ continent : chr  "Asia" "Asia" "Asia" "Asia" ...
## $ Location  : chr  "Afghanistan" "Afghanistan" "Afghanistan" "Afghanistan" ...
## $ Time      : int  1950 1950 1950 1950 1950 1950 1950 1950 1950 ...
## $ AgeGrp    : chr  "0-4" "5-9" "10-14" "15-19" ...
## $ AgeGrpStart: int  0 5 10 15 20 25 30 35 40 45 ...
## $ PopFemale : num  662 487 423 369 318 ...
```



HTML Website



https://dsup.org

Data Science Unplugged About Resources Events Blog Search

Data Science Unplugged
A community for data science
📍 Lisbon

Follow

1 POSTS 12 TAGS

We Are All Imposters

2018-06-05 · 441 WORDS · 3 MINUTE READ · BLOG
IMPOSTER SYNDROME · STATISTICS · CRITICAL THINKING · LEARNING

We are all imposters. Let's enjoy it!


Read more

CATEGORIES

- blog (5)
- events (1)

TAGS

- accessibility (1)
- critical-thinking (2)
- data-science (5)
- events (2)
- food (1)
- imposter-syndrome (1)
- latex (1)
- learning (4)
- r-language (3)
- r-markdown (1)



HTML Book



R Markdown: The Definitive Guide

Preface

- How to read this book
- Structure of the book
- Software information and conventions
- Acknowledgments
- About the Authors
- Yihui Xie
- J.J. Allaire
- Garrett Grolemund

I Get Started

1 Installation

2 Basics

2.1 Example applications

2.1.1 Airbnb's knowledge repository

2.1.2 Homework assignments on GitHub

2.1.3 Personalized mail

2.1.4 2017 Employer Health Benefits Survey

2.1.5 Journal articles

2.1.6 Dashboards at eeloo

2.1.7 Books

2.1.8 Websites

R Markdown: The Definitive Guide

Yihui Xie, J. J. Allaire, Garrett Grolemund

2019-06-03

Preface

Note: This book has been published by Chapman & Hall/CRC. The online version of this book is free to read here (thanks to Chapman & Hall/CRC), and licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.

The R Series
R Markdown
The Definitive Guide

HTML
5
PDF

PDF Article



Women in Parliament – data.table

Saghir Bashir

This version was compiled on April 16, 2019

We will use the World Bank's indicator data for "Women in Parliament" as a case study when working with the `data.table` R package. We will guide you through the geographical and time trends for the percentage of women in national parliaments. We will start by learning about and understanding the raw data, which we will then process ("wrangle") in preparation for some exploratory analysis.

Women in Parliament | World Bank Indicator | `data.table` | Tinyverse

1. Preface

We present a real-life case study for the `data.table`¹ package using the World Bank's "Women in Parliament" indicator data. To get the most out of this case-study guide, repeat the examples and do the exercises whilst reading it.

Guide materials. You can download materials for this guide from this link:

- <https://ilustat.com/shared/WiP-rdatatable.zip>

Unzip the file, which contains the data, this guide and an R script exercise file. We advise you to work with "WiP-Exercise.R" file to follow the examples and do the exercises. If you are using RStudio, you can double click on "WiP-dt.Rproj" to get started.

Data limitations. Take caution when interpreting these data, as parliamentary systems vary from country to country, and in some cases over time. Some of the issues to consider include:

- Who has, and who does not have, the right to become a Member of Parliament (MP)?
- How does someone become an MP? Through democratic elections? How is "democratic election" defined?
- What is the real power of MPs and their parliament? Can MPs make a difference?


Data definitions & assumptions.

"Women". The definition for "women" is not given, so we will assume that it refers to a binary classification for gender (sex).

"Country (Region)". The definition of countries and regions can change over time. (e.g. formation of new countries after conflicts, new member states joining a pre-existing collective). How are these changes reflected in the data? How do they affect the interpretation?

Pro tip. Understand the limitations of your data before anybody else points them out to you.

4. About the data file



PDF Book



Chapter 3

Tables, Graphics, References, and Labels

3.1 Tables

In addition to the tables that can be automatically generated from a data frame in R that you saw in [R Markdown Basics](#) using the `kable` function, you can also create tables using `pandoc`. (More information is available at <http://pandoc.org/README.html#tables>) This might be useful if you don't have values specifically stored in R, but you'd like to display them in table form. Below is an example. Pay careful attention to the alignment in the table and hyphens to create the rows and columns.


Table 3.1: Correlation of Inheritance Factors for Parents and Child

Factors	Correlation between Parents & Child	Inherited
Education	-0.49	Yes
Socio-Economic Status	0.28	Slight
Income	0.08	No
Family Size	0.18	Slight

PDF Presentation



Analysis - By Chick Plot



27

11




HTML Presentation



Life Expectancy - By Continent

```
gm[continent!="Oceania"] %>%
  ggplot(aes(fyear, lifeexp,
             colour = continent)) +
  geom_boxplot(outlier.size = .5) +
  geom_point(data=gmPT,
             shape = 4,
             colour="blue") +
  scale_x_discrete(
    breaks=seq(1960, 2010, 10)) +
  scale_y_continuous(limits=c(40,85)) +
  facet_wrap(~continent) +
  xlab("Year") +
  ylab("Life expectancy at Birth") +
  theme(legend.position = "none")
```



42

12

More R Markdown



Formats

- HTML
- PDF
- Word & ODF
- Power Point & ODF

Other

- Dashboards
- Web Applications
- HTML Notebooks
- CVs



What is R Markdown?

What is Markdown?



Special computer language ("Markup")

- Plain text file with special syntax.
- Human readable.
- "Tags" define Structure & elements.
- Converts to HTML, PDF, ...

Markdown Example



```
# Markdown Example

Paragraphs are separated by a blank line.

## Format text

Some _italic_, **bold** and `monospace` text.

Bullet list
+ Apples.
+ Oranges.
+ Pears

An [example link](https://github.com/saghirb)..
```

Markdown Example

Paragraphs are separated by a blank line.

Format text

Some *italic*, **bold** and monospace text.

Bullet list

- Apples.
- Oranges.
- Pears

An [example link](https://github.com/saghirb).

What is R Markdown?



A mix of R programming and markdown.

- R code and documentation in one place.
- Great for doing reproducible research.
- Great for collaborating and sharing.
- Converts to HTML, PDF, websites, article, books, ...

R Markdown Example



```
---
title: "R Markdown Demo"
author: "Saghir Bashir"
date: "13/06/2019"
output: html_document
---

Using R as a calculator.

```{r Rcalc}
2+5
8**2
```

Plot the `ChickWeight` data.


```{r plotCW, echo=FALSE, out.width="80%"}
with(ChickWeight, boxplot(weight ~ Time))
```
```

Using R as a calculator.

```
(2+5)**2
```

```
## [1] 49
```

Plot the ChickWeight data.



R Markdown Explained - YAML



```
---
title: "R Markdown Demo"
author: "Saghir Bashir"
date: "13/06/2019"
output: html_document
---

Using R as a calculator.

```{r Rcalc}
2+5
8**2
```

Plot the `ChickWeight` data.

```{r plotCW, echo=FALSE, out.width="80%"}
with(ChickWeight, boxplot(weight ~ Time))
```
```

File extension is .Rmd

- e.g. My-Report.Rmd

Top is YAML header

- Descriptive information.

- Format & Style.

R Markdown Explained - Markdown



```
---
title: "R Markdown Demo"
author: "Saghir Bashir"
date: "13/06/2019"
output: html_document
---

Using **R** as a calculator.

```{r Rcalc}
2+5
8**2
```

Plot the `ChickWeight` data.

```{r plotCW, echo=FALSE, out.width="80%"}
with(ChickWeight, boxplot(weight ~ Time))
```
```

Below the YAML header

- Markdown code.

R Markdown Explained - R Chunks



```
---
title: "R Markdown Demo"
author: "Saghir Bashir"
date: "13/06/2019"
output: html_document
---

Using R as a calculator.

```{r Rcalc}
2+5
8**2
```

Plot the `ChickWeight` data.

```{r plotCW, echo=FALSE, out.width="80%"}
with(ChickWeight, boxplot(weight ~ Time))
```
```

Below the YAML header

- Markdown code.
- R code chunks with:
 - unique names.
 - chunk options.



HTML Document




```
install.packages("kableExtra")
```

```
install.packages("rticles")
```


```
install.packages("tinytex")
```

```
tinytex::install_tinytex()
```

Create a New RStudio Project



Select "New Project"



Define Directory Location



New Project

Back Create New Project



Directory name:
Rmarkdown-Workshop


Create project as subdirectory of:
~/Projects

Create a git repository

Open in new session

A screenshot of the RStudio "Create New Project" dialog. The "Directory name:" field contains "Rmarkdown-Workshop" and the "Create project as subdirectory of:" field contains "~/Projects". Both of these fields are highlighted with a thick orange border. A checkbox labeled "Create a git repository" is checked and located below the directory fields. At the bottom left, there is an unchecked checkbox for "Open in new session". At the bottom right, there are two buttons: "Create Project" (which is also highlighted with an orange border) and "Cancel".

New Project Created



Create R Markdown Document



The image shows two screenshots of the RStudio interface. The left screenshot shows the 'File' menu open with 'New File' selected. The right screenshot shows the 'New R Markdown' dialog box. The 'Document' option is selected in the left pane. In the right pane, the 'Title' field contains 'HTML Example' and the 'Author' field contains 'Saghir Bashir'. The 'Default Output Format' section shows three options: 'HTML' (selected), 'PDF', and 'Word'. The 'OK' button at the bottom right of the dialog box is highlighted with an orange border.

~/Projects/Rmarkdown-Workshop - RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

New File >

- R Script Ctrl+Shift+N
- R Notebook
- R Markdown... > (highlighted)
- Shiny Web App...
- Plumber API...

New Project...

Open File... Ctrl+O

Recent Files

Open Project...

Open Project in New Session...

Recent Projects >

Import Dataset

Save Ctrl+S

Save As... Ctrl+Alt+S

Save All Ctrl+Alt+Shift+S

Publish...

Print...

Close Ctrl+W

Close All Ctrl+Shift+W

Close All Except Current Ctrl+Alt+Shift+W

Close Project

Quit Session... Ctrl+Q

New R Markdown

Document > (highlighted)

Presentation

Shiny

From Template

Title: HTML Example

Author: Saghir Bashir

Default Output Format:

HTML
Recommended format for authoring (you can switch to PDF or Word output anytime).

PDF
PDF output requires TeX (MiKTeX on Windows, MacTeX 2013+ on OS X, TeX Live 2013+ on Linux).

Word
Previewing Word documents requires an installation of MS Word (or Libre/Open Office on Linux).

OK Cancel

Untitled and Unsaved



A screenshot of the RStudio interface. The main window shows an R Markdown document titled "Untitled1". The code editor contains the following content:


```
1 ---  
2 title: "HTML Example"  
3 author: "Saghir Bashir"  
4 date: "13/06/2019"  
5 output: html_document  
6 ---  
7  
8 ```{r setup, include=FALSE}  
9 knitr::opts_chunk$set(echo = TRUE)  
10  
11  
12 ## R Markdown  
13  
14 This is an R Markdown document. Markdown is a simple formatting syntax  
for authoring HTML, PDF, and MS Word documents. For more details on using  
R Markdown see <http://rmarkdown.rstudio.com>.  
15  
16 When you click the **Knit** button a document will be generated that  
includes both content as well as the output of any embedded R code chunks.  
2:1 # HTML Example
```

The R Markdown tab is selected in the editor. Below the editor, the console shows the standard R welcome message:

```
R is free software and comes with ABSOLUTELY NO WARRANTY.  
You are welcome to redistribute it under certain conditions.  
Type 'license()' or 'licence()' for distribution details.  
  
R is a collaborative project with many contributors.  
Type 'contributors()' for more information and  
'citation()' on how to cite R or R packages in publications.  
  
Type 'demo()' for some demos, 'help()' for on-line help, or  
'help.start()' for an HTML browser interface to help.  
Type 'q()' to quit R.
```

The top bar shows the file path: ~/Projects/Rmarkdown-Workshop - RStudio. The right sidebar includes the Environment, History, Connections, and Git tabs, and the Global Environment pane which displays "Environment is empty". The bottom right corner of the RStudio window shows the "R Markdown" status indicator.

Save as .Rmd



Click "Knit" to Create HTML File



R ~/Projects/Rmarkdown-Workshop - RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

HTML-Example.Rmd Knit

```
1 ---  
2 title: "HTML Example"  
3 author: "Saghir Bashir"  
4 date: "13/06/2019"  
5 output: html_document  
6 ---  
7  
8 ```{r setup, include=FALSE}  
9 knitr::opts_chunk$set(echo = TRUE)  
10  
11  
12 ## R Markdown  
13  
14 This is an R Markdown document. Markdown is a simple formatting syntax  
for authoring HTML, PDF, and MS Word documents. For more details on using  
R Markdown see <http://rmarkdown.rstudio.com>.  
15  
16 when you click the **Knit** button a document will be generated that  
includes both content as well as the output of any embedded R code chunks  
2:1 # HTML Example R Markdown
```

HTML Document - Top

A screenshot of an RStudio interface showing an HTML document titled "HTML Example". The document includes author information (Saghir Bashir, 13/06/2019), a section titled "R Markdown", and a code chunk displaying the output of `summary(cars)`.

HTML Example

Saghir Bashir
13/06/2019

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
## Min.   :4.0   Min.   : 2.00
## 1st Qu.:12.0  1st Qu.: 26.00
## Median :15.0  Median : 36.00
## Mean   :15.4  Mean   : 42.98
## 3rd Qu.:19.0  3rd Qu.: 56.00
## Max.   :25.0  Max.   :120.00
```

Including Plots

HTML Document - Bottom



You Can "Knit" to PDF



R ~/Projects/Rmarkdown-Workshop - RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

+ | + R | ↗ | ↘ | ↙ | ↖ | ↛ Go to file/function | ↗ | ↘ | ↙ | ↖ | ↛ Addins ↖

HTML-Example.Rmd x

1 - Knit to HTML
2 t Knit to PDF
3 a Knit to Word
4 da
5 ou
6 Knit with Parameters...
7 Knit Directory ↗ ELSE}
8 kn cho = TRUE)
9 kn
10 Clear Knitr Cache...
11
12 ## R Markdown
13
14 This is an R Markdown document. Markdown is a simple formatting syntax
for authoring HTML, PDF, and MS Word documents. For more details on using
R Markdown see <<http://rmarkdown.rstudio.com>>.
15
16 When you click the **Knit** button a document will be generated that
includes both content as well as the output of any embedded R code chunks

2:1 # HTML Example ↗ R Markdown ↗

The screenshot shows the RStudio interface with an R Markdown file named "HTML-Example.Rmd" open. The "Knit" dropdown menu is displayed, showing options for "Knit to HTML", "Knit to PDF" (which is highlighted with an orange oval), "Knit to Word", "Knit with Parameters...", "Knit Directory", and "Clear Knitr Cache...". The main code editor area contains the R Markdown code, which includes a brief introduction to R Markdown and a note about the "Knit" button.

PDF Document



HTML Example

Saghir Bashir

13/06/2019

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)

##      speed         dist
##  Min.   : 4.0   Min.   :  2.00
##  1st Qu.:12.0   1st Qu.: 26.00
##  Median :15.0   Median : 36.00
##  Mean    :15.4   Mean    : 42.98
##  3rd Qu.:19.0   3rd Qu.: 56.00
##  Max.    :25.0   Max.    :120.00
```

Including Plots

You can also embed plots, for example:

Change Theme & Style



R ~/Projects/Rmarkdown-Workshop - RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help


HTML-Example.Rmd x

Knit

```
1 ---  
2 title: "HTML Example"  
3 author: "Saghir Bashir"  
4 date: "13/06/2019"  
5 output:  
6   html_document:  
7     theme: united  
8     highlight: tango  
9     toc: true  
10    toc_depth: 3  
11    toc_float: true  
12 ---  
13 |
```

(Top Level) R Markdown

Updated Theme



R Markdown Cheatsheet




Pandoc's Markdown

Write with syntax on the left to create effect on right (after render)

| | |
|---|--|
| Plain text | End a line with two spaces to start a new paragraph. |
| 'italics' and "bold" | <i>italics</i> and bold |
| verbatim code | verbatim code |
| sub/superscript ² ₂ | sub/superscript ² ₂ |
| ~~strikethrough~~ | strikethrough |
| escaped: `\\` | escaped: `\\` |
| endash: -- emdash: --- | endash: -- emdash: --- |
| equation: \$A = \pi r^2\$ | equation: $A = \pi * r^2$ |
| equation block: | equation block: |
| $E = mc^2$ | $E = mc^2$ |
| > block quote | block quote |
| # Header1 {#anchor} | |
| ## Header2 {#css_id} | |
| ### Header 3 {.css_class} | |

- Useful to find R markdown "tags".
- Use it for the exercises.
- Lots of other useful information too.

Source: <https://www.rstudio.com/resources/cheatsheets/>



Pretty Tables

Objective



Before

```
sData
```

```
##   Treatment   Visit   N Mean S.D.  
## 1: Placebo Baseline 182 27.4 3.23  
## 2: Placebo   Final 157 25.6 4.11  
## 3: Active Baseline 179 26.7 3.45  
## 4: Active   Final 145 20.7 4.27
```

After

| Treatment | Visit | N | Mean | S.D. |
|-----------|----------|-----|------|------|
| Placebo | Baseline | 182 | 27.4 | 3.23 |
| | Final | 157 | 25.6 | 4.11 |
| Active | Baseline | 179 | 26.7 | 3.45 |
| | Final | 145 | 20.7 | 4.27 |

Use knitr::kable



```
library(magrittr)
library(knitr)
sData %>%
  kable()
```

| Treatment | Visit | N | Mean | S.D. |
|-----------|----------|-----|------|------|
| Placebo | Baseline | 182 | 27.4 | 3.23 |
| Placebo | Final | 157 | 25.6 | 4.11 |
| Active | Baseline | 179 | 26.7 | 3.45 |
| Active | Final | 145 | 20.7 | 4.27 |

```
library(magrittr)
library(knitr)
sData %>%
  kable(align="lcccc", digits=c(0, 0, 0, 1, 2))
```

| Treatment | Visit | N | Mean | S.D. |
|-----------|----------|-----|------|------|
| Placebo | Baseline | 182 | 27.4 | 3.23 |
| Placebo | Final | 157 | 25.6 | 4.11 |
| Active | Baseline | 179 | 26.7 | 3.45 |
| Active | Final | 145 | 20.7 | 4.27 |

Use kableExtra Package



```
library(magrittr)
library(knitr)
library(kableExtra)
sData %>%
  kable(align="lcccc", digits=c(0, 0, 0, 1, 2)) %>%
  kable_styling(bootstrap_options="striped",
                full_width=TRUE)
```

| Treatment | Visit | N | Mean | S.D. |
|-----------|----------|-----|------|------|
| Placebo | Baseline | 182 | 27.4 | 3.23 |
| Placebo | Final | 157 | 25.6 | 4.11 |
| Active | Baseline | 179 | 26.7 | 3.45 |
| Active | Final | 145 | 20.7 | 4.27 |

```
library(magrittr)
library(knitr)
library(kableExtra)
sData %>%
  kable(align="lcccc", digits=c(0, 0, 0, 1, 2)) %>%
  kable_styling(bootstrap_options="striped",
                full_width=TRUE) %>%
  column_spec(1:5, width = "4em")
```

| Treatment | Visit | N | Mean | S.D. |
|-----------|----------|-----|------|------|
| Placebo | Baseline | 182 | 27.4 | 3.23 |
| Placebo | Final | 157 | 25.6 | 4.11 |
| Active | Baseline | 179 | 26.7 | 3.45 |
| Active | Final | 145 | 20.7 | 4.27 |

Final Table



```
library(magrittr)
library(knitr)
library(kableExtra)
sData %>%
  kable(align="lcccc", digits=c(0, 0, 0, 1, 2)) %>%
  kable_styling(bootstrap_options="striped",
                full_width=TRUE) %>%
  column_spec(1:5, width = "4em") %>%
  collapse_rows(1, valign = "top")
```

| Treatment | Visit | N | Mean | S.D. |
|-----------|----------|-----|------|------|
| Placebo | Baseline | 182 | 27.4 | 3.23 |
| | Final | 157 | 25.6 | 4.11 |
| Active | Baseline | 179 | 26.7 | 3.45 |
| | Final | 145 | 20.7 | 4.27 |

We started with

sData

```
##   Treatment   Visit   N Mean S.D.
## 1: Placebo Baseline 182 27.4 3.23
## 2: Placebo   Final 157 25.6 4.11
## 3: Active Baseline 179 26.7 3.45
## 4: Active   Final 145 20.7 4.27
```

Exercise (i)



- 1) Download <https://ilustat.com/shared/RmarkdownWS.zip>
- 2) Unzip and double click "CW-Summary.Rproj" file.
- 3) Create a new Rmarkdown file called "CW-Report.Rmd"
- 4) Recreate "CW-Report-Target.html"

Exercise (ii)



Creating a HTML presentation

- 1) Create a new "Presentation" from R Markdown.**
- 2) Select "HTML (ioslides)" style.**
- 3) Save as "CW-Slides.Rmd"**
- 4) Recreate "CW-Slides-Target.html"**

Summary



R Markdown

- R code and documentation in one place.
- Great for doing reproducible research.
- Great for collaborating and sharing.
- A big range of possible outputs.
- The rewards and benefits are big!

Feedback

Please send your feedback or comments via:

- <https://github.com/saghirb/Rmarkdown-Intro-Workshop> or
- <https://twitter.com/ilustat>

Thanks!

**This work is licensed under the
Creative Commons Attribution-Non Commercial 4.0
International License.**

To view a copy of this license, visit

<http://creativecommons.org/licenses/by-nc/4.0/>