

## 4. Set

### Create a set

```
opt1 | set1 = {10, 20, 30} ; opt2 | set1 = set(10, 20, 30) ; empty | set1 = set()
```

### Create a set from a list / string

```
set_from_list | set1 = set([2, 4, 5, 1]) set_from_list | set1 = {[2, 4, 5, 1]}
set_from_str | set1 = set("hello")
```

### Set Comprehension

```
opt1 | set1 = {i for i in range(10)} ; opt2 | set1 = set(i for i in range(10)) -# Output will be {0, 1, 2, 3, 4, 5, 6, 7, 8, 9}
```

### Set Operations

- Add item:** add\_to\_set | the\_set.add("this", 8)
- Remove / Pop item:** remove\_from\_set | the\_set.remove(8, "Von") ; pop\_from\_set | the\_set.pop(index\_num)
- Get length of a set:** len\_of\_set | set1\_len = len(set1)
- Intersect 2 sets:** intersect\_sets | intersected = set1 & set2
- Union 2 sets:** unioned\_sets | unioned = set1 | set2
- XOR 2 sets:** xor\_sets | xor\_set = set1 ^ set2
- Diff 2 sets:** diff\_sets | unioned = set1 - set2
- Check if subset (contained):** is\_subset | print(set1 <= set2) # True/False

## 5. Dictionary

### Create a dict

```
option1 | dict1 = dict(book_id = var_id, title='AOT', votes = 0)
option2 | dict1 = {"book_id":var_id, "title":"AOT", "votes":0}
option3 | dict1 = dict([("book_id", var_id), ("title","AOT"), ("votes",0)])
```

### Get item in location

```
example1 | if book['genre'] == the_genre: example2 | book['votes'] += 1
```

### Dict's keys

```
get_keys | keys1 = dict1.keys()
loop_on_keys | for key in dict1.keys():
```

### Dict's values

```
get_values | values1 = dict1.values()
loop_on_values | for value in dict1.values():
```

### Dict's pairs / items

```
get_pairs | items1 = dict1.items()
loop_on_pairs | for pair in dict1.items():
convert_dict_to_list_of_pairs | pairs_list = list(dict1.items())
```

Dictionary\_Operations

```
1  # Define a dict
2  tel = {'Sagi': 4098, 'Amit': 4139}
3
4  # Create / add an item
5  tel['Ilay'] = 4127
6
7  # Get value of a key
8  tel['Sagi'] # Output: 4098
9
10 # Delete an item
11 del tel['Amit'] # opt1
12 tel.pop('Amit') # opt2
13
14 # View the dictionary's keys
15 list(tel) # Output: ['Sagi', 'Amit', 'Ilay']
16
17 # View the dictionary's keys, sorted
18 sorted(tel) # Output: ['Amit', 'Ilay', 'Sagi']
19
20 # Check if a key exists in the dict
21 'Sagi' in tel # Output: True
22 'Amit' not in tel # Output: False
```