Untitled

2022-06-11

Contents

0.1 R Markdown	1
1 R plots	2
0.1 R Markdown	
EViews> wfcreate(wf=sagiru,page=mati) q 2000 2025 + 'open mychunk + for !i=1 to 100 + %page="page"+@STR(!i) + if @pageexist(%page) then + pagedelete page!i + endif + next + for %y page1 page2 page3 + + pagecreate(page={%y}) a 2020 2025 + next + %pagelist=@pagelist + for %y page1 page2 + pageselect {%y} + delete(noerr) grap + genr y=@cumsum(nrnd) + genr x=@cumsum(nrnd) + genr z=@cumsum(nrnd) + genr date=@date + graph grap3.line z + graph grap1.area x	
+ freeze(grap, mode=overwrite) x.line + equation ols.ls y c x	
+ freeze(mode=overwrite,tab) ols	
+ next	
+	
+ pageselect page3	
+ delete(noerr) grap	
+ genr y=@cumsum(nrnd)	
+ genr x=@cumsum(nrnd)	
+ genr z=@cumsum(nrnd)	
+ genr date=@date	

```
+ graph grap3.line x
+ graph grap2.bar y
+ graph grap1.area x
+ freeze(grap,mode=overwrite) x.line
+ equation ols.ls y c x
+ freeze(mode=overwrite,tab) ols
+ 'wfsave mychunk
```




Figure 1: somefigure

```
EViews> library(magrittr)
EViews>
EViews> mychunk$page3 %>% head
EViews>
EViews> mychunk$ols
EViews>
EViews> mychunk$tab
EViews>
EViews> mychunk$mati %>% head
```

1 R plots

```
EViews> print(knitr::opts_current$get("sagir"))
EViews> print(knitr::opts_current$get("fig.show"))
EViews> y=cumsum(rnorm(100))
EViews> x=cumsum(rnorm(100))
EViews>
EViews> plot(x,y)
EViews> data=data.frame(y=runif(100),x=runif(100))
EViews> eviews_graph(data,save_path = "",frequency = "m",start_date = 1990,group = F,options = "m",grap
EViews> rwalk("x y z",num_observations = 100,frequency = "7",start_date = "1")
EViews>
EViews> eviews$xyz %>% head
EViews>
EViews> eviews_graph(eviews$xyz,group = T,graph_procs = "template midnight",graph_command = "line")
EViews 'This is some comment in EViews program, feel free to write anything
+ wfcreate(page=EviewsR_page,wf=EviewsR_workfile) m 2000 2022
+ for %y sam package page1 page2
+ pagecreate(page={%y}) sam m 2000 2022
```

- + next
- + pageselect sam
- + rndseed 123456
- + genr y=@cumsum(nrnd)
- + genr x=@cumsum(nrnd)
- + equation OLS_EQUATION.ls y c x
 + freeze(OLS_EQUATION_TABLE,mode=overwrite) OLS_EQUATION
- + freeze(ZEviewsR_GRAPH, mode=overwrite) y.line
- + delete(noerr) EviewsR_GRAPH1
- + graph GRAPH1.line x y