Untitled

2022-06-11

Contents

0.1   R Markdown

```
EViews> 'wfcreate(wf=sagiru,page=mati) m 2000 2025
+ open mychunk
+ delete gra*
+ genr y=@cumsum(nrnd)
+ genr x=@cumsum(nrnd)
+ genr z=@cumsum(nrnd)
+                         graph grap1.line z
+                           graph grap2.line y
+     freeze(grap,mode=overwrite) x.line
+ equation ols.ls y c x
+
+ wfsave mychunk
```


(a) A figure

(b) Another figure

(c) A figure

Figure 1: somefigure

```
##         aic  df     coefs      dw        f    fprob        hq      logl   meandep
## 1 6.948957 310 11.419720 0.03425 176.7002 3.23e-32  6.958547 -1082.037 -2.598303
## 2       NA  NA -1.112819      NA       NA       NA        NA        NA        NA
##   ncoef      pval        r2     rbar2 regobs   schwarz     sddep       se       ssr
## 1     2 1.47e-20  0.363058  0.361003    312  6.972951  9.740311 7.786141  18793.44
## 2    NA 3.23e-32        NA        NA     NA        NA        NA       NA        NA
##    stderrs    tstats
## 1 1.142973   9.991237
## 2 0.083716 -13.292860
```

# 1   R plots

```
## NULL
```

```
## [1] "asis"
```


Figure 2: another fig

X