

Untitled

2022-06-11

Contents

1 R plots

1

1 R plots

```
> library(magrittr)
>
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
```

```
> library(magrittr)
>
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
> a=runif(100) %>% plot
```




Figure 9: Figures automatically imported 2




Figure 1: some plot again




Figure 10: Figures automatically imported 2




Figure 11: Figures automatically imported 2




Figure 2: some plot




Figure 3: Figures automatically imported by evIEWS 2




Figure 4: Figures automatically imported by evIEWS 2




Figure 5: Figures automatically imported by evIEWS 2




Figure 6: Figures automatically imported by evIEWS 2




Figure 7: Figures automatically imported by evIEWS 2




Figure 8: Figures automatically imported by evIEWS 2