

Generalizing the Linear Programming Bound

Sagnik Bhattacharya
Senior Undergraduate
IIT Kanpur
Kanpur, India
Email: sagnikb@iitk.ac.in

Adrish Banerjee
Professor
IIT Kanpur
Kanpur, India
Email: adrish@iitk.ac.in

Abstract—We develop general techniques to bound the size of the balls of a given radius r for q -ary discrete metrics, that reduces to the known bound in the case of the Hamming metric and gives us a new bound in the case of the Lee metric. We use the techniques developed to find a Hamming (or sphere-packing) bound for the Lee metric.

A full version of this paper is accessible at: <http://isit2019.fr/>

I. INTRODUCTION

A. Background

Much of information theory involves studying the limits of reliable communication over a channel, using well-designed codes. We can use various metrics defined on the codeword space that are matched to the channel under consideration, where we say that a metric is matched to a channel if nearest neighbour decoding in the codeword space implies ML decoding on the channel. The most well studied metric is the Hamming metric. For zero-error information theory in the Hamming metric, we have several upper and lower bounds like the Gilbert-Varshamov bound, the Plotkin bound, the Hamming bound, the Elias-Bassalygo bound, the Linear Programming (or MRRW) bound etc that tell us what rates are possible and what are not, given an error criterion that the code is to meet, even though the question of what is the precise capacity is still open. Almost all of these bounds require an estimate of the number of codewords of a certain Hamming weight, the size of the Hamming ball of the given radius, and the standard known result is that this size is $q^{nH(r/n)}$ to first order in the exponent.

There are other metrics of practical and mathematical interest, for example the Lee metric or the Manhattan (or taxi-cab) metric, for which general bounds of this kind on the size of a ball of a given radius in the metric are not known, and yet if we are to hope to develop bounds analogous to the Hamming bound, we must first bound this quantity.

B. Prior work

C. Our contributions

We develop two general techniques based on the generating function of a metric that can hopefully be extended to any discrete metric on \mathbb{F}_q . We show that we can recover the familiar result for the Hamming metric through this method, and we use it to find a bound for the Lee metric. We use these results to find bounds on the possible rates in the case of the Lee metric.

II. PROBLEM SETUP AND NOTATION

III. CONCLUSION

ACKNOWLEDGMENT

REFERENCES

- [1] L. Lamport, *TEX: A Document Preparation System*, Addison-Wesley, Reading, Massachusetts, USA, 2nd ed., 1994.
- [2] F. Mittelbach, M. Goossens, J. Braams, D. Carlisle, and C. Rowley, *The TEX Companion*, Addison-Wesley, Reading, Massachusetts, USA, 2nd ed., 2004.

- [3] T. Oetiker, H. Partl, I. Hyna, and E. Schlegl, *The Not So Short Introduction to L^AT_EX2_ε*, version 5.06, Jun. 20, 2016. [Online]. Available: <https://tobi.oetiker.ch/lshort/>
- [4] S. M. Moser, *How to Typeset Equations in L^AT_EX*, version 4.6, Sep. 29, 2017. [Online]. Available: <http://moser-isi.ethz.ch/manuals.html#eqlatex>
- [5] IEEE, *Preparing Conference Content for the IEEE Xplore Digital Library*. [Online]. Available: http://www.ieee.org/conferences_events/conferences/organizers/pubs/preparing_content.html
- [6] IEEE, *Author Digital Toolbox*. [Online.] Available: http://www.ieee.org/publications_standards/publications/authors/authors_journals.html