$$\lim_{x \to \infty} \frac{3x^3 + 4x^2}{4x^3 - 7}$$
 does not exist.

$$5 < \sqrt{26} < 5.1$$
.

The equation $e^x = \frac{1}{x}$ has exactly one solution.

A $10~\mathrm{kg}$ quantity of a certain substance decays to $1~\mathrm{kg}$ in $5000~\mathrm{years}$. Then the half-life of this substance is

$$\frac{5000}{\log_2(10)}.$$

Note.
$$\frac{5000}{\log_2(10)} \approx 1505.15$$
.

$$\int_0^{\pi/2} (\cos x)^{2019} \sin x \, dx = \frac{1}{2020}.$$

$$\lim_{x\to 0}\frac{\tan x}{x} \text{ does not exist.}$$

If f is a differentiable function whose graph passes through (1,4) and (2,6), then there must exist some b between 1 and 2 such that f'(b) = 2.

The tangent line to the curve defined by

$$2xy^2 + x + y = 0$$

at the point (0,0) is horizontal.

9. Let *f* be the function defined by

$$f(x) = |x^2 - 2|.$$

For how many values c does f'(c) not exist?

- (A) None
- (B) 1
- (C) 2
- (D) 3 or more

10. How many values of c are there such that the following function is continuous?

$$f(x) = \begin{cases} \cos(x) & \text{if } x < 0 \\ c & \text{if } x = 0 \\ cx^3 + 1 & \text{if } x > 0 \end{cases}$$

- (A) None
- (B) 1
- (C) 2
- (D) 3 or more

$$\lim_{x \to 0} \frac{x^2}{1 - \cos x} = 2.$$

$$\int_1^{e^2} \frac{\ln x}{x} \, dx = 0.$$

- 13. A plane passes directly above a radar station at an altitude of 6 km, going at a speed of 15 km/min. How fast is the distance between the plane and the station changing at the instant when the plane passes directly above the radar station?
- (A) 0.1 km/min
- (B) 0.3 km/min
- (C) 0.9 km/min
- (D) None of the above

- 14. Which of the following is closest to $e^{1.1}$?
- (A) 2.7180
- (B) 2.8522
- (C) 2.9029
- (D) 2.9898

Note. $e\approx 2.718$. It's probably in your best interest to try to figure this out without a calculator.