Simulation Learning System

Simulation Learning System Scenario Profile: LPN/LVN

Scenario	Patient Data Estimated Scenario Time* Estimated Debriefing Time*	Scenario Skills	Scenario Presentation and Diagnoses	Primary Simulation Challenge
FUNDAMENTALS				
FUN-01	**Alice Morrison** 7-year-old Female Scenario: 20-25 minutes Debriefing: 20-25 minutes **G-Tube Care in Pediatric Patient**	• Conduct assessment • Recognize elevated temperature • Recognize disconnected G-tube feeding, saturated dressing, and wet bed pad • Utilize age-appropriate communication • Respect mother's role as primary caregiver • Change G-tube dressing and provide hygiene • Administer antipyretic via G-tube • Restart G-tube feeding • Access and document care in the EHR	Pediatric patient with G-tube is admitted with acute bronchitis. Patient's G-tube feeding becomes disconnected just prior to start of scenario. **Primary:** Acute bronchitis **Secondary:** Esophageal atresia with G-tube	Learner assesses and implements care for a pediatric patient whose G-tube feeding has become disconnected while respecting the mother as the expert on the child's care.
FUN-02	**Samuel Green** 75-year-old Male Scenario: 20-25 minutes Debriefing: 20-25 minutes **End-of-Life Care**	• Conduct assessment • Recognize cessation of cardiovascular and respiratory function • Notify provider of patient's death using SBAR • Follow postmortem care policy and procedure • Utilize therapeutic communication with the family • Elicit the patient and family's preferences related to death rituals and postmortem care • Respect the patient and family's spiritual beliefs and cultural values throughout the dying process • Access and document care in the EHR	Patient with inoperable pulmonary adenocarcinoma and a documented code status of do not resuscitate (DNR) is admitted for palliative care. **Primary:** Adenocarcinoma bilateral lungs **Secondary:** Bone and lymph metastasis	Learner provides end-of-life and postmortem care while supporting a grieving family in a manner consistent with the patient and family's spiritual beliefs and cultural values.
FUN-03	**Jesus Garcia** 28-year-old Male Scenario: 20 -25 minutes Debriefing: 20-25 minutes **Colostomy Care and Teaching**	• Conduct assessment • Recognize leaking colostomy bag • Recognize knowledge deficit regarding colostomy care • Recognize ineffective coping, disturbed body image, and low sexual self-esteem • Utilize therapeutic communication • Ensure patient privacy • Assist patient with colostomy care and hygiene • Provide patient education and support • Access and document care in the EHR	Patient with history of ulcerative colitis and transverse colostomy is admitted with dehydration. **Primary:** Dehydration **Secondary:** Ulcerative colitis; status post-partial colectomy with transverse colostomy	Learner assesses and manages colostomy care while addressing a patient's issues with body image and sexuality.
FUN-04	**Lisa Rae** 78-year-old Female Scenario: 20-30 minutes Debriefing: 20-30 minutes **Fall and Pressure Ulcer Risk Assessment**	• Conduct assessment • Utilize therapeutic communication • Determine fall risk using Morse Fall Scale • Determine pressure ulcer risk using Braden Scale • Implement fall prevention measures • Implement pressure ulcer prevention measures • Provide patient education and support • Access and document care in the EHR	Patient with a history of falls is admitted with dizziness and a mechanical fall. Patient is incontinent of urine and has limited mobility. **Primary:** Hypotension **Secondary:** Mechanical fall	Learner assesses and implements nursing care for a patient at high risk for falls and pressure ulcer development.

This document is available on studocu

Downloaded by Scott Green (sagreenxyz@gmail.com)

ELSEVIER

Scenario	Patient Data Estimated Scenario Time* Estimated Debriefing Time*	Scenario Skills	Scenario Presentation and Diagnoses	Primary Simulation Challenge
FUN-05 	**Nancy Gilbert** 65-year-old Female Scenario: 20-25 minutes Debriefing: 20-25 minutes **Tracheostomy Care**	• Conduct assessment • Recognize moderate respiratory distress • Conduct sterile tracheostomy suctioning and dressing care • Maintain contact isolation precautions • Utilize therapeutic communication • Provide patient and family education • Access and document care in the EHR	Patient with a history of laryngeal cancer, a permanent tracheostomy, and continuous supplemental oxygen is admitted with pneumonia. Patient is in contact isolation for MRSA in her sputum. **Primary:** Pneumonia **Secondary:** Laryngeal cancer, tracheostomy	Learner assesses a patient with moderate respiratory distress and conducts sterile tracheostomy suctioning while maintaining contact isolation precautions.
FUN-06 	**Carl Rogers** 67-year-old Male Scenario: 20-25 minutes Debriefing: 20-25 minutes **Diabetic Wound Care and Insulin Administration**	• Receive report including current blood glucose level • Conduct assessment • Administer SQ insulin according to scheduled dose plus correction scale order • Conduct wound care per order • Provide patient education and support • Access and document care in the EHR	Patient with a history of type 1 diabetes mellitus and a stage 2 non-healing foot ulcer is admitted for diabetic management and wound care. **Primary:** Stage 2 non-healing ulcer on right heel **Secondary:** Diabetes mellitus type 1	Learner assesses, prioritizes, and manages care for a diabetic patient with a non-healing foot ulcer and elevated blood glucose level.
FUN-07 	**Maurice Arviso** 60-year-old Male Scenario: 20-25 minutes Debriefing: 20-25 minutes **Oxygenation and Hygiene**	• Assess patient • Recognize dyspnea • Recognize patient's frustration related to loss of independence • Prioritize respiratory interventions • Administer oxygen therapy • Utilize therapeutic communication • Maintain privacy and promote dignity • Assist with personal hygiene • Provide patient education and support • Access and document care in the EHR	Patient is admitted with community acquired pneumonia. Patient struggles to maintain independence in daily cares and refuses assistance despite dyspnea upon exertion. Just before scenario begins, patient spills urinal and nasal cannula falls out of reach. **Primary:** Pnuemococcal pneumonia	Learner assesses, prioritizes, and implements nursing care for a patient experiencing dyspnea and loss of independence.
FUN-08 	**Boyd Dubois** 58-year-old Male Scenario: 20-25 minutes Debriefing: 20-25 minutes **Postoperative Pain Management and Care**	• Conduct postoperative assessment • Assess effectiveness of recently administered pain medication • Recognize bibasilar crackles in lungs • Recognize elevated temperature • Assist patient with postoperative breathing exercises • Administer SQ anticoagulant per order • Provide patient education and support • Access and document care in the EHR	Patient with a history of osteoarthritis is admitted to the orthopedic unit following a right total hip replacement. **Primary:** Osteoarthritis **Secondary:** Total hip replacement	Learner conducts nursing interventions for a postoperative patient including pain assessment, breathing exercises, and SQ anticoagulant injection.

Downloaded by Scott Green (sagreenxyz@gmail.com)

Scenario	Patient Data Estimated Scenario Time* Estimated Debriefing Time*	Scenario Skills	Scenario Presentation and Diagnoses	Primary Simulation Challenge
FUN-09 	**Kyle Miller** 41-year-old Male Scenario: 15-20 minutes Debriefing: 15-20 minutes **Basic Assessment and Care Management**	• Conduct assessment • Recognize physical assessment findings within normal parameters • Notify provider using SBAR • Manage unit distractions (calls, interruptions) • Delegate tasks appropriately • Maintain patient's privacy in compliance with HIPAA regulations • Utilize therapeutic communication • Provide patient and family education • Access and document care in the EHR	Patient with cellulitis of the forearm is admitted for antibiotic therapy and monitoring. Patient is stable and ready for discharge after learner conducts an assessment and notifies provider of stable status. **Primary:** Cellulitis	Learner conducts nursing assessment and care while managing and prioritizing multiple common unit distractions.
FUN-10 	**Lillian Chambers** 40-year-old Female Scenario: 20-25 minutes Debriefing: 20-25 minutes **Postoperative Assessment and Surgical Site Care**	• Conduct postoperative assessment • Recognize moderate surgical site bleeding • Notify provider using SBAR • Reinforce surgical dressing per provider order • Utilize therapeutic communication • Provide patient and family education and support • Access and document care in the EHR	Patient with a ruptured appendix undergoes an urgent appendectomy. The patient is discharged from post-anesthesia care unit (PACU) to the medical-surgical unit for routine postoperative care. **Primary:** Acute appendicitis with rupture	Learner assesses and implements nursing interventions for a postoperative patient with moderate surgical site bleeding.
MEDICAL-SURGICAL				
MED-01 	**Wallace Peterson** 69-year-old Male Scenario: 20-30 minutes Debriefing: 20-30 minutes **Pneumonia with Hypoxia**	• Conduct assessment • Recognize hypoxia • Recognize elevated temperature • Troubleshoot disconnected oxygen tubing • Administer oxygen via nasal cannula • Administer acetaminophen per PRN order • Provide patient education and support • Access and document care in EHR	Patient with pneumonia experiences hypoxia when oxygen via nasal cannula is inadvertently discontinued after patient transfer. **Primary**: Pneumonia **Secondary**: COPD	Learner assesses and manages care for a patient experiencing hypoxia by troubleshooting disconnected oxygen tubing.
MED-02 	**Kimberly Dunning** 20-year-old Female Scenario: 20-30 minutes Debriefing: 20-30 minutes	• Conduct assessment • Recognize anxiety and mild respiratory distress • Use therapeutic communication to calm and reassure patient • Administer oxygen via BiPAP as ordered • Recognize IV infusing at incorrect rate • Adjust IV to ordered rate • Notify provider of status change • Provide patient education and support • Access and document care in EHR	Patient admitted with asthma exacerbation experiences increased anxiety and mild respiratory distress. **Primary**: Asthma **Secondary**: Pneumonia	Learner assesses and manages care for an anxious patient experiencing mild respiratory distress.

This document is available on studocu

Downloaded by Scott Green (sagreenxyz@gmail.com)

ELSEVIER

Scenario	Patient Data Estimated Scenario Time* Estimated Debriefing Time*	Scenario Skills	Scenario Presentation and Diagnoses	Primary Simulation Challenge
MED-03 	**Ricardo Mendoza** 60-year-old Male Scenario: 10-15 minutes Debriefing: 10-15 minutes **Acute Tension Pneumothorax**	• Conduct assessment • Recognize signs and symptoms of pneumothorax • Clear chest tubing obstruction • Increase oxygen flow rate • Provide patient education and support • Access and document care in EHR	Patient admitted for lung lobectomy experiences acute tension pneumothorax when his chest tube tubing becomes fully obstructed under side rail of bed after transfer. **Primary:** Lung Cancer **Secondary:** Osteoarthritis, malnutrition	Learner assesses and manages care for a postoperative patient with a chest tube and an acute tension pneumothorax.
MED-04 	**Mathias Hedding** 62-year-old Male Scenario: 15-20 minutes Debriefing: 15-20 minutes **Heart Failure and Osteomyelitis**	• Conduct assessment • Recognize fluid volume excess • Elevate head of bed • Titrate oxygen • Notify provider • Administer PO furosemide per order • Decrease rate of IV fluid per order • Provide patient education and support • Access and document care in EHR	Patient admitted for wound debridement of gangrenous leg experiences postoperative fluid volume excess. **Primary:** Wound infection, right foot and heel **Secondary:** Type 2 diabetes mellitus, heart failure	Learner assesses and manages care for a postoperative patient experiencing fluid volume excess.
MED-05 	**Keola Akana** 70-year-old Male Scenario: 15-20 minutes Debriefing: 15-20 minutes **Digoxin Toxicity and Hypokalemia**	• Conduct assessment • Recognize digoxin toxicity, hypokalemia, and hypotension • Notify provider • Hold digoxin and metoprolol • Administer PO potassium • Provide patient education and support • Access and document care in EHR	Patient admitted to skilled nursing facility experiences digoxin toxicity, hypokalemia, and hypotension. **Primary**: Heart failure	Learner assesses and manages care for a patient in a skilled nursing facility experiencing digoxin toxicity, hypokalemia, and hypotension.
MED-06 	**Grace Carter** 71-year-old Female Scenario: 20-25 minutes Debriefing: 20-25 minutes **Angina Pectoris**	• Conduct assessment • Recognize stable angina • Titrate oxygen • Calm patient to reduce oxygen demand • Administer SL nitroglycerin per PRN order • Notify provider • Provide patient education and support • Access and document care in EHR	Patient admitted to inpatient unit with symptomatic stable angina experiences exacerbation of pain after exercise. **Primary**: Stable angina **Secondary**: Diabetes mellitus, hypertension, hyperlipidemia	Learner assesses and manages care for a patient with symptomatic stable angina.

Downloaded by Scott Green (sagreenxyz@gmail.com)

Scenario	Patient Data Estimated Scenario Time* Estimated Debriefing Time*	Scenario Skills	Scenario Presentation and Diagnoses	Primary Simulation Challenge
MED-07 	**Lou Thao** 43-year-old Male Scenario: 15-20 minutes Debriefing: 15-20 minutes **Postoperative Fluid Volume Deficit**	• Conduct postoperative assessment • Identify hypotension, tachycardia, and concentrated urine • Notify provider • Initiate IV fluid bolus per order • Provide patient education and support • Access and document care in EHR	Patient experiences hypotension and fluid volume deficit in immediate postoperative period. **Primary:** Diverticulitis **Secondary:** Hypothyroidism	Learner assesses and manages care for a patient experiencing fluid volume deficit in immediate postoperative period.
MED-08 	**Lucia Hoyos** 65-year-old Female Scenario: 20-25 minutes Debriefing: 20-25 minutes **Postanesthesia Confusion**	• Conduct assessment • Recognize confusion, combativeness, and pulled out NG-tube • Ensure patient safety • Use therapeutic communication to calm patient • Notify provider of status change • Administer IM lorazepam per order • Reinsert NG-tube • Provide patient education and support • Access and document care in EHR	Patient experiences postanesthesia confusion and combativeness and threatens her own safety and therapeutic regimen by pulling at tubes. **Primary:** Colon cancer **Secondary:** Colon resection with anastomosis	Learner assesses and manages care for a patient experiencing postanesthesia confusion and combativeness.
MED-09 	**Arthur Harris** 59-year-old Male Scenario: 20-30 minutes Debriefing: 20-30 minutes **Diabetes/Hypoglycemia**	• Conduct assessment • Perform fingerstick blood glucose check • Recognize hypoglycemia • Administer juice, low-fat milk, or glucose tablets • Reassess blood glucose level • Provide patient education and support • Access and document care in EHR	Patient with diabetes is admitted for cellulitis of the foot. He experiences an episode of hypoglycemia. **Primary**: Infected sacral pressure ulcer **Secondary**: Diabetes mellitus type 2	Learner assesses and manages care for a patient experiencing acute hypoglycemia.
MED-10 	**Janet Owen** 47-year-old Female Scenario: 15-20 minutes Debriefing: 15-20 minutes **Pancreatitis/Alcohol Withdrawal**	• Conduct assessment • Score findings on CIWA-Ar protocol • Recognize alcohol withdrawal • Identify IV removed by patient • Recognize that protocol recommends administration of sedative • Administer IM lorazepam • Communicate with RN to start new IV (or start IV if in regional LPN scope of practice) • Provide patient education and support • Access and document care in EHR	Patient with active alcohol abuse problem is admitted with acute pancreatitis and pain. Patient begins to show signs and symptoms of alcohol withdrawal and has removed IV. **Primary**: Acute pancreatitis **Secondary**: Alcohol abuse	Learner assesses and manages care for a patient experiencing alcohol withdrawal.
MED-11 	**Agnes Taylor** 81-year-old Female Scenario: 20-25 minutes Debriefing: 20-25 minutes **Postoperative Bleed**	• Conduct assessment • Recognize hypotension and bleeding • Notify provider of status • Initiate IV fluid bolus per order • Reinforce surgical dressing • Provide patient education and support • Access and document care in EHR	Patient returns to inpatient unit after hip surgery and experiences hypotension and bleeding. **Primary**: Left hip fracture **Secondary:** Malnutrition	Learner assesses and manages care for a patient experiencing postoperative bleeding.

This document is available on studocu

Downloaded by Scott Green (sagreenxyz@gmail.com)

ELSEVIER

Scenario	Patient Data Estimated Scenario Time* Estimated Debriefing Time*	Scenario Skills	Scenario Presentation and Diagnoses	Primary Simulation Challenge
MED-12 	**Agnes Taylor** 81-year-old Female Scenario: 20-25 minutes Debriefing: 20-25 minutes **Wound Infection**	• Conduct assessment • Recognize signs and symptoms of wound infection • Notify provider of status • Collect wound culture per order • Provide wound care per order • Provide patient education and support • Access and document care in EHR	Patient experiences a wound infection after hip surgery. **Primary**: Left hip fracture **Secondary:** Malnutrition	Learner assesses and manages care for a patient experiencing a surgical wound infection.
MED-13 	**Cynthia Bennet** 34-year-old Female Scenario: 15-20 minutes Debriefing: 15-20 minutes **Anaphylactic Reaction**	• Conduct assessment • Recognize signs and symptoms of anaphylactic reaction • Stop IV antibiotic • Administer supplemental oxygen • Notify provider • Administer SQ epinephrine • Provide patient education and support • Access and document care in EHR	Patient being treated for a urinary tract infection experiences an anaphylactic reaction to an IV antibiotic. **Primary:** Urinary tract infection **Secondary:** End-stage renal disease, diabetes mellitus	Learner assesses and manages care for a patient experiencing an anaphylactic reaction to an IV antibiotic.
PEDIATRIC				
PED-01 	**Johnny Parker** 2-year-old Male Scenario: 20-30 minutes Debriefing: 20-30 minutes **Acetaminophen Poisoning**	• Conduct assessment • Recognize removed NG-tube • Replace tube • Obtain placement verification of tube • Administer • N-acetylcysteine via tube • Access and document care in the EHR	Patient is admitted for monitoring and treatment after ingesting an unknown amount of liquid children's acetaminophen. **Primary**: Unintentional acetaminophen poisoning	Learner assesses, intervenes, and manages a toddler patient with accidental acetaminophen poisoning who has just removed his NG-tube.
PED-02 	**Pedro Gomez** 5-year-old Male Scenario: 15-20 minutes Debriefing: 15-20 minutes **Compound Fracture/Varicella**	• Conduct assessment • Recognize varicella infection (fever, red macular rash, recent exposure to chicken pox) • Notify provider • Administer acetaminophen • Initiate airborne isolation precautions • Educate parent on varicella management • Access and document care in the EHR	Patient presents with a broken arm and later exhibits signs and symptoms of varicella. **Primary**: Traumatic compound fracture, left forearm	Learner assesses, intervenes, and manages care for a postoperative pediatric patient exhibiting early signs and symptoms of varicella.
PED-03 	**Emilia Garcia** 9-year-old Female Scenario: 15-20 minutes Debriefing: 15-20 minutes **Asthma, Impaired Gas Exchange**	• Conduct assessment • Recognize signs and symptoms of asthma exacerbation • Provide supplemental oxygen • Administer nebulizer treatment • Access and document care in the EHR	Patient presents with acute asthma exacerbation related to pet dander exposure. **Primary**: Acute asthma exacerbation	Learner assesses, intervenes, and manages a pediatric patient experiencing respiratory dysfunction secondary to acute asthma exacerbation.

Downloaded by Scott Green (sagreenxyz@gmail.com)

Scenario	Patient Data Estimated Scenario Time* Estimated Debriefing Time*	Scenario Skills	Scenario Presentation and Diagnoses	Primary Simulation Challenge
PED-04 	**Dylan DiSabatino** 9-year-old Male Scenario: 15-20 minutes Debriefing: 15-20 minutes **Partial-Thickness Burns**	• Conduct assessment • Assess effectiveness of analgesia before dressing change • Perform sterile wound dressing change • Engage reluctant patient and mother in care • Access and document care in the EHR	Patient presents 4 days after experiencing partial-thickness burns on his right hand and fingers. **Primary**: Partial-thickness (second-degree) burns to right hand and fingers	Learner changes dressings and conducts parent teaching for a reluctant school-aged child with partial thickness burns.
PED-05 	**Ricky Alvarez** 13-year-old Male Scenario: 15-20 minutes Debriefing: 15-20 minutes **Diabetes, Hyperglycemia**	• Conduct assessment • Assess blood glucose • Administer SQ insulin • Educate patient and parent about diabetes management • Access and document care in the EHR	Patient presents with poorly managed type 1 diabetes and an infected foot wound. Both mother and patient are frustrated and find the required monitoring and care a challenge. **Primary**: Hyperglycemia, diabetes mellitus **Secondary**: Wound infection, right great toe	Learner assesses, intervenes, and manages an adolescent patient experiencing hyperglycemia and conducts diabetic teaching with a reluctant patient and mother.
		MATERNITY		
MAT-01 	**Rona Berends** 36-year-old Female /Gravida 1 para 0 Scenario: 20-30 minutes Debriefing: 20-30 minutes **Preeclamptic Seizure**	• Conduct assessment • Recognize worsening preeclampsia • Manage eclamptic seizure • Request help • Manage husband • Provide post-seizure care • Notify provider • Provide emotional support and teaching • Access and document care in the EHR	Patient with preeclampsia progresses to eclampsia. **Primary:** Preeclampsia **Secondary:** Pregnancy at 38 weeks' gestation, rule out labor induction	Learner assesses and manages the care of a patient with preeclampsia. Learner prioritizes interventions for a patient who experiences an eclamptic seizure.
MAT-02 	**Haley Bellows** 19-year-old Female /Gravida 1 para 0 Scenario: 10-15 minutes Debriefing: 10-15 minutes **Neonatal Resuscitation**	• Prepare for delivery • Receive newborn immediately after birth • Complete basic newborn assessment as part of nursing team • Recognize compromised newborn • Work with RN to implement newborn resuscitation protocol • Provide emotional support and teaching to parents • Access and document care in the EHR	Patient delivers newborn with moderate respiratory distress at birth. **Primary:** Pregnancy **Secondary:** Labor	As part of nursing care team, learner implements care according to the neonatal resuscitation protocol for a newborn experiencing respiratory distress at birth.

This document is available on studocu

Downloaded by Scott Green (sagreenxyz@gmail.com)

ELSEVIER

Scenario	Patient Data Estimated Scenario Time* Estimated Debriefing Time*	Scenario Skills	Scenario Presentation and Diagnoses	Primary Simulation Challenge
MAT-03 	**Deborah Nelson** 31-year-old Female /Gravida 2 para 1 Scenario: 15-20 minutes Debriefing: 15-20 minutes **Newborn Care**	• Prepare for delivery • Receive newborn immediately after birth • Complete basic newborn assessment as part of nursing team • Complete standard newborn care • Provide emotional support and teaching to parents • Access and document care in the EHR	Patient delivers healthy newborn following uneventful labor. Basic newborn care is needed. **Primary:** Spontaneous labor **Secondary:** Pregnancy	Learner assesses and manages the care of a newborn at birth. Learner completes standard newborn care.
MAT-04 	**Macy Polenski** 42-year-old Female /Gravida 4 para 4 Scenario: 15-20 minutes Debriefing: 15-20 minutes **Postpartum Hemorrhage/Placenta Increta**	• Conduct postpartum assessment • Recognize vital sign changes, dizziness, heavy lochia, and boggy uterus as signs of postpartum hemorrhage • Notify team members and provider • Administer oxygen • Administer IM carboprost • Initiate IV fluid bolus • Provide emotional support and teaching • Access and document care in the EHR	Patient experiences postpartum hemorrhage from retained placenta after a long and difficult delivery assisted by vacuum extraction. **Primary:** Pregnancy, term **Secondary:** Labor	Learner manages and prioritizes emergent care interventions for a patient experiencing postpartum hemorrhage from retained placenta.
PSYCHIATRIC MENTAL HEALTH				
PSYCH-01 	**Cecil Whitver** 78-year-old Male Scenario: 15-20 minutes Debriefing: 15-20 minutes **Depression**	• Conduct assessments • Recognize signs of depression • Use therapeutic communication • Ensure patient safety • Access and document care in EHR	Patient with a history of depression is admitted to the medical-surgical unit for dehydration. **Primary**: Dehydration **Secondary**: Depression	Learner assesses, intervenes, and manages care for a patient experiencing major depression.
PSYCH-02 	**Ri Liang** 68-year-old Male Scenario: 15-20 minutes Debriefing: 15-20 minutes **Dementia**	• Conduct assessments • Recognize signs and symptoms of dementia • Use therapeutic communication to calm patient • Administer memantine and citalopram • Initiate wandering precautions • Provide education to family • Ensure patient safety • Access and document care in EHR	Patient with a 2-year history of Alzheimer disease is admitted to the psychiatric unit for evaluation and possible placement. **Primary**: Dementia **Secondary**: Stage 2 Alzheimer disease	Learner assesses, intervenes, and manages care for a patient experiencing dementia.
PSYCH-03 	**Gwen Harrison** 84-year-old Female Scenario: 15-20 minutes Debriefing: 15-20 minutes **Older Adult Abuse**	• Conduct assessment • Recognize signs of abuse and neglect • Establish trusting relationship • Ensure patient safety • Access and document care in EHR	Patient with a history of Parkinson's disease is admitted to the medical-surgical unit for treatment of an unresolved urinary tract infection. **Primary**: Urinary tract infection **Secondary**: Parkinson's disease	Learner conducts an admission assessment for a dependent adult experiencing physical abuse and neglect.

Downloaded by Scott Green (sagreenxyz@gmail.com)