



1.Firstly, Inorder to create users we have to go to a service in Azure i.e., Microsoft Entra ID:



2. Next, on the left side you can see users, groups & all. Click on the users to create:



3. Give all the details to create a user:

The screenshot shows the 'Users' page in the Microsoft 365 admin center. The 'New user' dropdown menu is open, showing two options: 'Create new user' (highlighted with a red box) and 'Invite external user'. The 'Create new user' option is described as 'Create a new internal user in your organization'. Below the dropdown, a table lists existing users. The first user is 'tejas cloud' with a 'MicrosoftAccount' identity.

User principal name	User type	Is Agent	On-premises sy...	Identities
tejaswini.teja538_...	Member	No	No	MicrosoftAccount

If you want custom password you can uncheck this:

The screenshot shows the 'Create new user' form. The 'Auto-generate password' checkbox is checked and highlighted with a red box. The 'Review + create' button is also highlighted with a red box.

User principal name * @ [Domain not listed? Learn more](#)

Mail nickname * ☒ Derive from user principal name


Display name *

Password * ☒ Auto-generate password

Account enabled ⓘ ☒

[Review + create](#) [< Previous](#) [Next: Properties >](#)


4. After that you can see the created user in the users section:



The screenshot shows the 'Users' section of the Azure portal. The left sidebar lists various user management tasks. The main area displays a table of users. The first user, 'nareshit', is highlighted with a red box. The second user, 'tejas cloud', is also visible. The table columns include 'Display name', 'User principal name', 'User type', 'Is Agent', 'On-premises sy...', and 'Identities'.


Display name	User principal name	User type	Is Agent	On-premises sy...	Identities
nareshit	nareshit@tejaswin...	Member	No	No	tejaswiniteja538gmail.c
tejas cloud	tejaswini.teja538_...	Member	No	No	MicrosoftAccount

5. Now you can login bu using different account option or you can also use incognito window:



The screenshot shows the 'Users' section of the Azure portal with a sign-in dropdown menu open. The menu options include 'Default Directory' and 'Sign in with a different account', which is highlighted with a red box. The background shows the same user list as the previous screenshot.

Display name	User principal name	User type	Is Agent	On-premises sy...	Identities
nareshit	nareshit@tejaswin...	Member	No	No	tejaswiniteja538gmail.c
tejas cloud	tejaswini.teja538_...	Member	No	No	MicrosoftAccount



6. After logging in ...now you have entered into the user account:

Display name	User principal name	User type	Is Agent	On-premises sy...	Identities
nareshit	nareshit@tejaswin...	Member	No	No	tejaswiniteja538gmail.c
tejus cloud	tejaswini.teja538_...	Member	No	No	MicrosoftAccount

nareshit@tejaswiniteja538gmail.onmicrosoft.com

Install Microsoft Authenticator




Install the app on your mobile device, then come back here to continue.





[Set up a different authentication app](#)

Next


7. After the user login to his account, when he tries to create a VM he's not able to create a VM, becoz we have created **USER** but we haven't attached any role to the user, so he is not able to create a VM:




8. So, we have to create a role to the user from the main account, here in this case I want to create a role at the subscription level, you can create role at subscription level, resource group level (or) resource level:




After clicking on role assignment you can add the role, for time being iam adding Owner Role here



After clicking on members you can select the user you have created ,so the role you selected will be assigned to them:



See,now my user is able to see the VM created in the root account,as I have given owner access he's able to create VM's also



As I have created attached role to my user at the subscription level...so,we are able to see the attached at the subscription level,vice-versa

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

tejaswini.teja538@gmail...
DEFAULT DIRECTORY (TEJASWINI...)

Home > Subscriptions > Azure subscription 1

Subscriptions << >>

Default Directory (tejaswini.teja538@gmail.onmicros...)

+ Add Manage Policies ...

Global administrators can manage all subscriptions in this list by updating their policy setting [here](#).

View list of subscriptions for which you have role-based access control (RBAC) permissions to manage Azure resources. To view subscriptions for which you have billing access, [click here](#).
Showing subscriptions in Default Directory directory. Don't see a subscription? [Switch directories](#)

S... Subscriptions: Filtered (1 of 1)

My role == all

Status == all

+ Add filter

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Security

Resource visualizer

Events

Resource groups

Resources

Cost Management

Azure subscription 1 | Access control (IAM) ☆ ...

Subscription

Search

+ Add Download role assignments Edit columns Refresh Delete ...

Search by name or email

Type: All Role: All Scope: All scopes Group by: Role

All (2) Job function roles (0) Privileged administrator roles (2)

Name ↑↓	Type ↑↓	Role ↑↓	Scope ↑↓	Condition
Owner (2)				
nareshit c5b6cfe3-d243...	User	Owner	This resource	View/Ed
tejus cloud ba34af04-5aa4...	User	Owner	This resource	Add

Showing 1 - 2 of 2 results.

Creation of a custom role:

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

tejaswini.teja538@gmail...
DEFAULT DIRECTORY (TEJASWINI...)

Home > Subscriptions > Azure subscription 1

Subscriptions << >>

Default Directory (tejaswini.teja538@gmail.onmicros...)

+ Add Manage Policies ...

Global administrators can manage all subscriptions in this list by updating their policy setting [here](#).

View list of subscriptions for which you have role-based access control (RBAC) permissions to manage Azure resources. To view subscriptions for which you have billing access, [click here](#).
Showing subscriptions in Default Directory directory. Don't see a subscription? [Switch directories](#)

S... Subscriptions: Filtered (1 of 1)

My role == all

Status == all

+ Add filter

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Security

Resource visualizer

Events

Resource groups

Resources

Cost Management

Azure subscription 1 | Access control (IAM) ☆ ...

Subscription

Search

+ Add Download role assignments Edit columns Refresh Delete ...

Search by name or email

Type: All Role: All Scope: All scopes Group by: Role

All (2) Job function roles (0) Privileged administrator roles (2)

Name ↑↓	Type ↑↓	Role ↑↓	Scope ↑↓	Condition
Owner (2)				
nareshit c5b6cfe3-d243...	User	Owner	This resource	View/Ed
tejus cloud ba34af04-5aa4...	User	Owner	This resource	Add

Showing 1 - 2 of 2 results.

Add role assignment

Add co-administrator

Add custom role

Here you can add the required permissions you want:

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

tejaswini.teja538@gmail...
DEFAULT DIRECTORY (TEJASWINI...)

Add permissions

Search for permissions to add to your custom role. For example, search for "virtual machines" to find permissions related to virtual machines.

Search: microsoft.compute

Microsoft Compute Access cloud compute capacity and scale on demand (such as virtual machines) and only pay for the resources you use.	Microsoft Compute Limit Microsoft.ComputeLimit	Microsoft.ComputeSchedule Microsoft.ComputeSchedule
--	--	---

Review + create Add Cancel Download all permissions

You can select the required permissions:

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

tejaswini.teja538@gmail...
DEFAULT DIRECTORY (TEJASWINI...)

Microsoft.Compute permissions

Actions Data Actions

Permission

☒ Other : Register Subscription for Compute ⓘ	Registers Subscription with Microsoft.Compute resource provider
☐ Other : Unregister Subscription for Compute ⓘ	Unregisters Subscription with Microsoft.Compute resource provider
Microsoft.Compute/availabilitySets	
☒ Read : Get Availability Set ⓘ	Get the properties of an availability set
☒ Write : Create or Update Availability Set ⓘ	Creates a new availability set or updates an existing one
☐ Delete : Delete Availability Set ⓘ	Deletes the availability set
Microsoft.Compute/availabilitySets/vmSizes	

Add Cancel

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

tejaswini.teja538@gmail...
DEFAULT DIRECTORY (TEJASWINI...)

Add role assignment

Role Members Conditions Review + assign

A role definition is a collection of permissions. You can use the built-in roles or you can create your own custom roles. [Learn more](#)

[Copilot can help pick a role](#)

Job function roles Privileged administrator roles

Grant access to Azure resources based on job function, such as the ability to create virtual machines.

Search: custom

Type: All Category: All

Name	Description	Type	Category	Details
custom-role-for-user		CustomRole	None	View

Showing 1 - 1 of 1 results.

Review + assign Previous Next Feedback

Select the custom role you created & attach it to the user:

Home > Azure subscription 1 | Access control (IAM) >

Add role assignment

Assign access to

☒ User, group, or service principal
☐ Managed identity

Members [+ Select members](#)

Name	Object ID	Type
No members selected		

Description

Optional

[Review + assign](#) [Previous](#) [Next](#)

Select members

Search by name or email address

NA

nareshit
nareshit@tejaswiniteja538gmail.onmicrosoft.com

TC

tejus cloud(Guest)
tejaswini.teja538_gmail.com#EXT#@tejaswiniteja538gmail.onmicrosoft.com

Selected members:

NA

nareshit
nareshit@tejaswiniteja538gmail.onmicrosoft.com

[Select](#) [Close](#)

Microsoft Azure Search resources, services, and docs (G+/)

Home > Azure subscription 1

Azure subscription 1 | Access control (IAM)

Subscription

Search

[+ Add](#) [Download role assignments](#) [Edit columns](#) [Refresh](#) [Delete](#) [Feedback](#)


All (3) Job function roles (1) Privileged administrator roles (2)

Name	Type	Role	Scope	Condition
Owner (2)				
☐ nareshit c5b6cfe3-d243-458...	User	Owner	This resource	View/Edit
☐ tejus cloud ba34af04-5aa4-4f76...	User	Owner	This resource	Add
custom-role-for-user (1)				
☐ nareshit c5b6cfe3-d243-458...	User	custom-role-for-user	This resource	None


Showing 1 - 3 of 3 results.

Using Managed Identity how we can establish communication between two resources:


1. For that first we need to create a storage account




2.Create a container:




3.Upload a file in the container:






Now we have to attach a role to the storage container so that my VM can read the file in the blob storage:



1.Firstly, goto your VM & click on identity




2.click on system assigned identity & on & save




2.next,goto your container in the storage account,in that attach role to the managed identity,I that select your VM.






Your role got attached



Now connect to your VM:



Commands to access Blob from the Virtual Machine

Fetch the access token from the managed identities

```
access_token=$(curl 'http://169.254.169.254/metadata/identity/oauth2/token?api-version=2018-02-01&resource=https%3A%2F%2Fstorage.azure.com%2F' -H Metadata:true | jq -r '.access_token')
```

command whether the token is fetched or not

```
echo $access_token
```

Access the blob from Virtual Machine

```
storage_account_name="" container_name="" blob_name=""
```

```
curl "https://tejustores.blob.core.windows.net/test/index.html" -H "x-ms-version: 2017-11-09" -H "Authorization: Bearer $access_token"
```

After entering the above commands you can able to see the file in the blob storage:

```

access token"
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Instagram Clone</title>
  <style>
    body { font-family: Arial, sans-serif; text-align: center; }
    .post { margin: 20px auto; border: 1px solid #ccc; width: 300px; padding: 10px; border-radius: 10px; }
    img { max-width: 100%; border-radius: 10px; }
  </style>
</head>
<body>
  <h1>My Instagram Feed</h1>
  <div id="posts"></div>

  <!-- JavaScript to connect to your backend -->
<script>

```

How to use service principals:

1.Firstly, goto app registrations:

The screenshot shows the Microsoft Azure portal interface. The top navigation bar includes the Microsoft Azure logo, a search bar, and user information for 'tejaswini.teja538@gmail...'. The main content area is titled 'Default Directory | App registrations'. On the left, a sidebar menu lists various management options, with 'App registrations' highlighted. The main panel shows a notification about the deprecation of ADAL and Azure Active Directory Graph, followed by tabs for 'All applications', 'Owned applications', 'Deleted applications', and 'Applications from personal account'. The 'Owned applications' tab is active, displaying a message that the current account is not listed as an owner of any applications, with buttons to 'View all applications in the directory' and 'View all applications from personal account'.

The screenshot shows the 'Register an application' form in the Microsoft Azure portal. The form is titled 'Register an application' and includes a section for 'Name' with a text input field containing 'teju'. Below this, there is a section for 'Supported account types' with a heading 'Who can use this application or access this API?'. Three radio button options are listed: 'Accounts in this organizational directory only (Default Directory only - Single tenant)' (selected), 'Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)', and 'Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)'. At the bottom, there is a checkbox for 'By proceeding, you agree to the Microsoft Platform Policies' and a 'Register' button.

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

tejaswini.teja538@gmail...
DEFAULT DIRECTORY (TEJASWINI...)

Home >

teju

Search

Delete Endpoints Preview features

Overview

- Quickstart
- Integration assistant
- Diagnose and solve problems
- Manage
 - Branding & properties
 - Authentication (Preview)
 - Certificates & secrets
 - Token configuration
 - API permissions
 - Expose an API

Add or remove favorites by pressing Ctrl+Shift+F

Essentials

Display name
teju

Application (client) ID
283c1b5c-6993-4beb-9147-c1d991703069

Object ID
788a6224-8f40-44da-96fb-f89a6a24692f

Directory (tenant) ID
564cd254-3ca0-4661-9046-f2bcbcc05f35

Supported account types
[My organization only](#)

Client credentials
[Add a certificate or secret](#)

Redirect URIs
[Add Redirect URIs](#)

Application ID URI
[Add an Application ID URI](#)

Managed application in local directory
teju

Welcome to the new and improved App registrations. Looking to learn how it's changed from App registrations (Legacy)? [Learn more](#)

Starting June 30th, 2020 we will no longer add any new features to Azure Active Directory Authentication Library (ADAL) and Azure Active Directory Graph. We

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

tejaswini.teja538@gmail...
DEFAULT DIRECTORY (TEJASWINI...)

Home > Default Directory | App registrations > tej

tej | Certificates & secrets

Search

Got feedback?

Overview

- Quickstart
- Integration assistant
- Diagnose and solve problems
- Manage
 - Branding & properties
 - Authentication (Preview)
 - Certificates & secrets**
 - Token configuration
 - API permissions
 - Expose an API

Add or remove favorites by pressing Ctrl+Shift+F

Application registration certificates, secrets and federated credentials can be found in the tabs below.

Certificates (0) **Client secrets (1)** Federated credentials (0)

A secret string that the application uses to prove its identity when requesting a token. Also can be referred to as application password.

+ New client secret

Description	Expires	Value	Secret ID
teju-secret	10/03/2026	qMD*****	60c0238a-3e50-444e-874d-db0ea64d...

Adding role to the service principal:

Microsoft Azure

Search resources, services, and docs (G+/I)

Copilot

tejaswini.teja538@gmail...
DEFAULT DIRECTORY (TEJASWINI...)

Home > Subscriptions > Azure subscription 1 | Access control (IAM) >

Add role assignment

Assign access to

☒ User, group, or service principal

☐ Managed identity

Members

+ Select members

Name

Object ID

Type

Description

Optional

Review + assign Previous Next

Select members

teju

- teju Application
- teju-vm Application
- teju-group
- tejus

Selected members:

No members selected. Search for and add one or more members you want to assign to the role for this resource.

[Learn more about RBAC](#)

Select Close

